

```
gero@gero-studiolink:~$ sudo rm -R studio-link
[sudo] password for gero:
gero@gero-studiolink:~$ mkdir studio-link
gero@gero-studiolink:~$ cd studio-link
gero@gero-studiolink:~/studio-link$ ls
gero@gero-studiolink:~/studio-link$
git clone https://github.com/Studio-Link/3rdparty.git
Cloning into '3rdparty'...
remote: Enumerating objects: 362, done.
remote: Counting objects: 100% (190/190), done.
remote: Compressing objects: 100% (99/99), done.
remote: Total 362 (delta 92), reused 163 (delta 73), pack-reused 172
Receiving objects: 100% (362/362), 103.50 KiB | 3.14 MiB/s, done.
Resolving deltas: 100% (167/167), done.
gero@gero-studiolink:~/studio-link$ cd 3rdparty/
gero@gero-studiolink:~/studio-link/3rdparty$ ls
dist README.md
gero@gero-studiolink:~/studio-link/3rdparty$ export BUILD_OS="linux"; export
BUILD_TARGET="linux"; dist/build.sh
+ source dist/lib/versions.sh
++ github_org=https://github.com/Studio-Link
++ opus=1.3.1
++ openssl=1.1.1m
++ openssl_sha256=f89199be8b23ca45fc7cb9f1d8d3ee67312318286ad030f5316aca6462db6c96
++ flac=1.3.3
+ source dist/lib/functions.sh
+ make_opts=-j4
+ sl_prepare
+ echo 'start build on linux (linux)'
start build on linux (linux)
+ sl_prepare_version
++ printf %02d
+ vminor_t=00
+ version_t=v.00.
+ version_n=..
+ mkdir -p build
+ pushd build
~/studio-link/3rdparty/build ~/studio-link/3rdparty
+ mkdir -p 3rdparty/include
+ mkdir -p 3rdparty/lib
++ which shasum
+ SHASUM=/usr/bin/shasum
+ '[' linux == macos '['
+ '[' linux == macos_arm64 '['
+ '[' linux == mingw '['
+ '[' linux == linux_arm32 '['
+ '[' linux == linux_arm64 '['
+ '[' '!' -d libsamplerate '['
+ git clone https://github.com/studio-link-3rdparty/libsamplerate.git
Cloning into 'libsamplerate'...
remote: Enumerating objects: 2655, done.
remote: Total 2655 (delta 0), reused 0 (delta 0), pack-reused 2655
Receiving objects: 100% (2655/2655), 18.64 MiB | 9.37 MiB/s, done.
Resolving deltas: 100% (1733/1733), done.
+ pushd libsamplerate
~/studio-link/3rdparty/build/libsamplerate ~/studio-link/3rdparty/build ~/studio-
link/3rdparty
+ ./autogen.sh
checking for autoconf...
checking for automake... yes
checking for libtool... libtoolize
Generating configuration files for libsamplerate, please wait....
  aclocal
  libtoolize --automake
  autoheader
```

```
automake --add-missing
configure.ac:35: installing 'build-aux/compile'
configure.ac:25: installing 'build-aux/config.guess'
configure.ac:25: installing 'build-aux/config.sub'
configure.ac:30: installing 'build-aux/install-sh'
configure.ac:30: installing 'build-aux/missing'
Makefile.am: installing 'build-aux/depcomp'
  autoconf
+ '[' -n '' ']'
+ ./configure
checking whether configure should try to set CFLAGS/CPPFLAGS/LDFLAGS... yes
checking build system type... aarch64-unknown-linux-gnu
checking host system type... aarch64-unknown-linux-gnu
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... /usr/bin/mkdir -p
checking for gawk... no
checking for mawk... mawk
checking whether make sets $(MAKE)... yes
checking whether make supports nested variables... yes
checking whether make supports nested variables... (cached) yes
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking whether gcc understands -c and -o together... yes
checking whether make supports the include directive... yes (GNU style)
checking dependency style of gcc... gcc3
checking for gcc option to accept ISO C99... none needed
checking for C compiler vendor... gnu
checking for a sed that does not truncate output... /usr/bin/sed
checking for C compiler version... 11.2.0
checking for a sed that does not truncate output... (cached) /usr/bin/sed
checking whether ln -s works... yes
checking whether make sets $(MAKE)... (cached) yes
checking for pkg-config... /usr/bin/pkg-config
checking pkg-config is at least version 0.9.0... yes
checking how to print strings... printf
checking for a sed that does not truncate output... (cached) /usr/bin/sed
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for fgrep... /usr/bin/grep -F
checking for ld used by gcc... /usr/bin/ld
checking if the linker (/usr/bin/ld) is GNU ld... yes
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -B
checking the name lister (/usr/bin/nm -B) interface... BSD nm
checking the maximum length of command line arguments... 1572864
checking how to convert aarch64-unknown-linux-gnu file names to aarch64-unknown-
linux-gnu format... func_convert_file_noop
checking how to convert aarch64-unknown-linux-gnu file names to toolchain
format... func_convert_file_noop
checking for /usr/bin/ld option to reload object files... -r
checking for objdump... objdump
checking how to recognize dependent libraries... pass_all
checking for dlltool... no
checking how to associate runtime and link libraries... printf %s\n
checking for ar... ar
checking for archiver @FILE support... @
checking for strip... strip
checking for ranlib... ranlib
checking command to parse /usr/bin/nm -B output from gcc object... ok
```

```
checking for sysroot... no
checking for a working dd... /usr/bin/dd
checking how to truncate binary pipes... /usr/bin/dd bs=4096 count=1
checking for mt... mt
checking if mt is a manifest tool... no
checking how to run the C preprocessor... gcc -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking for dlfcn.h... yes
checking for objdir... .libs
checking if gcc supports -fno-rtti -fno-exceptions... no
checking for gcc option to produce PIC... -fPIC -DPIC
checking if gcc PIC flag -fPIC -DPIC works... yes
checking if gcc static flag -static works... yes
checking if gcc supports -c -o file.o... yes
checking if gcc supports -c -o file.o... (cached) yes
checking whether the gcc linker (/usr/bin/ld) supports shared libraries... yes
checking whether -lc should be explicitly linked in... no
checking dynamic linker characteristics... GNU/Linux ld.so
checking how to hardcode library paths into programs... immediate
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... yes
checking for windres... no
checking for ANSI C header files... (cached) yes
checking for stdint.h... (cached) yes
checking sys/times.h usability... yes
checking sys/times.h presence... yes
checking for sys/times.h... yes
checking size of int... 4
checking size of long... 8
checking size of float... 4
checking size of double... 8
checking whether byte ordering is bigendian... no
checking for malloc... yes
checking for calloc... yes
checking for free... yes
checking for memcpy... yes
checking for memmove... yes
checking for alarm... yes
checking for signal... yes
checking for library containing floor... -lm
checking for floor... yes
checking for ceil... yes
checking for fmod... yes
checking for lrint... yes
checking for lrintf... yes
checking for SIGALRM... yes
checking processor clipping capabilities... none
checking for sndfile >= 1.0.6... no
checking for alsa... yes
checking for fftw3 >= 3.0.0... no
checking whether C compiler accepts -DHAVE_CONFIG_H... yes
checking whether C compiler accepts -O2... yes
checking whether C compiler accepts -pipe... yes
checking whether the linker accepts -Wl,-O1... yes
checking whether the linker accepts -Wl,--as-needed... yes
```

```

checking whether the linker accepts -Wl,--no-undefined... yes
checking whether the linker accepts -Wl,--gc-sections... yes
checking whether C compiler accepts -W... yes
checking whether C compiler accepts -Wstrict-prototypes... yes
checking whether C compiler accepts -Wmissing-prototypes... yes
checking whether C compiler accepts -Wall... yes
checking whether C compiler accepts -Waggregate-return... yes
checking whether C compiler accepts -Wcast-align... yes
checking whether C compiler accepts -Wcast-qual... yes
checking whether C compiler accepts -Wnested-externs... yes
checking whether C compiler accepts -Wshadow... yes
checking whether C compiler accepts -Wpointer-arith... yes
checking whether C compiler accepts -Wshorten-64-to-32... no
checking that generated files are newer than configure... done
configure: creating ./config.status
config.status: creating Makefile
config.status: creating src/Version_script
config.status: creating Win32/Makefile.mingw
config.status: creating libsamplerate.spec
config.status: creating samplerate.pc
config.status: creating src/config.h
config.status: executing depfiles commands
config.status: executing libtool commands

```

```

----- Configuration Complete -----

```

Configuration summary :

```

libsamplerate version : ..... 0.1.9

Host CPU : ..... aarch64
Host Vendor : ..... unknown
Host OS : ..... linux-gnu

CFLAGS : ..... -DHAVE_CONFIG_H -O2 -pipe -W -Wstrict-
prototypes -Wmissing-prototypes -Wall -Waggregate-return -Wcast-align -Wcast-qual -
Wnested-externs -Wshadow -Wpointer-arith
CPPFLAGS : .....
LDFLAGS : ..... -Wl,-O1 -Wl,--as-needed -Wl,--no-
undefined -Wl,--gc-sections

```

Tools :

```

C Compiler Vendor is : ..... gnu (11.2.0)

Extra tools required for testing and examples :

Have libsndfile : ..... no (auto)
Have ALSA : ..... yes
Have FFTW : ..... no (auto)

```

Installation directories :

```

Library directory : ..... /usr/local/lib
Program directory : ..... /usr/local/bin
Pkgconfig directory : ..... /usr/local/lib/pkgconfig
HTML docs directory : ..... /usr/local/share/doc/libsamplerate

```

Compiling some other packages against libsamplerate may require the addition of '/usr/local/lib/pkgconfig' to the PKG\_CONFIG\_PATH environment variable.

```

+ make
CC      src/samplerate.lo
CC      src/src_sinc.lo
CC      src/src_zoh.lo

```

```

CC      src/src_linear.lo
CCLD    src/libsamplrate.la
+ cp -a ./src/.libs/libsamplrate.a ../3rdparty/lib/
+ cp -a ./src/samplrate.h ../3rdparty/include/
+ popd
~/studio-link/3rdparty/build ~/studio-link/3rdparty
+ '[' '!' -d openssl-1.1.1m ']'
+ sl_get_openssl
+ wget https://www.openssl.org/source/openssl-1.1.1m.tar.gz
--2022-01-22 21:10:28-- https://www.openssl.org/source/openssl-1.1.1m.tar.gz
Resolving www.openssl.org (www.openssl.org)... 2a02:26f0:fb:5a8::c1e, 2a02:26f0:fb:5a6::c1e, 104.89.5.252
Connecting to www.openssl.org (www.openssl.org)|2a02:26f0:fb:5a8::c1e|:443...
connected.
HTTP request sent, awaiting response... 200 OK
Length: 9847315 (9,4M) [application/x-gzip]
Saving to: 'openssl-1.1.1m.tar.gz'

openssl-1.1.1m.tar. 100%[=====] 9,39M 9,26MB/s in 1,0s

2022-01-22 21:10:29 (9,26 MB/s) - 'openssl-1.1.1m.tar.gz' saved [9847315/9847315]

+ echo 'f89199be8b23ca45fc7cb9f1d8d3ee67312318286ad030f5316aca6462db6c96
openssl-1.1.1m.tar.gz'
+ /usr/bin/shasum -a 256 -c -
openssl-1.1.1m.tar.gz: OK
+ tar -xzf openssl-1.1.1m.tar.gz
+ ln -s openssl-1.1.1m openssl
+ pushd openssl
~/studio-link/3rdparty/build/openssl ~/studio-link/3rdparty/build ~/studio-link/
3rdparty
+ '[' linux == macos_arm64 ']'
+ '[' linux == windows32 ']'
+ '[' linux == windows64 ']'
+ '[' linux == linux_arm32 ']'
+ '[' linux == linux_arm64 ']'
+ ./config no-shared
Operating system: aarch64-whatever-linux2
Configuring OpenSSL version 1.1.1m (0x101010dfL) for linux-aarch64
Using os-specific seed configuration
Creating configdata.pm
Creating Makefile

*****
***
***      OpenSSL has been successfully configured
***
***
***      If you encounter a problem while building, please open an
***      issue on GitHub <https://github.com/openssl/openssl/issues>
***      and include the output from the following command:
***
***      perl configdata.pm --dump
***
***      (If you are new to OpenSSL, you might want to consult the
***      'Troubleshooting' section in the INSTALL file first)
***
*****
+ make -j4 build_libs
/usr/bin/perl "-I." -Mconfigdata "util/dofile.pl" \
  "-oMakefile" include/crypto/bn_conf.h.in > include/crypto/bn_conf.h
/usr/bin/perl "-I." -Mconfigdata "util/dofile.pl" \
  "-oMakefile" include/crypto/dso_conf.h.in > include/crypto/dso_conf.h
/usr/bin/perl "-I." -Mconfigdata "util/dofile.pl" \
  "-oMakefile" include/openssl/opensslconf.h.in > include/openssl/opensslconf.h
make depend && make _build_libs
make[1]: Entering directory '/home/gero/studio-link/3rdparty/build/openssl-1.1.1m'

```

```
make[1]: Leaving directory '/home/gero/studio-link/3rdparty/build/openssl-1.1.1m'
make[1]: Entering directory '/home/gero/studio-link/3rdparty/build/openssl-1.1.1m'
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF apps/
app_rand.d.tmp -MT apps/app_rand.o -c -o apps/app_rand.o apps/app_rand.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF apps/apps.d.tmp -
MT apps/apps.o -c -o apps/apps.o apps/apps.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF apps/
bf_prefix.d.tmp -MT apps/bf_prefix.o -c -o apps/bf_prefix.o apps/bf_prefix.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF apps/opt.d.tmp -MT
apps/opt.o -c -o apps/opt.o apps/opt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF apps/s_cb.d.tmp -
MT apps/s_cb.o -c -o apps/s_cb.o apps/s_cb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF apps/
s_socket.d.tmp -MT apps/s_socket.o -c -o apps/s_socket.o apps/s_socket.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/aes/
aes_cbc.d.tmp -MT crypto/aes/aes_cbc.o -c -o crypto/aes/aes_cbc.o crypto/aes/
aes_cbc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/aes/
aes_cfb.d.tmp -MT crypto/aes/aes_cfb.o -c -o crypto/aes/aes_cfb.o crypto/aes/
aes_cfb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/aes/
aes_core.d.tmp -MT crypto/aes/aes_core.o -c -o crypto/aes/aes_core.o crypto/aes/
aes_core.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/aes/
aes_ecb.d.tmp -MT crypto/aes/aes_ecb.o -c -o crypto/aes/aes_ecb.o crypto/aes/
aes_ecb.c
```

```
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/aes/
aes_ige.d.tmp -MT crypto/aes/aes_ige.o -c -o crypto/aes/aes_ige.o crypto/aes/
aes_ige.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/aes/
aes_misc.d.tmp -MT crypto/aes/aes_misc.o -c -o crypto/aes/aes_misc.o crypto/aes/
aes_misc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/aes/
aes_ofb.d.tmp -MT crypto/aes/aes_ofb.o -c -o crypto/aes/aes_ofb.o crypto/aes/
aes_ofb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/aes/
aes_wrap.d.tmp -MT crypto/aes/aes_wrap.o -c -o crypto/aes/aes_wrap.o crypto/aes/
aes_wrap.c
CC="gcc" /usr/bin/perl crypto/aes/asm/aesv8-armx.pl linux64 crypto/aes/aesv8-armx.S
CC="gcc" /usr/bin/perl crypto/aes/asm/vpaes-armv8.pl linux64 crypto/aes/vpaes-
armv8.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/aria/
aria.d.tmp -MT crypto/aria/aria.o -c -o crypto/aria/aria.o crypto/aria/aria.c
CC="gcc" /usr/bin/perl crypto/arm64cpuid.pl linux64 crypto/arm64cpuid.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
armcap.d.tmp -MT crypto/armcap.o -c -o crypto/armcap.o crypto/armcap.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_bitstr.d.tmp -MT crypto/asn1/a_bitstr.o -c -o crypto/asn1/a_bitstr.o crypto/asn1/
a_bitstr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_d2i_fp.d.tmp -MT crypto/asn1/a_d2i_fp.o -c -o crypto/asn1/a_d2i_fp.o crypto/asn1/
a_d2i_fp.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_digest.d.tmp -MT crypto/asn1/a_digest.o -c -o crypto/asn1/a_digest.o crypto/asn1/
a_digest.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_dup.d.tmp -MT crypto/asn1/a_dup.o -c -o crypto/asn1/a_dup.o crypto/asn1/a_dup.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_gentm.d.tmp -MT crypto/asn1/a_gentm.o -c -o crypto/asn1/a_gentm.o crypto/asn1/
a_gentm.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_i2d_fp.d.tmp -MT crypto/asn1/a_i2d_fp.o -c -o crypto/asn1/a_i2d_fp.o crypto/asn1/
a_i2d_fp.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_int.d.tmp -MT crypto/asn1/a_int.o -c -o crypto/asn1/a_int.o crypto/asn1/a_int.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_mbstr.d.tmp -MT crypto/asn1/a_mbstr.o -c -o crypto/asn1/a_mbstr.o crypto/asn1/
a_mbstr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_object.d.tmp -MT crypto/asn1/a_object.o -c -o crypto/asn1/a_object.o crypto/asn1/
a_object.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_octet.d.tmp -MT crypto/asn1/a_octet.o -c -o crypto/asn1/a_octet.o crypto/asn1/
a_octet.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_print.d.tmp -MT crypto/asn1/a_print.o -c -o crypto/asn1/a_print.o crypto/asn1/
a_print.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_sign.d.tmp -MT crypto/asn1/a_sign.o -c -o crypto/asn1/a_sign.o crypto/asn1/
a_sign.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_strex.d.tmp -MT crypto/asn1/a_strex.o -c -o crypto/asn1/a_strex.o crypto/asn1/
```



```
a_strex.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_strnid.d.tmp -MT crypto/asn1/a_strnid.o -c -o crypto/asn1/a_strnid.o crypto/asn1/
a_strnid.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_time.d.tmp -MT crypto/asn1/a_time.o -c -o crypto/asn1/a_time.o crypto/asn1/
a_time.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_type.d.tmp -MT crypto/asn1/a_type.o -c -o crypto/asn1/a_type.o crypto/asn1/
a_type.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_utctm.d.tmp -MT crypto/asn1/a_utctm.o -c -o crypto/asn1/a_utctm.o crypto/asn1/
a_utctm.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_utf8.d.tmp -MT crypto/asn1/a_utf8.o -c -o crypto/asn1/a_utf8.o crypto/asn1/
a_utf8.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
a_verify.d.tmp -MT crypto/asn1/a_verify.o -c -o crypto/asn1/a_verify.o crypto/asn1/
a_verify.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
ameth_lib.d.tmp -MT crypto/asn1/ameth_lib.o -c -o crypto/asn1/ameth_lib.o crypto/
asn1/ameth_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
asn1_err.d.tmp -MT crypto/asn1/asn1_err.o -c -o crypto/asn1/asn1_err.o crypto/asn1/
asn1_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
asn1_gen.d.tmp -MT crypto/asn1/asn1_gen.o -c -o crypto/asn1/asn1_gen.o crypto/asn1/
asn1_gen.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
```

```
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
asn1_item_list.d.tmp -MT crypto/asn1/asn1_item_list.o -c -o crypto/asn1/
asn1_item_list.o crypto/asn1/asn1_item_list.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
asn1_lib.d.tmp -MT crypto/asn1/asn1_lib.o -c -o crypto/asn1/asn1_lib.o crypto/asn1/
asn1_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
asn1_par.d.tmp -MT crypto/asn1/asn1_par.o -c -o crypto/asn1/asn1_par.o crypto/asn1/
asn1_par.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
asn_mime.d.tmp -MT crypto/asn1/asn_mime.o -c -o crypto/asn1/asn_mime.o crypto/asn1/
asn_mime.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
asn_moid.d.tmp -MT crypto/asn1/asn_moid.o -c -o crypto/asn1/asn_moid.o crypto/asn1/
asn_moid.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
asn_mstbl.d.tmp -MT crypto/asn1/asn_mstbl.o -c -o crypto/asn1/asn_mstbl.o crypto/
asn1/asn_mstbl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
asn_pack.d.tmp -MT crypto/asn1/asn_pack.o -c -o crypto/asn1/asn_pack.o crypto/asn1/
asn_pack.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
bio_asn1.d.tmp -MT crypto/asn1/bio_asn1.o -c -o crypto/asn1/bio_asn1.o crypto/asn1/
bio_asn1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
bio_ndef.d.tmp -MT crypto/asn1/bio_ndef.o -c -o crypto/asn1/bio_ndef.o crypto/asn1/
bio_ndef.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
```

```
d2i_pr.d.tmp -MT crypto/asn1/d2i_pr.o -c -o crypto/asn1/d2i_pr.o crypto/asn1/
d2i_pr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
d2i_pr.d.tmp -MT crypto/asn1/d2i_pr.o -c -o crypto/asn1/d2i_pr.o crypto/asn1/
d2i_pr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
evp_asn1.d.tmp -MT crypto/asn1/evp_asn1.o -c -o crypto/asn1/evp_asn1.o crypto/asn1/
evp_asn1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
f_int.d.tmp -MT crypto/asn1/f_int.o -c -o crypto/asn1/f_int.o crypto/asn1/f_int.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
f_string.d.tmp -MT crypto/asn1/f_string.o -c -o crypto/asn1/f_string.o crypto/asn1/
f_string.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
i2d_pr.d.tmp -MT crypto/asn1/i2d_pr.o -c -o crypto/asn1/i2d_pr.o crypto/asn1/
i2d_pr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
i2d_pr.d.tmp -MT crypto/asn1/i2d_pr.o -c -o crypto/asn1/i2d_pr.o crypto/asn1/
i2d_pr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
i2d_pr.d.tmp -MT crypto/asn1/i2d_pr.o -c -o crypto/asn1/i2d_pr.o crypto/asn1/
i2d_pr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
i2d_pr.d.tmp -MT crypto/asn1/i2d_pr.o -c -o crypto/asn1/i2d_pr.o crypto/asn1/
i2d_pr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
n_pkey.d.tmp -MT crypto/asn1/n_pkey.o -c -o crypto/asn1/n_pkey.o crypto/asn1/
n_pkey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
nsseq.d.tmp -MT crypto/asn1/nsseq.o -c -o crypto/asn1/nsseq.o crypto/asn1/nsseq.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
p5_pbe.d.tmp -MT crypto/asn1/p5_pbe.o -c -o crypto/asn1/p5_pbe.o crypto/asn1/
p5_pbe.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```

```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
p5_pbev2.d.tmp -MT crypto/asn1/p5_pbev2.o -c -o crypto/asn1/p5_pbev2.o crypto/asn1/
p5_pbev2.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
p5_scrypt.d.tmp -MT crypto/asn1/p5_scrypt.o -c -o crypto/asn1/p5_scrypt.o crypto/
asn1/p5_scrypt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
p8_pkey.d.tmp -MT crypto/asn1/p8_pkey.o -c -o crypto/asn1/p8_pkey.o crypto/asn1/
p8_pkey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
t_bitst.d.tmp -MT crypto/asn1/t_bitst.o -c -o crypto/asn1/t_bitst.o crypto/asn1/
t_bitst.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
t_pkey.d.tmp -MT crypto/asn1/t_pkey.o -c -o crypto/asn1/t_pkey.o crypto/asn1/
t_pkey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
t_spki.d.tmp -MT crypto/asn1/t_spki.o -c -o crypto/asn1/t_spki.o crypto/asn1/
t_spki.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
tasn_dec.d.tmp -MT crypto/asn1/tasn_dec.o -c -o crypto/asn1/tasn_dec.o crypto/asn1/
tasn_dec.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
tasn_enc.d.tmp -MT crypto/asn1/tasn_enc.o -c -o crypto/asn1/tasn_enc.o crypto/asn1/
tasn_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
tasn_fre.d.tmp -MT crypto/asn1/tasn_fre.o -c -o crypto/asn1/tasn_fre.o crypto/asn1/
tasn_fre.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/asn1/
tasn_new.d.tmp -MT crypto/asn1/tasn_new.o -c -o crypto/asn1/tasn_new.o crypto/asn1/
```

```
tasn_new.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
tasn_prn.d.tmp -MT crypto/asn1/tasn_prn.o -c -o crypto/asn1/tasn_prn.o crypto/asn1/
tasn_prn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
tasn_scn.d.tmp -MT crypto/asn1/tasn_scn.o -c -o crypto/asn1/tasn_scn.o crypto/asn1/
tasn_scn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
tasn_typ.d.tmp -MT crypto/asn1/tasn_typ.o -c -o crypto/asn1/tasn_typ.o crypto/asn1/
tasn_typ.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
tasn_utl.d.tmp -MT crypto/asn1/tasn_utl.o -c -o crypto/asn1/tasn_utl.o crypto/asn1/
tasn_utl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
x_algor.d.tmp -MT crypto/asn1/x_algor.o -c -o crypto/asn1/x_algor.o crypto/asn1/
x_algor.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
x_bignum.d.tmp -MT crypto/asn1/x_bignum.o -c -o crypto/asn1/x_bignum.o crypto/asn1/
x_bignum.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
x_info.d.tmp -MT crypto/asn1/x_info.o -c -o crypto/asn1/x_info.o crypto/asn1/
x_info.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
x_int64.d.tmp -MT crypto/asn1/x_int64.o -c -o crypto/asn1/x_int64.o crypto/asn1/
x_int64.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
x_long.d.tmp -MT crypto/asn1/x_long.o -c -o crypto/asn1/x_long.o crypto/asn1/
x_long.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
```

```
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
x_pkey.d.tmp -MT crypto/asn1/x_pkey.o -c -o crypto/asn1/x_pkey.o crypto/asn1/
x_pkey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
x_sig.d.tmp -MT crypto/asn1/x_sig.o -c -o crypto/asn1/x_sig.o crypto/asn1/x_sig.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
x_spki.d.tmp -MT crypto/asn1/x_spki.o -c -o crypto/asn1/x_spki.o crypto/asn1/
x_spki.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/asn1/
x_val.d.tmp -MT crypto/asn1/x_val.o -c -o crypto/asn1/x_val.o crypto/asn1/x_val.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/async/arch/
async_null.d.tmp -MT crypto/async/arch/async_null.o -c -o crypto/async/arch/
async_null.o crypto/async/arch/async_null.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/async/arch/
async_posix.d.tmp -MT crypto/async/arch/async_posix.o -c -o crypto/async/arch/
async_posix.o crypto/async/arch/async_posix.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/async/arch/
async_win.d.tmp -MT crypto/async/arch/async_win.o -c -o crypto/async/arch/
async_win.o crypto/async/arch/async_win.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/async/
async.d.tmp -MT crypto/async/async.o -c -o crypto/async/async.o crypto/async/
async.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/async/
async_err.d.tmp -MT crypto/async/async_err.o -c -o crypto/async/async_err.o crypto/
async/async_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/async/
async_wait.d.tmp -MT crypto/async/async_wait.o -c -o crypto/async/async_wait.o
crypto/async/async_wait.c
```

```
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF crypto/bf/
bf_cfb64.d.tmp -MT crypto/bf/bf_cfb64.o -c -o crypto/bf/bf_cfb64.o crypto/bf/
bf_cfb64.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF crypto/bf/
bf_ecb.d.tmp -MT crypto/bf/bf_ecb.o -c -o crypto/bf/bf_ecb.o crypto/bf/bf_ecb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF crypto/bf/
bf_enc.d.tmp -MT crypto/bf/bf_enc.o -c -o crypto/bf/bf_enc.o crypto/bf/bf_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF crypto/bf/
bf_ofb64.d.tmp -MT crypto/bf/bf_ofb64.o -c -o crypto/bf/bf_ofb64.o crypto/bf/
bf_ofb64.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF crypto/bf/
bf_key.d.tmp -MT crypto/bf/bf_key.o -c -o crypto/bf/bf_key.o crypto/bf/bf_key.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF crypto/bio/
b_addr.d.tmp -MT crypto/bio/b_addr.o -c -o crypto/bio/b_addr.o crypto/bio/b_addr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF crypto/bio/
b_dump.d.tmp -MT crypto/bio/b_dump.o -c -o crypto/bio/b_dump.o crypto/bio/b_dump.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF crypto/bio/
b_print.d.tmp -MT crypto/bio/b_print.o -c -o crypto/bio/b_print.o crypto/bio/
b_print.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF crypto/bio/
b_sock.d.tmp -MT crypto/bio/b_sock.o -c -o crypto/bio/b_sock.o crypto/bio/b_sock.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF crypto/bio/
b_sock2.d.tmp -MT crypto/bio/b_sock2.o -c -o crypto/bio/b_sock2.o crypto/bio/
b_sock2.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
```

```
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bf_buff.d.tmp -MT crypto/bio/bf_buff.o -c -o crypto/bio/bf_buff.o crypto/bio/
bf_buff.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bf_lbuf.d.tmp -MT crypto/bio/bf_lbuf.o -c -o crypto/bio/bf_lbuf.o crypto/bio/
bf_lbuf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bf_nbio.d.tmp -MT crypto/bio/bf_nbio.o -c -o crypto/bio/bf_nbio.o crypto/bio/
bf_nbio.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bf_null.d.tmp -MT crypto/bio/bf_null.o -c -o crypto/bio/bf_null.o crypto/bio/
bf_null.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bio_cb.d.tmp -MT crypto/bio/bio_cb.o -c -o crypto/bio/bio_cb.o crypto/bio/bio_cb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bio_err.d.tmp -MT crypto/bio/bio_err.o -c -o crypto/bio/bio_err.o crypto/bio/
bio_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bio_lib.d.tmp -MT crypto/bio/bio_lib.o -c -o crypto/bio/bio_lib.o crypto/bio/
bio_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bio_meth.d.tmp -MT crypto/bio/bio_meth.o -c -o crypto/bio/bio_meth.o crypto/bio/
bio_meth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bss_acpt.d.tmp -MT crypto/bio/bss_acpt.o -c -o crypto/bio/bss_acpt.o crypto/bio/
bss_acpt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bss_bio.d.tmp -MT crypto/bio/bss_bio.o -c -o crypto/bio/bss_bio.o crypto/bio/
```



```
bss_bio.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bss_conn.d.tmp -MT crypto/bio/bss_conn.o -c -o crypto/bio/bss_conn.o crypto/bio/
bss_conn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bss_dgram.d.tmp -MT crypto/bio/bss_dgram.o -c -o crypto/bio/bss_dgram.o crypto/bio/
bss_dgram.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bss_fd.d.tmp -MT crypto/bio/bss_fd.o -c -o crypto/bio/bss_fd.o crypto/bio/bss_fd.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bss_file.d.tmp -MT crypto/bio/bss_file.o -c -o crypto/bio/bss_file.o crypto/bio/
bss_file.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bss_log.d.tmp -MT crypto/bio/bss_log.o -c -o crypto/bio/bss_log.o crypto/bio/
bss_log.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bss_mem.d.tmp -MT crypto/bio/bss_mem.o -c -o crypto/bio/bss_mem.o crypto/bio/
bss_mem.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bss_null.d.tmp -MT crypto/bio/bss_null.o -c -o crypto/bio/bss_null.o crypto/bio/
bss_null.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bio/
bss_sock.d.tmp -MT crypto/bio/bss_sock.o -c -o crypto/bio/bss_sock.o crypto/bio/
bss_sock.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/blake2/
blake2b.d.tmp -MT crypto/blake2/blake2b.o -c -o crypto/blake2/blake2b.o crypto/
blake2/blake2b.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```

```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/blake2/
blake2s.d.tmp -MT crypto/blake2/blake2s.o -c -o crypto/blake2/blake2s.o crypto/
blake2/blake2s.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/blake2/
m_blake2b.d.tmp -MT crypto/blake2/m_blake2b.o -c -o crypto/blake2/m_blake2b.o
crypto/blake2/m_blake2b.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/blake2/
m_blake2s.d.tmp -MT crypto/blake2/m_blake2s.o -c -o crypto/blake2/m_blake2s.o
crypto/blake2/m_blake2s.c
CC="gcc" /usr/bin/perl crypto/bn/asm/armv8-mont.pl linux64 crypto/bn/armv8-mont.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_add.d.tmp -MT crypto/bn/bn_add.o -c -o crypto/bn/bn_add.o crypto/bn/bn_add.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_asm.d.tmp -MT crypto/bn/bn_asm.o -c -o crypto/bn/bn_asm.o crypto/bn/bn_asm.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_blind.d.tmp -MT crypto/bn/bn_blind.o -c -o crypto/bn/bn_blind.o crypto/bn/
bn_blind.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_const.d.tmp -MT crypto/bn/bn_const.o -c -o crypto/bn/bn_const.o crypto/bn/
bn_const.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_ctx.d.tmp -MT crypto/bn/bn_ctx.o -c -o crypto/bn/bn_ctx.o crypto/bn/bn_ctx.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_depr.d.tmp -MT crypto/bn/bn_depr.o -c -o crypto/bn/bn_depr.o crypto/bn/bn_depr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_dh.d.tmp -MT crypto/bn/bn_dh.o -c -o crypto/bn/bn_dh.o crypto/bn/bn_dh.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```

```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_div.d.tmp -MT crypto/bn/bn_div.o -c -o crypto/bn/bn_div.o crypto/bn/bn_div.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_err.d.tmp -MT crypto/bn/bn_err.o -c -o crypto/bn/bn_err.o crypto/bn/bn_err.c
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_exp.d.tmp -MT crypto/bn/bn_exp.o -c -o crypto/bn/bn_exp.o crypto/bn/bn_exp.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_exp2.d.tmp -MT crypto/bn/bn_exp2.o -c -o crypto/bn/bn_exp2.o crypto/bn/bn_exp2.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_gcd.d.tmp -MT crypto/bn/bn_gcd.o -c -o crypto/bn/bn_gcd.o crypto/bn/bn_gcd.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_gf2m.d.tmp -MT crypto/bn/bn_gf2m.o -c -o crypto/bn/bn_gf2m.o crypto/bn/bn_gf2m.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_intern.d.tmp -MT crypto/bn/bn_intern.o -c -o crypto/bn/bn_intern.o crypto/bn/
bn_intern.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_kron.d.tmp -MT crypto/bn/bn_kron.o -c -o crypto/bn/bn_kron.o crypto/bn/bn_kron.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_lib.d.tmp -MT crypto/bn/bn_lib.o -c -o crypto/bn/bn_lib.o crypto/bn/bn_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_mod.d.tmp -MT crypto/bn/bn_mod.o -c -o crypto/bn/bn_mod.o crypto/bn/bn_mod.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/bn/
bn_mont.d.tmp -MT crypto/bn/bn_mont.o -c -o crypto/bn/bn_mont.o crypto/bn/bn_mont.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
```

```
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_mpi.d.tmp -MT crypto/bn/bn_mpi.o -c -o crypto/bn/bn_mpi.o crypto/bn/bn_mpi.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_mul.d.tmp -MT crypto/bn/bn_mul.o -c -o crypto/bn/bn_mul.o crypto/bn/bn_mul.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_nist.d.tmp -MT crypto/bn/bn_nist.o -c -o crypto/bn/bn_nist.o crypto/bn/bn_nist.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_prime.d.tmp -MT crypto/bn/bn_prime.o -c -o crypto/bn/bn_prime.o crypto/bn/
bn_prime.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_print.d.tmp -MT crypto/bn/bn_print.o -c -o crypto/bn/bn_print.o crypto/bn/
bn_print.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_rand.d.tmp -MT crypto/bn/bn_rand.o -c -o crypto/bn/bn_rand.o crypto/bn/bn_rand.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_recp.d.tmp -MT crypto/bn/bn_recp.o -c -o crypto/bn/bn_recp.o crypto/bn/bn_recp.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_shift.d.tmp -MT crypto/bn/bn_shift.o -c -o crypto/bn/bn_shift.o crypto/bn/
bn_shift.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_sqr.d.tmp -MT crypto/bn/bn_sqr.o -c -o crypto/bn/bn_sqr.o crypto/bn/bn_sqr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_sqrt.d.tmp -MT crypto/bn/bn_sqrt.o -c -o crypto/bn/bn_sqrt.o crypto/bn/bn_sqrt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
```

```
bn_srp.d.tmp -MT crypto/bn/bn_srp.o -c -o crypto/bn/bn_srp.o crypto/bn/bn_srp.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_word.d.tmp -MT crypto/bn/bn_word.o -c -o crypto/bn/bn_word.o crypto/bn/bn_word.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/bn/
bn_x931p.d.tmp -MT crypto/bn/bn_x931p.o -c -o crypto/bn/bn_x931p.o crypto/bn/
bn_x931p.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/buffer/
buf_err.d.tmp -MT crypto/buffer/buf_err.o -c -o crypto/buffer/buf_err.o crypto/
buffer/buf_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/buffer/
buffer.d.tmp -MT crypto/buffer/buffer.o -c -o crypto/buffer/buffer.o crypto/buffer/
buffer.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/camellia/
camellia.d.tmp -MT crypto/camellia/camellia.o -c -o crypto/camellia/camellia.o
crypto/camellia/camellia.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/camellia/
cmll_cbc.d.tmp -MT crypto/camellia/cmll_cbc.o -c -o crypto/camellia/cmll_cbc.o
crypto/camellia/cmll_cbc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/camellia/
cmll_cfb.d.tmp -MT crypto/camellia/cmll_cfb.o -c -o crypto/camellia/cmll_cfb.o
crypto/camellia/cmll_cfb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/camellia/
cmll_ctr.d.tmp -MT crypto/camellia/cmll_ctr.o -c -o crypto/camellia/cmll_ctr.o
crypto/camellia/cmll_ctr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/camellia/
cmll_ecb.d.tmp -MT crypto/camellia/cmll_ecb.o -c -o crypto/camellia/cmll_ecb.o
crypto/camellia/cmll_ecb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```

```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/camellia/
cml_misc.d.tmp -MT crypto/camellia/cml_misc.o -c -o crypto/camellia/cml_misc.o
crypto/camellia/cml_misc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/camellia/
cml_ofb.d.tmp -MT crypto/camellia/cml_ofb.o -c -o crypto/camellia/cml_ofb.o
crypto/camellia/cml_ofb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/cast/
c_cfb64.d.tmp -MT crypto/cast/c_cfb64.o -c -o crypto/cast/c_cfb64.o crypto/cast/
c_cfb64.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/cast/
c_ecb.d.tmp -MT crypto/cast/c_ecb.o -c -o crypto/cast/c_ecb.o crypto/cast/c_ecb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/cast/
c_enc.d.tmp -MT crypto/cast/c_enc.o -c -o crypto/cast/c_enc.o crypto/cast/c_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/cast/
c_ofb64.d.tmp -MT crypto/cast/c_ofb64.o -c -o crypto/cast/c_ofb64.o crypto/cast/
c_ofb64.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/cast/
c_key.d.tmp -MT crypto/cast/c_key.o -c -o crypto/cast/c_key.o crypto/cast/
c_key.c
CC="gcc" /usr/bin/perl crypto/chacha/asm/chacha-armv8.pl linux64 crypto/chacha/
chacha-armv8.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/cmac/
cm_ameth.d.tmp -MT crypto/cmac/cm_ameth.o -c -o crypto/cmac/cm_ameth.o crypto/cmac/
cm_ameth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/cmac/
cm_pmeth.d.tmp -MT crypto/cmac/cm_pmeth.o -c -o crypto/cmac/cm_pmeth.o crypto/cmac/
cm_pmeth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/cmac/
cmac.d.tmp -MT crypto/cmac/cmac.o -c -o crypto/cmac/cmac.o crypto/cmac/cmac.c
```

```
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_asn1.d.tmp -MT crypto/cms/cms_asn1.o -c -o crypto/cms/cms_asn1.o crypto/cms/
cms_asn1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_att.d.tmp -MT crypto/cms/cms_att.o -c -o crypto/cms/cms_att.o crypto/cms/
cms_att.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_cd.d.tmp -MT crypto/cms/cms_cd.o -c -o crypto/cms/cms_cd.o crypto/cms/cms_cd.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_dd.d.tmp -MT crypto/cms/cms_dd.o -c -o crypto/cms/cms_dd.o crypto/cms/cms_dd.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_enc.d.tmp -MT crypto/cms/cms_enc.o -c -o crypto/cms/cms_enc.o crypto/cms/
cms_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_env.d.tmp -MT crypto/cms/cms_env.o -c -o crypto/cms/cms_env.o crypto/cms/
cms_env.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_err.d.tmp -MT crypto/cms/cms_err.o -c -o crypto/cms/cms_err.o crypto/cms/
cms_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_ess.d.tmp -MT crypto/cms/cms_ess.o -c -o crypto/cms/cms_ess.o crypto/cms/
cms_ess.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_io.d.tmp -MT crypto/cms/cms_io.o -c -o crypto/cms/cms_io.o crypto/cms/cms_io.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_kari.d.tmp -MT crypto/cms/cms_kari.o -c -o crypto/cms/cms_kari.o crypto/cms/
```

```
cms_kari.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_lib.d.tmp -MT crypto/cms/cms_lib.o -c -o crypto/cms/cms_lib.o crypto/cms/
cms_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_pwri.d.tmp -MT crypto/cms/cms_pwri.o -c -o crypto/cms/cms_pwri.o crypto/cms/
cms_pwri.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_sd.d.tmp -MT crypto/cms/cms_sd.o -c -o crypto/cms/cms_sd.o crypto/cms/cms_sd.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/cms/
cms_smime.d.tmp -MT crypto/cms/cms_smime.o -c -o crypto/cms/cms_smime.o crypto/cms/
cms_smime.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/comp/
c_zlib.d.tmp -MT crypto/comp/c_zlib.o -c -o crypto/comp/c_zlib.o crypto/comp/
c_zlib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/comp/
comp_err.d.tmp -MT crypto/comp/comp_err.o -c -o crypto/comp/comp_err.o crypto/comp/
comp_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/comp/
comp_lib.d.tmp -MT crypto/comp/comp_lib.o -c -o crypto/comp/comp_lib.o crypto/comp/
comp_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/conf/
conf_api.d.tmp -MT crypto/conf/conf_api.o -c -o crypto/conf/conf_api.o crypto/conf/
conf_api.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/conf/
conf_def.d.tmp -MT crypto/conf/conf_def.o -c -o crypto/conf/conf_def.o crypto/conf/
conf_def.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```



```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/conf/
conf_err.d.tmp -MT crypto/conf/conf_err.o -c -o crypto/conf/conf_err.o crypto/conf/
conf_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/conf/
conf_lib.d.tmp -MT crypto/conf/conf_lib.o -c -o crypto/conf/conf_lib.o crypto/conf/
conf_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/conf/
conf_mall.d.tmp -MT crypto/conf/conf_mall.o -c -o crypto/conf/conf_mall.o crypto/
conf/conf_mall.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/conf/
conf_mod.d.tmp -MT crypto/conf/conf_mod.o -c -o crypto/conf/conf_mod.o crypto/conf/
conf_mod.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/conf/
conf_sap.d.tmp -MT crypto/conf/conf_sap.o -c -o crypto/conf/conf_sap.o crypto/conf/
conf_sap.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/conf/
conf_ssl.d.tmp -MT crypto/conf/conf_ssl.o -c -o crypto/conf/conf_ssl.o crypto/conf/
conf_ssl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/
cpt_err.d.tmp -MT crypto/cpt_err.o -c -o crypto/cpt_err.o crypto/cpt_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/
cryptlib.d.tmp -MT crypto/cryptlib.o -c -o crypto/cryptlib.o crypto/cryptlib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ct/
ct_b64.d.tmp -MT crypto/ct/ct_b64.o -c -o crypto/ct/ct_b64.o crypto/ct/ct_b64.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ct/
ct_err.d.tmp -MT crypto/ct/ct_err.o -c -o crypto/ct/ct_err.o crypto/ct/ct_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```

```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ct/
ct_log.d.tmp -MT crypto/ct/ct_log.o -c -o crypto/ct/ct_log.o crypto/ct/ct_log.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ct/
ct_oct.d.tmp -MT crypto/ct/ct_oct.o -c -o crypto/ct/ct_oct.o crypto/ct/ct_oct.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ct/
ct_policy.d.tmp -MT crypto/ct/ct_policy.o -c -o crypto/ct/ct_policy.o crypto/ct/
ct_policy.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ct/
ct_prn.d.tmp -MT crypto/ct/ct_prn.o -c -o crypto/ct/ct_prn.o crypto/ct/ct_prn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ct/
ct_sct.d.tmp -MT crypto/ct/ct_sct.o -c -o crypto/ct/ct_sct.o crypto/ct/ct_sct.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ct/
ct_sct_ctx.d.tmp -MT crypto/ct/ct_sct_ctx.o -c -o crypto/ct/ct_sct_ctx.o crypto/ct/
ct_sct_ctx.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ct/
ct_vfy.d.tmp -MT crypto/ct/ct_vfy.o -c -o crypto/ct/ct_vfy.o crypto/ct/ct_vfy.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ct/
ct_x509v3.d.tmp -MT crypto/ct/ct_x509v3.o -c -o crypto/ct/ct_x509v3.o crypto/ct/
ct_x509v3.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ctype.d.tmp
-MT crypto/ctype.o -c -o crypto/ctype.o crypto/ctype.c
/usr/bin/perl util/mkbuildinf.pl "gcc -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DNDEBUG" "linux-aarch64" > crypto/buildinf.h
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/des/
cbc_cksm.d.tmp -MT crypto/des/cbc_cksm.o -c -o crypto/des/cbc_cksm.o crypto/des/
cbc_cksm.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
cbc_enc.d.tmp -MT crypto/des/cbc_enc.o -c -o crypto/des/cbc_enc.o crypto/des/
cbc_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
cfb64ede.d.tmp -MT crypto/des/cfb64ede.o -c -o crypto/des/cfb64ede.o crypto/des/
cfb64ede.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
cfb64enc.d.tmp -MT crypto/des/cfb64enc.o -c -o crypto/des/cfb64enc.o crypto/des/
cfb64enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
cfb_enc.d.tmp -MT crypto/des/cfb_enc.o -c -o crypto/des/cfb_enc.o crypto/des/
cfb_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
des_enc.d.tmp -MT crypto/des/des_enc.o -c -o crypto/des/des_enc.o crypto/des/
des_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
ecb3_enc.d.tmp -MT crypto/des/ecb3_enc.o -c -o crypto/des/ecb3_enc.o crypto/des/
ecb3_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
ecb_enc.d.tmp -MT crypto/des/ecb_enc.o -c -o crypto/des/ecb_enc.o crypto/des/
ecb_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
fcrypt.d.tmp -MT crypto/des/fcrypt.o -c -o crypto/des/fcrypt.o crypto/des/fcrypt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
fcrypt_b.d.tmp -MT crypto/des/fcrypt_b.o -c -o crypto/des/fcrypt_b.o crypto/des/
fcrypt_b.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
```

```
ofb64ede.d.tmp -MT crypto/des/ofb64ede.o -c -o crypto/des/ofb64ede.o crypto/des/
ofb64ede.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
ofb64enc.d.tmp -MT crypto/des/ofb64enc.o -c -o crypto/des/ofb64enc.o crypto/des/
ofb64enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
ofb_enc.d.tmp -MT crypto/des/ofb_enc.o -c -o crypto/des/ofb_enc.o crypto/des/
ofb_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
pcbc_enc.d.tmp -MT crypto/des/pcbc_enc.o -c -o crypto/des/pcbc_enc.o crypto/des/
pcbc_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
qud_cksm.d.tmp -MT crypto/des/qud_cksm.o -c -o crypto/des/qud_cksm.o crypto/des/
qud_cksm.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
rand_key.d.tmp -MT crypto/des/rand_key.o -c -o crypto/des/rand_key.o crypto/des/
rand_key.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
set_key.d.tmp -MT crypto/des/set_key.o -c -o crypto/des/set_key.o crypto/des/
set_key.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
str2key.d.tmp -MT crypto/des/str2key.o -c -o crypto/des/str2key.o crypto/des/
str2key.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/des/
xcbc_enc.d.tmp -MT crypto/des/xcbc_enc.o -c -o crypto/des/xcbc_enc.o crypto/des/
xcbc_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_ameth.d.tmp -MT crypto/dh/dh_ameth.o -c -o crypto/dh/dh_ameth.o crypto/dh/
dh_ameth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_asn1.d.tmp -MT crypto/dh/dh_asn1.o -c -o crypto/dh/dh_asn1.o crypto/dh/dh_asn1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_check.d.tmp -MT crypto/dh/dh_check.o -c -o crypto/dh/dh_check.o crypto/dh/
dh_check.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_depr.d.tmp -MT crypto/dh/dh_depr.o -c -o crypto/dh/dh_depr.o crypto/dh/dh_depr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_err.d.tmp -MT crypto/dh/dh_err.o -c -o crypto/dh/dh_err.o crypto/dh/dh_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_gen.d.tmp -MT crypto/dh/dh_gen.o -c -o crypto/dh/dh_gen.o crypto/dh/dh_gen.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_kdf.d.tmp -MT crypto/dh/dh_kdf.o -c -o crypto/dh/dh_kdf.o crypto/dh/dh_kdf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_key.d.tmp -MT crypto/dh/dh_key.o -c -o crypto/dh/dh_key.o crypto/dh/dh_key.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_lib.d.tmp -MT crypto/dh/dh_lib.o -c -o crypto/dh/dh_lib.o crypto/dh/dh_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_meth.d.tmp -MT crypto/dh/dh_meth.o -c -o crypto/dh/dh_meth.o crypto/dh/dh_meth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_pmeth.d.tmp -MT crypto/dh/dh_pmeth.o -c -o crypto/dh/dh_pmeth.o crypto/dh/
dh_pmeth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
```

```
dh_prn.d.tmp -MT crypto/dh/dh_prn.o -c -o crypto/dh/dh_prn.o crypto/dh/dh_prn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_rfc5114.d.tmp -MT crypto/dh/dh_rfc5114.o -c -o crypto/dh/dh_rfc5114.o crypto/dh/
dh_rfc5114.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dh/
dh_rfc7919.d.tmp -MT crypto/dh/dh_rfc7919.o -c -o crypto/dh/dh_rfc7919.o crypto/dh/
dh_rfc7919.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_ameth.d.tmp -MT crypto/dsa/dsa_ameth.o -c -o crypto/dsa/dsa_ameth.o crypto/dsa/
dsa_ameth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_asn1.d.tmp -MT crypto/dsa/dsa_asn1.o -c -o crypto/dsa/dsa_asn1.o crypto/dsa/
dsa_asn1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_depr.d.tmp -MT crypto/dsa/dsa_depr.o -c -o crypto/dsa/dsa_depr.o crypto/dsa/
dsa_depr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_err.d.tmp -MT crypto/dsa/dsa_err.o -c -o crypto/dsa/dsa_err.o crypto/dsa/
dsa_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_gen.d.tmp -MT crypto/dsa/dsa_gen.o -c -o crypto/dsa/dsa_gen.o crypto/dsa/
dsa_gen.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_key.d.tmp -MT crypto/dsa/dsa_key.o -c -o crypto/dsa/dsa_key.o crypto/dsa/
dsa_key.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_lib.d.tmp -MT crypto/dsa/dsa_lib.o -c -o crypto/dsa/dsa_lib.o crypto/dsa/
dsa_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
```

```
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_meth.d.tmp -MT crypto/dsa/dsa_meth.o -c -o crypto/dsa/dsa_meth.o crypto/dsa/
dsa_meth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_ossl.d.tmp -MT crypto/dsa/dsa_ossl.o -c -o crypto/dsa/dsa_ossl.o crypto/dsa/
dsa_ossl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_pmeth.d.tmp -MT crypto/dsa/dsa_pmeth.o -c -o crypto/dsa/dsa_pmeth.o crypto/dsa/
dsa_pmeth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_prn.d.tmp -MT crypto/dsa/dsa_prn.o -c -o crypto/dsa/dsa_prn.o crypto/dsa/
dsa_prn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_sign.d.tmp -MT crypto/dsa/dsa_sign.o -c -o crypto/dsa/dsa_sign.o crypto/dsa/
dsa_sign.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dsa/
dsa_vrf.d.tmp -MT crypto/dsa/dsa_vrf.o -c -o crypto/dsa/dsa_vrf.o crypto/dsa/
dsa_vrf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dso/
dso_dl.d.tmp -MT crypto/dso/dso_dl.o -c -o crypto/dso/dso_dl.o crypto/dso/dso_dl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dso/
dso_dlfcn.d.tmp -MT crypto/dso/dso_dlfcn.o -c -o crypto/dso/dso_dlfcn.o crypto/dso/
dso_dlfcn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dso/
dso_err.d.tmp -MT crypto/dso/dso_err.o -c -o crypto/dso/dso_err.o crypto/dso/
dso_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dso/
dso_lib.d.tmp -MT crypto/dso/dso_lib.o -c -o crypto/dso/dso_lib.o crypto/dso/
```

```
dso_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dso/
dso_openssl.d.tmp -MT crypto/dso/dso_openssl.o -c -o crypto/dso/dso_openssl.o
crypto/dso/dso_openssl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dso/
dso_vms.d.tmp -MT crypto/dso/dso_vms.o -c -o crypto/dso/dso_vms.o crypto/dso/
dso_vms.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/dso/
dso_win32.d.tmp -MT crypto/dso/dso_win32.o -c -o crypto/dso/dso_win32.o crypto/dso/
dso_win32.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
ebcdic.d.tmp -MT crypto/ebcdic.o -c -o crypto/ebcdic.o crypto/ebcdic.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ec/
curve25519.d.tmp -MT crypto/ec/curve25519.o -c -o crypto/ec/curve25519.o crypto/ec/
curve25519.c
gcc -I. -Iinclude -Icrypto/ec/curve448/arch_32 -Icrypto/ec/curve448 -fPIC -
pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -
DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -
DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/
local/ssl/" -DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF
crypto/ec/curve448/arch_32/f_impl.d.tmp -MT crypto/ec/curve448/arch_32/f_impl.o -c
-o crypto/ec/curve448/arch_32/f_impl.o crypto/ec/curve448/arch_32/f_impl.c
gcc -I. -Iinclude -Icrypto/ec/curve448/arch_32 -Icrypto/ec/curve448 -fPIC -
pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -
DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -
DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/
local/ssl/" -DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF
crypto/ec/curve448/curve448.d.tmp -MT crypto/ec/curve448/curve448.o -c -o crypto/
ec/curve448/curve448.o crypto/ec/curve448/curve448.c
gcc -I. -Iinclude -Icrypto/ec/curve448/arch_32 -Icrypto/ec/curve448 -fPIC -
pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -
DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -
DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/
local/ssl/" -DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF
crypto/ec/curve448/curve448_tables.d.tmp -MT crypto/ec/curve448/curve448_tables.o -
c -o crypto/ec/curve448/curve448_tables.o crypto/ec/curve448/curve448_tables.c
gcc -I. -Iinclude -Icrypto/ec/curve448/arch_32 -Icrypto/ec/curve448 -fPIC -
pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -
DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -
DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/
local/ssl/" -DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF
crypto/ec/curve448/eddsa.d.tmp -MT crypto/ec/curve448/eddsa.o -c -o crypto/ec/
curve448/eddsa.o crypto/ec/curve448/eddsa.c
gcc -I. -Iinclude -Icrypto/ec/curve448/arch_32 -Icrypto/ec/curve448 -fPIC -
pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -
DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -
```



```
DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/curve448/f_generic.d.tmp -MT crypto/ec/curve448/f_generic.o -c -o crypto/ec/curve448/f_generic.o crypto/ec/curve448/f_generic.c
gcc -I. -Iinclude -Icrypto/ec/curve448/arch_32 -Icrypto/ec/curve448 -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/curve448/scalar.d.tmp -MT crypto/ec/curve448/scalar.o -c -o crypto/ec/curve448/scalar.o crypto/ec/curve448/scalar.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/ec2_oct.d.tmp -MT crypto/ec/ec2_oct.o -c -o crypto/ec/ec2_oct.o crypto/ec/ec2_oct.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/ec2_smpl.d.tmp -MT crypto/ec/ec2_smpl.o -c -o crypto/ec/ec2_smpl.o crypto/ec/ec2_smpl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/ec_ameth.d.tmp -MT crypto/ec/ec_ameth.o -c -o crypto/ec/ec_ameth.o crypto/ec/ec_ameth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/ec_asn1.d.tmp -MT crypto/ec/ec_asn1.o -c -o crypto/ec/ec_asn1.o crypto/ec/ec_asn1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/ec_check.d.tmp -MT crypto/ec/ec_check.o -c -o crypto/ec/ec_check.o crypto/ec/ec_check.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/ec_curve.d.tmp -MT crypto/ec/ec_curve.o -c -o crypto/ec/ec_curve.o crypto/ec/ec_curve.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/ec_cvt.d.tmp -MT crypto/ec/ec_cvt.o -c -o crypto/ec/ec_cvt.o crypto/ec/ec_cvt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/ec_err.d.tmp -MT crypto/ec/ec_err.o -c -o crypto/ec/ec_err.o crypto/ec/ec_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```

```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ec_key.d.tmp -MT crypto/ec/ec_key.o -c -o crypto/ec/ec_key.o crypto/ec/ec_key.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ec_kmeth.d.tmp -MT crypto/ec/ec_kmeth.o -c -o crypto/ec/ec_kmeth.o crypto/ec/
ec_kmeth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ec_lib.d.tmp -MT crypto/ec/ec_lib.o -c -o crypto/ec/ec_lib.o crypto/ec/ec_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ec_mult.d.tmp -MT crypto/ec/ec_mult.o -c -o crypto/ec/ec_mult.o crypto/ec/ec_mult.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ec_oct.d.tmp -MT crypto/ec/ec_oct.o -c -o crypto/ec/ec_oct.o crypto/ec/ec_oct.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ec_pmeth.d.tmp -MT crypto/ec/ec_pmeth.o -c -o crypto/ec/ec_pmeth.o crypto/ec/
ec_pmeth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ec_print.d.tmp -MT crypto/ec/ec_print.o -c -o crypto/ec/ec_print.o crypto/ec/
ec_print.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ecdh_kdf.d.tmp -MT crypto/ec/ecdh_kdf.o -c -o crypto/ec/ecdh_kdf.o crypto/ec/
ecdh_kdf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ecdh_ossl.d.tmp -MT crypto/ec/ecdh_ossl.o -c -o crypto/ec/ecdh_ossl.o crypto/ec/
ecdh_ossl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ecdsa_ossl.d.tmp -MT crypto/ec/ecdsa_ossl.o -c -o crypto/ec/ecdsa_ossl.o crypto/ec/
ecdsa_ossl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```

```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ecdsa_sign.d.tmp -MT crypto/ec/ecdsa_sign.o -c -o crypto/ec/ecdsa_sign.o crypto/ec/
ecdsa_sign.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ecdsa_vrf.d.tmp -MT crypto/ec/ecdsa_vrf.o -c -o crypto/ec/ecdsa_vrf.o crypto/ec/
ecdsa_vrf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
eck_prn.d.tmp -MT crypto/ec/eck_prn.o -c -o crypto/ec/eck_prn.o crypto/ec/eck_prn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ecp_mont.d.tmp -MT crypto/ec/ecp_mont.o -c -o crypto/ec/ecp_mont.o crypto/ec/
ecp_mont.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ecp_nist.d.tmp -MT crypto/ec/ecp_nist.o -c -o crypto/ec/ecp_nist.o crypto/ec/
ecp_nist.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ecp_nistp224.d.tmp -MT crypto/ec/ecp_nistp224.o -c -o crypto/ec/ecp_nistp224.o
crypto/ec/ecp_nistp224.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ecp_nistp256.d.tmp -MT crypto/ec/ecp_nistp256.o -c -o crypto/ec/ecp_nistp256.o
crypto/ec/ecp_nistp256.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ecp_nistp521.d.tmp -MT crypto/ec/ecp_nistp521.o -c -o crypto/ec/ecp_nistp521.o
crypto/ec/ecp_nistp521.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
ecp_nistputil.d.tmp -MT crypto/ec/ecp_nistputil.o -c -o crypto/ec/ecp_nistputil.o
crypto/ec/ecp_nistputil.c
CC="gcc" /usr/bin/perl crypto/ec/asm/ecp_nistz256-armv8.pl linux64 crypto/ec/
ecp_nistz256-armv8.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ec/
```

```
ecp_nistz256.d.tmp -MT crypto/ec/ecp_nistz256.o -c -o crypto/ec/ecp_nistz256.o
crypto/ec/ecp_nistz256.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ec/
ecp_oct.d.tmp -MT crypto/ec/ecp_oct.o -c -o crypto/ec/ecp_oct.o crypto/ec/ecp_oct.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ec/
ecp_smpl.d.tmp -MT crypto/ec/ecp_smpl.o -c -o crypto/ec/ecp_smpl.o crypto/ec/
ecp_smpl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ec/
ecx_meth.d.tmp -MT crypto/ec/ecx_meth.o -c -o crypto/ec/ecx_meth.o crypto/ec/
ecx_meth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_all.d.tmp -MT crypto/engine/eng_all.o -c -o crypto/engine/eng_all.o crypto/
engine/eng_all.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_cnf.d.tmp -MT crypto/engine/eng_cnf.o -c -o crypto/engine/eng_cnf.o crypto/
engine/eng_cnf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_ctrl.d.tmp -MT crypto/engine/eng_ctrl.o -c -o crypto/engine/eng_ctrl.o crypto/
engine/eng_ctrl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_dyn.d.tmp -MT crypto/engine/eng_dyn.o -c -o crypto/engine/eng_dyn.o crypto/
engine/eng_dyn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_err.d.tmp -MT crypto/engine/eng_err.o -c -o crypto/engine/eng_err.o crypto/
engine/eng_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_fat.d.tmp -MT crypto/engine/eng_fat.o -c -o crypto/engine/eng_fat.o crypto/
engine/eng_fat.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
```

```
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_init.d.tmp -MT crypto/engine/eng_init.o -c -o crypto/engine/eng_init.o crypto/
engine/eng_init.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_lib.d.tmp -MT crypto/engine/eng_lib.o -c -o crypto/engine/eng_lib.o crypto/
engine/eng_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_list.d.tmp -MT crypto/engine/eng_list.o -c -o crypto/engine/eng_list.o crypto/
engine/eng_list.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_openssl.d.tmp -MT crypto/engine/eng_openssl.o -c -o crypto/engine/
eng_openssl.o crypto/engine/eng_openssl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_pkey.d.tmp -MT crypto/engine/eng_pkey.o -c -o crypto/engine/eng_pkey.o crypto/
engine/eng_pkey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_rdrand.d.tmp -MT crypto/engine/eng_rdrand.o -c -o crypto/engine/eng_rdrand.o
crypto/engine/eng_rdrand.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
eng_table.d.tmp -MT crypto/engine/eng_table.o -c -o crypto/engine/eng_table.o
crypto/engine/eng_table.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
tb_asnmth.d.tmp -MT crypto/engine/tb_asnmth.o -c -o crypto/engine/tb_asnmth.o
crypto/engine/tb_asnmth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
tb_cipher.d.tmp -MT crypto/engine/tb_cipher.o -c -o crypto/engine/tb_cipher.o
crypto/engine/tb_cipher.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -D_SHA256_ASM -D_SHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
```

```
tb_dh.d.tmp -MT crypto/engine/tb_dh.o -c -o crypto/engine/tb_dh.o crypto/engine/
tb_dh.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
tb_digest.d.tmp -MT crypto/engine/tb_digest.o -c -o crypto/engine/tb_digest.o
crypto/engine/tb_digest.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
tb_dsa.d.tmp -MT crypto/engine/tb_dsa.o -c -o crypto/engine/tb_dsa.o crypto/engine/
tb_dsa.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
tb_eckey.d.tmp -MT crypto/engine/tb_eckey.o -c -o crypto/engine/tb_eckey.o crypto/
engine/tb_eckey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
tb_pkmeth.d.tmp -MT crypto/engine/tb_pkmeth.o -c -o crypto/engine/tb_pkmeth.o
crypto/engine/tb_pkmeth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
tb_rand.d.tmp -MT crypto/engine/tb_rand.o -c -o crypto/engine/tb_rand.o crypto/
engine/tb_rand.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/engine/
tb_rsa.d.tmp -MT crypto/engine/tb_rsa.o -c -o crypto/engine/tb_rsa.o crypto/engine/
tb_rsa.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/err/
err.d.tmp -MT crypto/err/err.o -c -o crypto/err/err.o crypto/err/err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/err/
err_all.d.tmp -MT crypto/err/err_all.o -c -o crypto/err/err_all.o crypto/err/
err_all.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/err/
err_prn.d.tmp -MT crypto/err/err_prn.o -c -o crypto/err/err_prn.o crypto/err/
err_prn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
```

```
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
bio_b64.d.tmp -MT crypto/evp/bio_b64.o -c -o crypto/evp/bio_b64.o crypto/evp/
bio_b64.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
bio_enc.d.tmp -MT crypto/evp/bio_enc.o -c -o crypto/evp/bio_enc.o crypto/evp/
bio_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
bio_md.d.tmp -MT crypto/evp/bio_md.o -c -o crypto/evp/bio_md.o crypto/evp/bio_md.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
bio_ok.d.tmp -MT crypto/evp/bio_ok.o -c -o crypto/evp/bio_ok.o crypto/evp/bio_ok.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
c_allc.d.tmp -MT crypto/evp/c_allc.o -c -o crypto/evp/c_allc.o crypto/evp/c_allc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
c_alld.d.tmp -MT crypto/evp/c_alld.o -c -o crypto/evp/c_alld.o crypto/evp/c_alld.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
cmeth_lib.d.tmp -MT crypto/evp/cmeth_lib.o -c -o crypto/evp/cmeth_lib.o crypto/evp/
cmeth_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
digest.d.tmp -MT crypto/evp/digest.o -c -o crypto/evp/digest.o crypto/evp/digest.c
gcc -I. -Iinclude -Icrypto -Icrypto/modes -fPIC -pthread -Wa,--noexecstack -Wall -
O3 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
e_aes.d.tmp -MT crypto/evp/e_aes.o -c -o crypto/evp/e_aes.o crypto/evp/e_aes.c
gcc -I. -Iinclude -Icrypto/modes -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
e_aes_cbc_hmac_sha1.d.tmp -MT crypto/evp/e_aes_cbc_hmac_sha1.o -c -o crypto/evp/
e_aes_cbc_hmac_sha1.o crypto/evp/e_aes_cbc_hmac_sha1.c
gcc -I. -Iinclude -Icrypto/modes -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
```

```
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
e_aes_cbc_hmac_sha256.d.tmp -MT crypto/evp/e_aes_cbc_hmac_sha256.o -c -o crypto/
evp/e_aes_cbc_hmac_sha256.o crypto/evp/e_aes_cbc_hmac_sha256.c
gcc -I. -Iinclude -Icrypto -Icrypto/modes -fPIC -pthread -Wa,--noexecstack -Wall -
03 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
e_aria.d.tmp -MT crypto/evp/e_aria.o -c -o crypto/evp/e_aria.o crypto/evp/e_aria.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -03 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
e_bf.d.tmp -MT crypto/evp/e_bf.o -c -o crypto/evp/e_bf.o crypto/evp/e_bf.c
gcc -I. -Iinclude -Icrypto -Icrypto/modes -fPIC -pthread -Wa,--noexecstack -Wall -
03 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
e_camellia.d.tmp -MT crypto/evp/e_camellia.o -c -o crypto/evp/e_camellia.o crypto/
evp/e_camellia.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -03 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
e_cast.d.tmp -MT crypto/evp/e_cast.o -c -o crypto/evp/e_cast.o crypto/evp/e_cast.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -03 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
e_chacha20_poly1305.d.tmp -MT crypto/evp/e_chacha20_poly1305.o -c -o crypto/evp/
e_chacha20_poly1305.o crypto/evp/e_chacha20_poly1305.c
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -03 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
e_des.d.tmp -MT crypto/evp/e_des.o -c -o crypto/evp/e_des.o crypto/evp/e_des.c
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -03 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
e_des3.d.tmp -MT crypto/evp/e_des3.o -c -o crypto/evp/e_des3.o crypto/evp/e_des3.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -03 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
e_idea.d.tmp -MT crypto/evp/e_idea.o -c -o crypto/evp/e_idea.o crypto/evp/e_idea.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -03 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
e_null.d.tmp -MT crypto/evp/e_null.o -c -o crypto/evp/e_null.o crypto/evp/e_null.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -03 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
e_old.d.tmp -MT crypto/evp/e_old.o -c -o crypto/evp/e_old.o crypto/evp/e_old.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -03 -
```



```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
e_rc2.d.tmp -MT crypto/evp/e_rc2.o -c -o crypto/evp/e_rc2.o crypto/evp/e_rc2.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
e_rc4.d.tmp -MT crypto/evp/e_rc4.o -c -o crypto/evp/e_rc4.o crypto/evp/e_rc4.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
e_rc4_hmac_md5.d.tmp -MT crypto/evp/e_rc4_hmac_md5.o -c -o crypto/evp/
e_rc4_hmac_md5.o crypto/evp/e_rc4_hmac_md5.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
e_rc5.d.tmp -MT crypto/evp/e_rc5.o -c -o crypto/evp/e_rc5.o crypto/evp/e_rc5.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
e_seed.d.tmp -MT crypto/evp/e_seed.o -c -o crypto/evp/e_seed.o crypto/evp/e_seed.c
gcc -I. -Iinclude -Icrypto -Icrypto/modes -fPIC -pthread -Wa,--noexecstack -Wall -
O3 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
e_sm4.d.tmp -MT crypto/evp/e_sm4.o -c -o crypto/evp/e_sm4.o crypto/evp/e_sm4.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
e_xcbc_d.d.tmp -MT crypto/evp/e_xcbc_d.o -c -o crypto/evp/e_xcbc_d.o crypto/evp/
e_xcbc_d.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
encode.d.tmp -MT crypto/evp/encode.o -c -o crypto/evp/encode.o crypto/evp/encode.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
evp_cnf.d.tmp -MT crypto/evp/evp_cnf.o -c -o crypto/evp/evp_cnf.o crypto/evp/
evp_cnf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
evp_enc.d.tmp -MT crypto/evp/evp_enc.o -c -o crypto/evp/evp_enc.o crypto/evp/
evp_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```

```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
evp_err.d.tmp -MT crypto/evp/evp_err.o -c -o crypto/evp/evp_err.o crypto/evp/
evp_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
evp_key.d.tmp -MT crypto/evp/evp_key.o -c -o crypto/evp/evp_key.o crypto/evp/
evp_key.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
evp_lib.d.tmp -MT crypto/evp/evp_lib.o -c -o crypto/evp/evp_lib.o crypto/evp/
evp_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
evp_pbe.d.tmp -MT crypto/evp/evp_pbe.o -c -o crypto/evp/evp_pbe.o crypto/evp/
evp_pbe.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
evp_pkey.d.tmp -MT crypto/evp/evp_pkey.o -c -o crypto/evp/evp_pkey.o crypto/evp/
evp_pkey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
m_md2.d.tmp -MT crypto/evp/m_md2.o -c -o crypto/evp/m_md2.o crypto/evp/m_md2.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
m_md4.d.tmp -MT crypto/evp/m_md4.o -c -o crypto/evp/m_md4.o crypto/evp/m_md4.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
m_md5.d.tmp -MT crypto/evp/m_md5.o -c -o crypto/evp/m_md5.o crypto/evp/m_md5.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
m_md5_sha1.d.tmp -MT crypto/evp/m_md5_sha1.o -c -o crypto/evp/m_md5_sha1.o crypto/
evp/m_md5_sha1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
m_mdc2.d.tmp -MT crypto/evp/m_mdc2.o -c -o crypto/evp/m_mdc2.o crypto/evp/m_mdc2.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```

```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
m_null.d.tmp -MT crypto/evp/m_null.o -c -o crypto/evp/m_null.o crypto/evp/m_null.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
m_ripemd.d.tmp -MT crypto/evp/m_ripemd.o -c -o crypto/evp/m_ripemd.o crypto/evp/
m_ripemd.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
m_sha1.d.tmp -MT crypto/evp/m_sha1.o -c -o crypto/evp/m_sha1.o crypto/evp/m_sha1.c
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
m_sha3.d.tmp -MT crypto/evp/m_sha3.o -c -o crypto/evp/m_sha3.o crypto/evp/m_sha3.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
m_sigver.d.tmp -MT crypto/evp/m_sigver.o -c -o crypto/evp/m_sigver.o crypto/evp/
m_sigver.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
m_wp.d.tmp -MT crypto/evp/m_wp.o -c -o crypto/evp/m_wp.o crypto/evp/m_wp.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
names.d.tmp -MT crypto/evp/names.o -c -o crypto/evp/names.o crypto/evp/names.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
p5_crpt.d.tmp -MT crypto/evp/p5_crpt.o -c -o crypto/evp/p5_crpt.o crypto/evp/
p5_crpt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
p5_crpt2.d.tmp -MT crypto/evp/p5_crpt2.o -c -o crypto/evp/p5_crpt2.o crypto/evp/
p5_crpt2.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
p_dec.d.tmp -MT crypto/evp/p_dec.o -c -o crypto/evp/p_dec.o crypto/evp/p_dec.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/evp/
```

```
p_enc.d.tmp -MT crypto/evp/p_enc.o -c -o crypto/evp/p_enc.o crypto/evp/p_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
p_lib.d.tmp -MT crypto/evp/p_lib.o -c -o crypto/evp/p_lib.o crypto/evp/p_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
p_open.d.tmp -MT crypto/evp/p_open.o -c -o crypto/evp/p_open.o crypto/evp/p_open.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
p_seal.d.tmp -MT crypto/evp/p_seal.o -c -o crypto/evp/p_seal.o crypto/evp/p_seal.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
p_sign.d.tmp -MT crypto/evp/p_sign.o -c -o crypto/evp/p_sign.o crypto/evp/p_sign.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
p_verify.d.tmp -MT crypto/evp/p_verify.o -c -o crypto/evp/p_verify.o crypto/evp/
p_verify.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
pbe_scrypt.d.tmp -MT crypto/evp/pbe_scrypt.o -c -o crypto/evp/pbe_scrypt.o crypto/
evp/pbe_scrypt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
pmeth_fn.d.tmp -MT crypto/evp/pmeth_fn.o -c -o crypto/evp/pmeth_fn.o crypto/evp/
pmeth_fn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
pmeth_gn.d.tmp -MT crypto/evp/pmeth_gn.o -c -o crypto/evp/pmeth_gn.o crypto/evp/
pmeth_gn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/evp/
pmeth_lib.d.tmp -MT crypto/evp/pmeth_lib.o -c -o crypto/evp/pmeth_lib.o crypto/evp/
pmeth_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
ex_data.d.tmp -MT crypto/ex_data.o -c -o crypto/ex_data.o crypto/ex_data.c
```

```
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
getenv.d.tmp -MT crypto/getenv.o -c -o crypto/getenv.o crypto/getenv.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/hmac/
hm_ameth.d.tmp -MT crypto/hmac/hm_ameth.o -c -o crypto/hmac/hm_ameth.o crypto/hmac/
hm_ameth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/hmac/
hm_pmeth.d.tmp -MT crypto/hmac/hm_pmeth.o -c -o crypto/hmac/hm_pmeth.o crypto/hmac/
hm_pmeth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/hmac/
hmac.d.tmp -MT crypto/hmac/hmac.o -c -o crypto/hmac/hmac.o crypto/hmac/hmac.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/idea/
i_cbc.d.tmp -MT crypto/idea/i_cbc.o -c -o crypto/idea/i_cbc.o crypto/idea/i_cbc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/idea/
i_cfb64.d.tmp -MT crypto/idea/i_cfb64.o -c -o crypto/idea/i_cfb64.o crypto/idea/
i_cfb64.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/idea/
i_ecb.d.tmp -MT crypto/idea/i_ecb.o -c -o crypto/idea/i_ecb.o crypto/idea/i_ecb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/idea/
i_ofb64.d.tmp -MT crypto/idea/i_ofb64.o -c -o crypto/idea/i_ofb64.o crypto/idea/
i_ofb64.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/idea/
i_skey.d.tmp -MT crypto/idea/i_skey.o -c -o crypto/idea/i_skey.o crypto/idea/
i_skey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/init.d.tmp -
MT crypto/init.o -c -o crypto/init.o crypto/init.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/kdf/
hkdf.d.tmp -MT crypto/kdf/hkdf.o -c -o crypto/kdf/hkdf.o crypto/kdf/hkdf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/kdf/
kdf_err.d.tmp -MT crypto/kdf/kdf_err.o -c -o crypto/kdf/kdf_err.o crypto/kdf/
kdf_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/kdf/
scrypt.d.tmp -MT crypto/kdf/scrypt.o -c -o crypto/kdf/scrypt.o crypto/kdf/scrypt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/kdf/
tls1_prf.d.tmp -MT crypto/kdf/tls1_prf.o -c -o crypto/kdf/tls1_prf.o crypto/kdf/
tls1_prf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/lhash/
lh_stats.d.tmp -MT crypto/lhash/lh_stats.o -c -o crypto/lhash/lh_stats.o crypto/
lhash/lh_stats.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/lhash/
lhash.d.tmp -MT crypto/lhash/lhash.o -c -o crypto/lhash/lhash.o crypto/lhash/
lhash.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/md4/
md4_dgst.d.tmp -MT crypto/md4/md4_dgst.o -c -o crypto/md4/md4_dgst.o crypto/md4/
md4_dgst.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/md4/
md4_one.d.tmp -MT crypto/md4/md4_one.o -c -o crypto/md4/md4_one.o crypto/md4/
md4_one.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/md5/
md5_dgst.d.tmp -MT crypto/md5/md5_dgst.o -c -o crypto/md5/md5_dgst.o crypto/md5/
md5_dgst.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/md5/
md5_one.d.tmp -MT crypto/md5/md5_one.o -c -o crypto/md5/md5_one.o crypto/md5/
```

```
md5_one.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/mdc2/
mdc2_one.d.tmp -MT crypto/mdc2/mdc2_one.o -c -o crypto/mdc2/mdc2_one.o crypto/mdc2/
mdc2_one.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/mdc2/
mdc2dgst.d.tmp -MT crypto/mdc2/mdc2dgst.o -c -o crypto/mdc2/mdc2dgst.o crypto/mdc2/
mdc2dgst.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/mem.d.tmp -
MT crypto/mem.o -c -o crypto/mem.o crypto/mem.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
mem_dbg.d.tmp -MT crypto/mem_dbg.o -c -o crypto/mem_dbg.o crypto/mem_dbg.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
mem_sec.d.tmp -MT crypto/mem_sec.o -c -o crypto/mem_sec.o crypto/mem_sec.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/modes/
cbc128.d.tmp -MT crypto/modes/cbc128.o -c -o crypto/modes/cbc128.o crypto/modes/
cbc128.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/modes/
ccm128.d.tmp -MT crypto/modes/ccm128.o -c -o crypto/modes/ccm128.o crypto/modes/
ccm128.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/modes/
cfb128.d.tmp -MT crypto/modes/cfb128.o -c -o crypto/modes/cfb128.o crypto/modes/
cfb128.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/modes/
ctr128.d.tmp -MT crypto/modes/ctr128.o -c -o crypto/modes/ctr128.o crypto/modes/
ctr128.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/modes/
```

```
cts128.d.tmp -MT crypto/modes/cts128.o -c -o crypto/modes/cts128.o crypto/modes/
cts128.c
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/modes/
gcm128.d.tmp -MT crypto/modes/gcm128.o -c -o crypto/modes/gcm128.o crypto/modes/
gcm128.c
CC="gcc" /usr/bin/perl crypto/modes/asm/ghashv8-armx.pl linux64 crypto/modes/
ghashv8-armx.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/modes/
ocb128.d.tmp -MT crypto/modes/ocb128.o -c -o crypto/modes/ocb128.o crypto/modes/
ocb128.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/modes/
ofb128.d.tmp -MT crypto/modes/ofb128.o -c -o crypto/modes/ofb128.o crypto/modes/
ofb128.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/modes/
wrap128.d.tmp -MT crypto/modes/wrap128.o -c -o crypto/modes/wrap128.o crypto/modes/
wrap128.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/modes/
xts128.d.tmp -MT crypto/modes/xts128.o -c -o crypto/modes/xts128.o crypto/modes/
xts128.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/o_dir.d.tmp
-MT crypto/o_dir.o -c -o crypto/o_dir.o crypto/o_dir.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
o_fips.d.tmp -MT crypto/o_fips.o -c -o crypto/o_fips.o crypto/o_fips.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
o_fopen.d.tmp -MT crypto/o_fopen.o -c -o crypto/o_fopen.o crypto/o_fopen.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
o_init.d.tmp -MT crypto/o_init.o -c -o crypto/o_init.o crypto/o_init.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```



```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/o_str.d.tmp
-MT crypto/o_str.o -c -o crypto/o_str.o crypto/o_str.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/
o_time.d.tmp -MT crypto/o_time.o -c -o crypto/o_time.o crypto/o_time.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/objects/
o_names.d.tmp -MT crypto/objects/o_names.o -c -o crypto/objects/o_names.o crypto/
objects/o_names.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/objects/
obj_dat.d.tmp -MT crypto/objects/obj_dat.o -c -o crypto/objects/obj_dat.o crypto/
objects/obj_dat.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/objects/
obj_err.d.tmp -MT crypto/objects/obj_err.o -c -o crypto/objects/obj_err.o crypto/
objects/obj_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/objects/
obj_lib.d.tmp -MT crypto/objects/obj_lib.o -c -o crypto/objects/obj_lib.o crypto/
objects/obj_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/objects/
obj_xref.d.tmp -MT crypto/objects/obj_xref.o -c -o crypto/objects/obj_xref.o
crypto/objects/obj_xref.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ocsp/
ocsp_asn.d.tmp -MT crypto/ocsp/ocsp_asn.o -c -o crypto/ocsp/ocsp_asn.o crypto/ocsp/
ocsp_asn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ocsp/
ocsp_cl.d.tmp -MT crypto/ocsp/ocsp_cl.o -c -o crypto/ocsp/ocsp_cl.o crypto/ocsp/
ocsp_cl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ocsp/
ocsp_err.d.tmp -MT crypto/ocsp/ocsp_err.o -c -o crypto/ocsp/ocsp_err.o crypto/ocsp/
ocsp_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ocsp/
ocsp_ext.d.tmp -MT crypto/ocsp/ocsp_ext.o -c -o crypto/ocsp/ocsp_ext.o crypto/ocsp/
ocsp_ext.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ocsp/
ocsp_ht.d.tmp -MT crypto/ocsp/ocsp_ht.o -c -o crypto/ocsp/ocsp_ht.o crypto/ocsp/
ocsp_ht.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ocsp/
ocsp_lib.d.tmp -MT crypto/ocsp/ocsp_lib.o -c -o crypto/ocsp/ocsp_lib.o crypto/ocsp/
ocsp_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ocsp/
ocsp_prn.d.tmp -MT crypto/ocsp/ocsp_prn.o -c -o crypto/ocsp/ocsp_prn.o crypto/ocsp/
ocsp_prn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ocsp/
ocsp_srv.d.tmp -MT crypto/ocsp/ocsp_srv.o -c -o crypto/ocsp/ocsp_srv.o crypto/ocsp/
ocsp_srv.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ocsp/
ocsp_vfy.d.tmp -MT crypto/ocsp/ocsp_vfy.o -c -o crypto/ocsp/ocsp_vfy.o crypto/ocsp/
ocsp_vfy.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ocsp/
v3_ocsp.d.tmp -MT crypto/ocsp/v3_ocsp.o -c -o crypto/ocsp/v3_ocsp.o crypto/ocsp/
v3_ocsp.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pem/
pem_all.d.tmp -MT crypto/pem/pem_all.o -c -o crypto/pem/pem_all.o crypto/pem/
pem_all.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pem/
pem_err.d.tmp -MT crypto/pem/pem_err.o -c -o crypto/pem/pem_err.o crypto/pem/
pem_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
```

```
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pem/
pem_info.d.tmp -MT crypto/pem/pem_info.o -c -o crypto/pem/pem_info.o crypto/pem/
pem_info.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pem/
pem_lib.d.tmp -MT crypto/pem/pem_lib.o -c -o crypto/pem/pem_lib.o crypto/pem/
pem_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pem/
pem_oth.d.tmp -MT crypto/pem/pem_oth.o -c -o crypto/pem/pem_oth.o crypto/pem/
pem_oth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pem/
pem_pk8.d.tmp -MT crypto/pem/pem_pk8.o -c -o crypto/pem/pem_pk8.o crypto/pem/
pem_pk8.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pem/
pem_pkey.d.tmp -MT crypto/pem/pem_pkey.o -c -o crypto/pem/pem_pkey.o crypto/pem/
pem_pkey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pem/
pem_sign.d.tmp -MT crypto/pem/pem_sign.o -c -o crypto/pem/pem_sign.o crypto/pem/
pem_sign.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pem/
pem_x509.d.tmp -MT crypto/pem/pem_x509.o -c -o crypto/pem/pem_x509.o crypto/pem/
pem_x509.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pem/
pem_xaux.d.tmp -MT crypto/pem/pem_xaux.o -c -o crypto/pem/pem_xaux.o crypto/pem/
pem_xaux.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pem/
pvkfmt.d.tmp -MT crypto/pem/pvkfmt.o -c -o crypto/pem/pvkfmt.o crypto/pem/pvkfmt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_add.d.tmp -MT crypto/pkcs12/p12_add.o -c -o crypto/pkcs12/p12_add.o crypto/
pkcs12/p12_add.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_asn.d.tmp -MT crypto/pkcs12/p12_asn.o -c -o crypto/pkcs12/p12_asn.o crypto/
pkcs12/p12_asn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_attr.d.tmp -MT crypto/pkcs12/p12_attr.o -c -o crypto/pkcs12/p12_attr.o crypto/
pkcs12/p12_attr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_crpt.d.tmp -MT crypto/pkcs12/p12_crpt.o -c -o crypto/pkcs12/p12_crpt.o crypto/
pkcs12/p12_crpt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_crt.d.tmp -MT crypto/pkcs12/p12_crt.o -c -o crypto/pkcs12/p12_crt.o crypto/
pkcs12/p12_crt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_decr.d.tmp -MT crypto/pkcs12/p12_decr.o -c -o crypto/pkcs12/p12_decr.o crypto/
pkcs12/p12_decr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_init.d.tmp -MT crypto/pkcs12/p12_init.o -c -o crypto/pkcs12/p12_init.o crypto/
pkcs12/p12_init.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_key.d.tmp -MT crypto/pkcs12/p12_key.o -c -o crypto/pkcs12/p12_key.o crypto/
pkcs12/p12_key.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_kiss.d.tmp -MT crypto/pkcs12/p12_kiss.o -c -o crypto/pkcs12/p12_kiss.o crypto/
pkcs12/p12_kiss.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_mutl.d.tmp -MT crypto/pkcs12/p12_mutl.o -c -o crypto/pkcs12/p12_mutl.o crypto/
pkcs12/p12_mutl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
```

```
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_npas.d.tmp -MT crypto/pkcs12/p12_npas.o -c -o crypto/pkcs12/p12_npas.o crypto/
pkcs12/p12_npas.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_p8d.d.tmp -MT crypto/pkcs12/p12_p8d.o -c -o crypto/pkcs12/p12_p8d.o crypto/
pkcs12/p12_p8d.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_p8e.d.tmp -MT crypto/pkcs12/p12_p8e.o -c -o crypto/pkcs12/p12_p8e.o crypto/
pkcs12/p12_p8e.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_sbagg.d.tmp -MT crypto/pkcs12/p12_sbagg.o -c -o crypto/pkcs12/p12_sbagg.o crypto/
pkcs12/p12_sbagg.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pkcs12/
p12_utl.d.tmp -MT crypto/pkcs12/p12_utl.o -c -o crypto/pkcs12/p12_utl.o crypto/
pkcs12/p12_utl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pkcs12/
pk12err.d.tmp -MT crypto/pkcs12/pk12err.o -c -o crypto/pkcs12/pk12err.o crypto/
pkcs12/pk12err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pkcs7/
bio_pk7.d.tmp -MT crypto/pkcs7/bio_pk7.o -c -o crypto/pkcs7/bio_pk7.o crypto/pkcs7/
bio_pk7.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pkcs7/
pk7_asn1.d.tmp -MT crypto/pkcs7/pk7_asn1.o -c -o crypto/pkcs7/pk7_asn1.o crypto/
pkcs7/pk7_asn1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pkcs7/
pk7_attr.d.tmp -MT crypto/pkcs7/pk7_attr.o -c -o crypto/pkcs7/pk7_attr.o crypto/
pkcs7/pk7_attr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/pkcs7/
pk7_doit.d.tmp -MT crypto/pkcs7/pk7_doit.o -c -o crypto/pkcs7/pk7_doit.o crypto/
pkcs7/pk7_doit.c
```

```
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs7/
pk7_lib.d.tmp -MT crypto/pkcs7/pk7_lib.o -c -o crypto/pkcs7/pk7_lib.o crypto/pkcs7/
pk7_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs7/
pk7_mime.d.tmp -MT crypto/pkcs7/pk7_mime.o -c -o crypto/pkcs7/pk7_mime.o crypto/
pkcs7/pk7_mime.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs7/
pk7_smime.d.tmp -MT crypto/pkcs7/pk7_smime.o -c -o crypto/pkcs7/pk7_smime.o crypto/
pkcs7/pk7_smime.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/pkcs7/
pkcs7err.d.tmp -MT crypto/pkcs7/pkcs7err.o -c -o crypto/pkcs7/pkcs7err.o crypto/
pkcs7/pkcs7err.c
CC="gcc" /usr/bin/perl crypto/poly1305/asm/poly1305-armv8.pl linux64 crypto/
poly1305/poly1305-armv8.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/poly1305/
poly1305.d.tmp -MT crypto/poly1305/poly1305.o -c -o crypto/poly1305/poly1305.o
crypto/poly1305/poly1305.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/poly1305/
poly1305_ameth.d.tmp -MT crypto/poly1305/poly1305_ameth.o -c -o crypto/poly1305/
poly1305_ameth.o crypto/poly1305/poly1305_ameth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/poly1305/
poly1305_pmeth.d.tmp -MT crypto/poly1305/poly1305_pmeth.o -c -o crypto/poly1305/
poly1305_pmeth.o crypto/poly1305/poly1305_pmeth.c
gcc -I. -Iinclude -Icrypto/modes -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rand/
drbg_ctr.d.tmp -MT crypto/rand/drbg_ctr.o -c -o crypto/rand/drbg_ctr.o crypto/rand/
drbg_ctr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rand/
drbg_lib.d.tmp -MT crypto/rand/drbg_lib.o -c -o crypto/rand/drbg_lib.o crypto/rand/
drbg_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rand/
rand_egd.d.tmp -MT crypto/rand/rand_egd.o -c -o crypto/rand/rand_egd.o crypto/rand/
rand_egd.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rand/
rand_err.d.tmp -MT crypto/rand/rand_err.o -c -o crypto/rand/rand_err.o crypto/rand/
rand_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rand/
rand_lib.d.tmp -MT crypto/rand/rand_lib.o -c -o crypto/rand/rand_lib.o crypto/rand/
rand_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rand/
rand_unix.d.tmp -MT crypto/rand/rand_unix.o -c -o crypto/rand/rand_unix.o crypto/
rand/rand_unix.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rand/
rand_vms.d.tmp -MT crypto/rand/rand_vms.o -c -o crypto/rand/rand_vms.o crypto/rand/
rand_vms.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rand/
rand_win.d.tmp -MT crypto/rand/rand_win.o -c -o crypto/rand/rand_win.o crypto/rand/
rand_win.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rand/
randfile.d.tmp -MT crypto/rand/randfile.o -c -o crypto/rand/randfile.o crypto/rand/
randfile.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rc2/
rc2_cbc.d.tmp -MT crypto/rc2/rc2_cbc.o -c -o crypto/rc2/rc2_cbc.o crypto/rc2/
rc2_cbc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rc2/
rc2_ecb.d.tmp -MT crypto/rc2/rc2_ecb.o -c -o crypto/rc2/rc2_ecb.o crypto/rc2/
rc2_ecb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
```

```
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rc2/
rc2_skey.d.tmp -MT crypto/rc2/rc2_skey.o -c -o crypto/rc2/rc2_skey.o crypto/rc2/
rc2_skey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rc2/
rc2cfb64.d.tmp -MT crypto/rc2/rc2cfb64.o -c -o crypto/rc2/rc2cfb64.o crypto/rc2/
rc2cfb64.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rc2/
rc2ofb64.d.tmp -MT crypto/rc2/rc2ofb64.o -c -o crypto/rc2/rc2ofb64.o crypto/rc2/
rc2ofb64.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rc4/
rc4_enc.d.tmp -MT crypto/rc4/rc4_enc.o -c -o crypto/rc4/rc4_enc.o crypto/rc4/
rc4_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rc4/
rc4_skey.d.tmp -MT crypto/rc4/rc4_skey.o -c -o crypto/rc4/rc4_skey.o crypto/rc4/
rc4_skey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ripemd/
rmd_dgst.d.tmp -MT crypto/ripemd/rmd_dgst.o -c -o crypto/ripemd/rmd_dgst.o crypto/
ripemd/rmd_dgst.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/ripemd/
rmd_one.d.tmp -MT crypto/ripemd/rmd_one.o -c -o crypto/ripemd/rmd_one.o crypto/
ripemd/rmd_one.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/
rsa_ameth.d.tmp -MT crypto/rsa/rsa_ameth.o -c -o crypto/rsa/rsa_ameth.o crypto/rsa/
rsa_ameth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/
rsa_asn1.d.tmp -MT crypto/rsa/rsa_asn1.o -c -o crypto/rsa/rsa_asn1.o crypto/rsa/
rsa_asn1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/
rsa_chk.d.tmp -MT crypto/rsa/rsa_chk.o -c -o crypto/rsa/rsa_chk.o crypto/rsa/
rsa_chk.c
```



```
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rsa/
rsa_crpt.d.tmp -MT crypto/rsa/rsa_crpt.o -c -o crypto/rsa/rsa_crpt.o crypto/rsa/
rsa_crpt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rsa/
rsa_depr.d.tmp -MT crypto/rsa/rsa_depr.o -c -o crypto/rsa/rsa_depr.o crypto/rsa/
rsa_depr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rsa/
rsa_err.d.tmp -MT crypto/rsa/rsa_err.o -c -o crypto/rsa/rsa_err.o crypto/rsa/
rsa_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rsa/
rsa_gen.d.tmp -MT crypto/rsa/rsa_gen.o -c -o crypto/rsa/rsa_gen.o crypto/rsa/
rsa_gen.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rsa/
rsa_lib.d.tmp -MT crypto/rsa/rsa_lib.o -c -o crypto/rsa/rsa_lib.o crypto/rsa/
rsa_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rsa/
rsa_meth.d.tmp -MT crypto/rsa/rsa_meth.o -c -o crypto/rsa/rsa_meth.o crypto/rsa/
rsa_meth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rsa/
rsa_mp.d.tmp -MT crypto/rsa/rsa_mp.o -c -o crypto/rsa/rsa_mp.o crypto/rsa/rsa_mp.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rsa/
rsa_none.d.tmp -MT crypto/rsa/rsa_none.o -c -o crypto/rsa/rsa_none.o crypto/rsa/
rsa_none.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/rsa/
rsa_oaep.d.tmp -MT crypto/rsa/rsa_oaep.o -c -o crypto/rsa/rsa_oaep.o crypto/rsa/
rsa_oaep.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
```

```
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/rsa_ossl.d.tmp -MT crypto/rsa/rsa_ossl.o -c -o crypto/rsa/rsa_ossl.o crypto/rsa/rsa_ossl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESEDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/rsa_pk1.d.tmp -MT crypto/rsa/rsa_pk1.o -c -o crypto/rsa/rsa_pk1.o crypto/rsa/rsa_pk1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESEDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/rsa_pmeth.d.tmp -MT crypto/rsa/rsa_pmeth.o -c -o crypto/rsa/rsa_pmeth.o crypto/rsa/rsa_pmeth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESEDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/rsa_prn.d.tmp -MT crypto/rsa/rsa_prn.o -c -o crypto/rsa/rsa_prn.o crypto/rsa/rsa_prn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESEDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/rsa_pss.d.tmp -MT crypto/rsa/rsa_pss.o -c -o crypto/rsa/rsa_pss.o crypto/rsa/rsa_pss.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESEDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/rsa_saos.d.tmp -MT crypto/rsa/rsa_saos.o -c -o crypto/rsa/rsa_saos.o crypto/rsa/rsa_saos.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESEDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/rsa_sign.d.tmp -MT crypto/rsa/rsa_sign.o -c -o crypto/rsa/rsa_sign.o crypto/rsa/rsa_sign.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESEDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/rsa_ssl.d.tmp -MT crypto/rsa/rsa_ssl.o -c -o crypto/rsa/rsa_ssl.o crypto/rsa/rsa_ssl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESEDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/rsa_x931.d.tmp -MT crypto/rsa/rsa_x931.o -c -o crypto/rsa/rsa_x931.o crypto/rsa/rsa_x931.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -DENGINESEDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/rsa/rsa_x931g.d.tmp -MT crypto/rsa/rsa_x931g.o -c -o crypto/rsa/rsa_x931g.o crypto/rsa/rsa_x931g.c
```

```
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/seed/
seed.d.tmp -MT crypto/seed/seed.o -c -o crypto/seed/seed.o crypto/seed/seed.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/seed/
seed_cbc.d.tmp -MT crypto/seed/seed_cbc.o -c -o crypto/seed/seed_cbc.o crypto/seed/
seed_cbc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/seed/
seed_cfb.d.tmp -MT crypto/seed/seed_cfb.o -c -o crypto/seed/seed_cfb.o crypto/seed/
seed_cfb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/seed/
seed_ecb.d.tmp -MT crypto/seed/seed_ecb.o -c -o crypto/seed/seed_ecb.o crypto/seed/
seed_ecb.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/seed/
seed_ofb.d.tmp -MT crypto/seed/seed_ofb.o -c -o crypto/seed/seed_ofb.o crypto/seed/
seed_ofb.c
CC="gcc" /usr/bin/perl crypto/sha/asm/keccak1600-armv8.pl linux64 crypto/sha/
keccak1600-armv8.S
CC="gcc" /usr/bin/perl crypto/sha/asm/sha1-armv8.pl linux64 crypto/sha/sha1-armv8.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/sha/
sha1_one.d.tmp -MT crypto/sha/sha1_one.o -c -o crypto/sha/sha1_one.o crypto/sha/
sha1_one.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/sha/
shaldgst.d.tmp -MT crypto/sha/shaldgst.o -c -o crypto/sha/shaldgst.o crypto/sha/
shaldgst.c
CC="gcc" /usr/bin/perl crypto/sha/asm/sha512-armv8.pl linux64 crypto/sha/sha256-
armv8.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/sha/
sha256.d.tmp -MT crypto/sha/sha256.o -c -o crypto/sha/sha256.o crypto/sha/sha256.c
CC="gcc" /usr/bin/perl crypto/sha/asm/sha512-armv8.pl linux64 crypto/sha/sha512-
armv8.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/sha/
```

```
sha512.d.tmp -MT crypto/sha/sha512.o -c -o crypto/sha/sha512.o crypto/sha/sha512.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/siphash/
siphash.d.tmp -MT crypto/siphash/siphash.o -c -o crypto/siphash/siphash.o crypto/
siphash/siphash.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/siphash/
siphash_ameth.d.tmp -MT crypto/siphash/siphash_ameth.o -c -o crypto/siphash/
siphash_ameth.o crypto/siphash/siphash_ameth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/siphash/
siphash_pmeth.d.tmp -MT crypto/siphash/siphash_pmeth.o -c -o crypto/siphash/
siphash_pmeth.o crypto/siphash/siphash_pmeth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/sm2/
sm2_crypt.d.tmp -MT crypto/sm2/sm2_crypt.o -c -o crypto/sm2/sm2_crypt.o crypto/sm2/
sm2_crypt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/sm2/
sm2_err.d.tmp -MT crypto/sm2/sm2_err.o -c -o crypto/sm2/sm2_err.o crypto/sm2/
sm2_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/sm2/
sm2_pmeth.d.tmp -MT crypto/sm2/sm2_pmeth.o -c -o crypto/sm2/sm2_pmeth.o crypto/sm2/
sm2_pmeth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/sm2/
sm2_sign.d.tmp -MT crypto/sm2/sm2_sign.o -c -o crypto/sm2/sm2_sign.o crypto/sm2/
sm2_sign.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/sm3/
m_sm3.d.tmp -MT crypto/sm3/m_sm3.o -c -o crypto/sm3/m_sm3.o crypto/sm3/m_sm3.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/sm3/
sm3.d.tmp -MT crypto/sm3/sm3.o -c -o crypto/sm3/sm3.o crypto/sm3/sm3.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
```

```
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/sm4/
sm4.d.tmp -MT crypto/sm4/sm4.o -c -o crypto/sm4/sm4.o crypto/sm4/sm4.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/srp/
srp_lib.d.tmp -MT crypto/srp/srp_lib.o -c -o crypto/srp/srp_lib.o crypto/srp/
srp_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/srp/
srp_vfy.d.tmp -MT crypto/srp/srp_vfy.o -c -o crypto/srp/srp_vfy.o crypto/srp/
srp_vfy.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/stack/
stack.d.tmp -MT crypto/stack/stack.o -c -o crypto/stack/stack.o crypto/stack/
stack.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/store/
loader_file.d.tmp -MT crypto/store/loader_file.o -c -o crypto/store/loader_file.o
crypto/store/loader_file.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/store/
store_err.d.tmp -MT crypto/store/store_err.o -c -o crypto/store/store_err.o crypto/
store/store_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/store/
store_init.d.tmp -MT crypto/store/store_init.o -c -o crypto/store/store_init.o
crypto/store/store_init.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/store/
store_lib.d.tmp -MT crypto/store/store_lib.o -c -o crypto/store/store_lib.o crypto/
store/store_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/store/
store_register.d.tmp -MT crypto/store/store_register.o -c -o crypto/store/
store_register.o crypto/store/store_register.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/store/
store_strings.d.tmp -MT crypto/store/store_strings.o -c -o crypto/store/
store_strings.o crypto/store/store_strings.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
threads_none.d.tmp -MT crypto/threads_none.o -c -o crypto/threads_none.o crypto/
threads_none.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
threads_pthread.d.tmp -MT crypto/threads_pthread.o -c -o crypto/threads_pthread.o
crypto/threads_pthread.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
threads_win.d.tmp -MT crypto/threads_win.o -c -o crypto/threads_win.o crypto/
threads_win.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ts/
ts_asn1.d.tmp -MT crypto/ts/ts_asn1.o -c -o crypto/ts/ts_asn1.o crypto/ts/ts_asn1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ts/
ts_conf.d.tmp -MT crypto/ts/ts_conf.o -c -o crypto/ts/ts_conf.o crypto/ts/ts_conf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ts/
ts_err.d.tmp -MT crypto/ts/ts_err.o -c -o crypto/ts/ts_err.o crypto/ts/ts_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ts/
ts_lib.d.tmp -MT crypto/ts/ts_lib.o -c -o crypto/ts/ts_lib.o crypto/ts/ts_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ts/
ts_req_print.d.tmp -MT crypto/ts/ts_req_print.o -c -o crypto/ts/ts_req_print.o
crypto/ts/ts_req_print.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ts/
ts_req_utils.d.tmp -MT crypto/ts/ts_req_utils.o -c -o crypto/ts/ts_req_utils.o
crypto/ts/ts_req_utils.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ts/
ts_rsp_print.d.tmp -MT crypto/ts/ts_rsp_print.o -c -o crypto/ts/ts_rsp_print.o
crypto/ts/ts_rsp_print.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ts/
ts_rsp_sign.d.tmp -MT crypto/ts/ts_rsp_sign.o -c -o crypto/ts/ts_rsp_sign.o crypto/
ts/ts_rsp_sign.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ts/
ts_rsp_utils.d.tmp -MT crypto/ts/ts_rsp_utils.o -c -o crypto/ts/ts_rsp_utils.o
crypto/ts/ts_rsp_utils.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ts/
ts_rsp_verify.d.tmp -MT crypto/ts/ts_rsp_verify.o -c -o crypto/ts/ts_rsp_verify.o
crypto/ts/ts_rsp_verify.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ts/
ts_verify_ctx.d.tmp -MT crypto/ts/ts_verify_ctx.o -c -o crypto/ts/ts_verify_ctx.o
crypto/ts/ts_verify_ctx.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/txt_db/
txt_db.d.tmp -MT crypto/txt_db/txt_db.o -c -o crypto/txt_db/txt_db.o crypto/txt_db/
txt_db.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ui/
ui_err.d.tmp -MT crypto/ui/ui_err.o -c -o crypto/ui/ui_err.o crypto/ui/ui_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ui/
ui_lib.d.tmp -MT crypto/ui/ui_lib.o -c -o crypto/ui/ui_lib.o crypto/ui/ui_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ui/
ui_null.d.tmp -MT crypto/ui/ui_null.o -c -o crypto/ui/ui_null.o crypto/ui/ui_null.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ui/
ui_openssl.d.tmp -MT crypto/ui/ui_openssl.o -c -o crypto/ui/ui_openssl.o crypto/ui/
ui_openssl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/ui/
ui_util.d.tmp -MT crypto/ui/ui_util.o -c -o crypto/ui/ui_util.o crypto/ui/ui_util.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/uid.d.tmp -
MT crypto/uid.o -c -o crypto/uid.o crypto/uid.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/whrlpool/
wp_block.d.tmp -MT crypto/whrlpool/wp_block.o -c -o crypto/whrlpool/wp_block.o
crypto/whrlpool/wp_block.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/whrlpool/
wp_dgst.d.tmp -MT crypto/whrlpool/wp_dgst.o -c -o crypto/whrlpool/wp_dgst.o crypto/
whrlpool/wp_dgst.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
by_dir.d.tmp -MT crypto/x509/by_dir.o -c -o crypto/x509/by_dir.o crypto/x509/
by_dir.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
by_file.d.tmp -MT crypto/x509/by_file.o -c -o crypto/x509/by_file.o crypto/x509/
by_file.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
t_crl.d.tmp -MT crypto/x509/t_crl.o -c -o crypto/x509/t_crl.o crypto/x509/t_crl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
t_req.d.tmp -MT crypto/x509/t_req.o -c -o crypto/x509/t_req.o crypto/x509/t_req.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
t_x509.d.tmp -MT crypto/x509/t_x509.o -c -o crypto/x509/t_x509.o crypto/x509/
t_x509.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509_att.d.tmp -MT crypto/x509/x509_att.o -c -o crypto/x509/x509_att.o crypto/x509/
x509_att.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509_cmp.d.tmp -MT crypto/x509/x509_cmp.o -c -o crypto/x509/x509_cmp.o crypto/x509/
x509_cmp.c
```



```
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509_d2.d.tmp -MT crypto/x509/x509_d2.o -c -o crypto/x509/x509_d2.o crypto/x509/
x509_d2.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509_def.d.tmp -MT crypto/x509/x509_def.o -c -o crypto/x509/x509_def.o crypto/x509/
x509_def.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509_err.d.tmp -MT crypto/x509/x509_err.o -c -o crypto/x509/x509_err.o crypto/x509/
x509_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509_ext.d.tmp -MT crypto/x509/x509_ext.o -c -o crypto/x509/x509_ext.o crypto/x509/
x509_ext.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509_lu.d.tmp -MT crypto/x509/x509_lu.o -c -o crypto/x509/x509_lu.o crypto/x509/
x509_lu.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509_meth.d.tmp -MT crypto/x509/x509_meth.o -c -o crypto/x509/x509_meth.o crypto/
x509/x509_meth.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509_obj.d.tmp -MT crypto/x509/x509_obj.o -c -o crypto/x509/x509_obj.o crypto/x509/
x509_obj.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509_r2x.d.tmp -MT crypto/x509/x509_r2x.o -c -o crypto/x509/x509_r2x.o crypto/x509/
x509_r2x.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509_req.d.tmp -MT crypto/x509/x509_req.o -c -o crypto/x509/x509_req.o crypto/x509/
x509_req.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```

```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509/
x509_set.d.tmp -MT crypto/x509/x509_set.o -c -o crypto/x509/x509_set.o crypto/x509/
x509_set.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509/
x509_trs.d.tmp -MT crypto/x509/x509_trs.o -c -o crypto/x509/x509_trs.o crypto/x509/
x509_trs.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509/
x509_txt.d.tmp -MT crypto/x509/x509_txt.o -c -o crypto/x509/x509_txt.o crypto/x509/
x509_txt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509/
x509_v3.d.tmp -MT crypto/x509/x509_v3.o -c -o crypto/x509/x509_v3.o crypto/x509/
x509_v3.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509/
x509_vfy.d.tmp -MT crypto/x509/x509_vfy.o -c -o crypto/x509/x509_vfy.o crypto/x509/
x509_vfy.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509/
x509_vpm.d.tmp -MT crypto/x509/x509_vpm.o -c -o crypto/x509/x509_vpm.o crypto/x509/
x509_vpm.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509/
x509_cset.d.tmp -MT crypto/x509/x509_cset.o -c -o crypto/x509/x509_cset.o crypto/x509/
x509_cset.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509/
x509_name.d.tmp -MT crypto/x509/x509_name.o -c -o crypto/x509/x509_name.o crypto/x509/
x509_name.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509/
x509_rset.d.tmp -MT crypto/x509/x509_rset.o -c -o crypto/x509/x509_rset.o crypto/x509/
x509_rset.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509/
x509_spki.d.tmp -MT crypto/x509/x509_spki.o -c -o crypto/x509/x509_spki.o crypto/x509/
```

```
x509spki.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x509type.d.tmp -MT crypto/x509/x509type.o -c -o crypto/x509/x509type.o crypto/x509/
x509type.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x_all.d.tmp -MT crypto/x509/x_all.o -c -o crypto/x509/x_all.o crypto/x509/x_all.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x_attrib.d.tmp -MT crypto/x509/x_attrib.o -c -o crypto/x509/x_attrib.o crypto/x509/
x_attrib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x_crl.d.tmp -MT crypto/x509/x_crl.o -c -o crypto/x509/x_crl.o crypto/x509/x_crl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x_exten.d.tmp -MT crypto/x509/x_exten.o -c -o crypto/x509/x_exten.o crypto/x509/
x_exten.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x_name.d.tmp -MT crypto/x509/x_name.o -c -o crypto/x509/x_name.o crypto/x509/
x_name.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x_pubkey.d.tmp -MT crypto/x509/x_pubkey.o -c -o crypto/x509/x_pubkey.o crypto/x509/
x_pubkey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x_req.d.tmp -MT crypto/x509/x_req.o -c -o crypto/x509/x_req.o crypto/x509/x_req.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
x_x509.d.tmp -MT crypto/x509/x_x509.o -c -o crypto/x509/x_x509.o crypto/x509/
x_x509.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509/
```

```
x_x509a.d.tmp -MT crypto/x509/x_x509a.o -c -o crypto/x509/x_x509a.o crypto/x509/
x_x509a.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
pcy_cache.d.tmp -MT crypto/x509v3/pcy_cache.o -c -o crypto/x509v3/pcy_cache.o
crypto/x509v3/pcy_cache.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
pcy_data.d.tmp -MT crypto/x509v3/pcy_data.o -c -o crypto/x509v3/pcy_data.o crypto/
x509v3/pcy_data.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
pcy_lib.d.tmp -MT crypto/x509v3/pcy_lib.o -c -o crypto/x509v3/pcy_lib.o crypto/
x509v3/pcy_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
pcy_map.d.tmp -MT crypto/x509v3/pcy_map.o -c -o crypto/x509v3/pcy_map.o crypto/
x509v3/pcy_map.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
pcy_node.d.tmp -MT crypto/x509v3/pcy_node.o -c -o crypto/x509v3/pcy_node.o crypto/
x509v3/pcy_node.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
pcy_tree.d.tmp -MT crypto/x509v3/pcy_tree.o -c -o crypto/x509v3/pcy_tree.o crypto/
x509v3/pcy_tree.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_addr.d.tmp -MT crypto/x509v3/v3_addr.o -c -o crypto/x509v3/v3_addr.o crypto/
x509v3/v3_addr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_admis.d.tmp -MT crypto/x509v3/v3_admis.o -c -o crypto/x509v3/v3_admis.o crypto/
x509v3/v3_admis.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_akey.d.tmp -MT crypto/x509v3/v3_akey.o -c -o crypto/x509v3/v3_akey.o crypto/
x509v3/v3_akey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_akeya.d.tmp -MT crypto/x509v3/v3_akeya.o -c -o crypto/x509v3/v3_akeya.o crypto/
x509v3/v3_akeya.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_alt.d.tmp -MT crypto/x509v3/v3_alt.o -c -o crypto/x509v3/v3_alt.o crypto/x509v3/
v3_alt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_asid.d.tmp -MT crypto/x509v3/v3_asid.o -c -o crypto/x509v3/v3_asid.o crypto/
x509v3/v3_asid.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_bcons.d.tmp -MT crypto/x509v3/v3_bcons.o -c -o crypto/x509v3/v3_bcons.o crypto/
x509v3/v3_bcons.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_bitst.d.tmp -MT crypto/x509v3/v3_bitst.o -c -o crypto/x509v3/v3_bitst.o crypto/
x509v3/v3_bitst.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_conf.d.tmp -MT crypto/x509v3/v3_conf.o -c -o crypto/x509v3/v3_conf.o crypto/
x509v3/v3_conf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_cpols.d.tmp -MT crypto/x509v3/v3_cpols.o -c -o crypto/x509v3/v3_cpols.o crypto/
x509v3/v3_cpols.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_crl.d.tmp -MT crypto/x509v3/v3_crl.o -c -o crypto/x509v3/v3_crl.o crypto/
x509v3/v3_crl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_enum.d.tmp -MT crypto/x509v3/v3_enum.o -c -o crypto/x509v3/v3_enum.o crypto/
x509v3/v3_enum.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
```

```
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509v3/v3_extku.d.tmp -MT crypto/x509v3/v3_extku.o -c -o crypto/x509v3/v3_extku.o crypto/x509v3/v3_extku.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509v3/v3_genn.d.tmp -MT crypto/x509v3/v3_genn.o -c -o crypto/x509v3/v3_genn.o crypto/x509v3/v3_genn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509v3/v3_ia5.d.tmp -MT crypto/x509v3/v3_ia5.o -c -o crypto/x509v3/v3_ia5.o crypto/x509v3/v3_ia5.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509v3/v3_info.d.tmp -MT crypto/x509v3/v3_info.o -c -o crypto/x509v3/v3_info.o crypto/x509v3/v3_info.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509v3/v3_int.d.tmp -MT crypto/x509v3/v3_int.o -c -o crypto/x509v3/v3_int.o crypto/x509v3/v3_int.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509v3/v3_lib.d.tmp -MT crypto/x509v3/v3_lib.o -c -o crypto/x509v3/v3_lib.o crypto/x509v3/v3_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509v3/v3_ncons.d.tmp -MT crypto/x509v3/v3_ncons.o -c -o crypto/x509v3/v3_ncons.o crypto/x509v3/v3_ncons.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509v3/v3_pci.d.tmp -MT crypto/x509v3/v3_pci.o -c -o crypto/x509v3/v3_pci.o crypto/x509v3/v3_pci.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509v3/v3_pcia.d.tmp -MT crypto/x509v3/v3_pcia.o -c -o crypto/x509v3/v3_pcia.o crypto/x509v3/v3_pcia.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF crypto/x509v3/v3_pcons.d.tmp -MT crypto/x509v3/v3_pcons.o -c -o crypto/x509v3/v3_pcons.o crypto/x509v3/v3_pcons.c
```

```
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_pku.d.tmp -MT crypto/x509v3/v3_pku.o -c -o crypto/x509v3/v3_pku.o crypto/x509v3/
v3_pku.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_pmaps.d.tmp -MT crypto/x509v3/v3_pmaps.o -c -o crypto/x509v3/v3_pmaps.o crypto/
x509v3/v3_pmaps.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_prn.d.tmp -MT crypto/x509v3/v3_prn.o -c -o crypto/x509v3/v3_prn.o crypto/x509v3/
v3_prn.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_purp.d.tmp -MT crypto/x509v3/v3_purp.o -c -o crypto/x509v3/v3_purp.o crypto/
x509v3/v3_purp.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_skey.d.tmp -MT crypto/x509v3/v3_skey.o -c -o crypto/x509v3/v3_skey.o crypto/
x509v3/v3_skey.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_sxnet.d.tmp -MT crypto/x509v3/v3_sxnet.o -c -o crypto/x509v3/v3_sxnet.o crypto/
x509v3/v3_sxnet.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_tlsf.d.tmp -MT crypto/x509v3/v3_tlsf.o -c -o crypto/x509v3/v3_tlsf.o crypto/
x509v3/v3_tlsf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3_utl.d.tmp -MT crypto/x509v3/v3_utl.o -c -o crypto/x509v3/v3_utl.o crypto/x509v3/
v3_utl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/x509v3/
v3err.d.tmp -MT crypto/x509v3/v3err.o -c -o crypto/x509v3/v3err.o crypto/x509v3/
v3err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
```

```
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF engines/
e_afalg.d.tmp -MT engines/e_afalg.o -c -o engines/e_afalg.o engines/e_afalg.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF engines/
e_capi.d.tmp -MT engines/e_capi.o -c -o engines/e_capi.o engines/e_capi.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF engines/
e_padlock.d.tmp -MT engines/e_padlock.o -c -o engines/e_padlock.o engines/
e_padlock.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/bio_ssl.d.tmp -
MT ssl/bio_ssl.o -c -o ssl/bio_ssl.o ssl/bio_ssl.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/dl_lib.d.tmp -
MT ssl/dl_lib.o -c -o ssl/dl_lib.o ssl/dl_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/dl_msg.d.tmp -
MT ssl/dl_msg.o -c -o ssl/dl_msg.o ssl/dl_msg.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/dl_srtp.d.tmp -
MT ssl/dl_srtp.o -c -o ssl/dl_srtp.o ssl/dl_srtp.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/methods.d.tmp -
MT ssl/methods.o -c -o ssl/methods.o ssl/methods.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/packet.d.tmp -
MT ssl/packet.o -c -o ssl/packet.o ssl/packet.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/pqueue.d.tmp -
MT ssl/pqueue.o -c -o ssl/pqueue.o ssl/pqueue.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/record/
dtls1_bitmap.d.tmp -MT ssl/record/dtls1_bitmap.o -c -o ssl/record/dtls1_bitmap.o
ssl/record/dtls1_bitmap.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```



```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/record/
rec_layer_d1.d.tmp -MT ssl/record/rec_layer_d1.o -c -o ssl/record/rec_layer_d1.o
ssl/record/rec_layer_d1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/record/
rec_layer_s3.d.tmp -MT ssl/record/rec_layer_s3.o -c -o ssl/record/rec_layer_s3.o
ssl/record/rec_layer_s3.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/record/
ssl3_buffer.d.tmp -MT ssl/record/ssl3_buffer.o -c -o ssl/record/ssl3_buffer.o ssl/
record/ssl3_buffer.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/record/
ssl3_record.d.tmp -MT ssl/record/ssl3_record.o -c -o ssl/record/ssl3_record.o ssl/
record/ssl3_record.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/record/
ssl3_record_tls13.d.tmp -MT ssl/record/ssl3_record_tls13.o -c -o ssl/record/
ssl3_record_tls13.o ssl/record/ssl3_record_tls13.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/s3_cbc.d.tmp -
MT ssl/s3_cbc.o -c -o ssl/s3_cbc.o ssl/s3_cbc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/s3_enc.d.tmp -
MT ssl/s3_enc.o -c -o ssl/s3_enc.o ssl/s3_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/s3_lib.d.tmp -
MT ssl/s3_lib.o -c -o ssl/s3_lib.o ssl/s3_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/s3_msg.d.tmp -
MT ssl/s3_msg.o -c -o ssl/s3_msg.o ssl/s3_msg.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/ssl_asn1.d.tmp
-MT ssl/ssl_asn1.o -c -o ssl/ssl_asn1.o ssl/ssl_asn1.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
```

```
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/ssl_cert.d.tmp
-MT ssl/ssl_cert.o -c -o ssl/ssl_cert.o ssl/ssl_cert.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/ssl_ciph.d.tmp
-MT ssl/ssl_ciph.o -c -o ssl/ssl_ciph.o ssl/ssl_ciph.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/ssl_conf.d.tmp
-MT ssl/ssl_conf.o -c -o ssl/ssl_conf.o ssl/ssl_conf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/ssl_err.d.tmp -
MT ssl/ssl_err.o -c -o ssl/ssl_err.o ssl/ssl_err.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/ssl_init.d.tmp
-MT ssl/ssl_init.o -c -o ssl/ssl_init.o ssl/ssl_init.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/ssl_lib.d.tmp -
MT ssl/ssl_lib.o -c -o ssl/ssl_lib.o ssl/ssl_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/ssl_mcnf.d.tmp
-MT ssl/ssl_mcnf.o -c -o ssl/ssl_mcnf.o ssl/ssl_mcnf.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/ssl_rsa.d.tmp -
MT ssl/ssl_rsa.o -c -o ssl/ssl_rsa.o ssl/ssl_rsa.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/ssl_sess.d.tmp
-MT ssl/ssl_sess.o -c -o ssl/ssl_sess.o ssl/ssl_sess.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/ssl_stat.d.tmp
-MT ssl/ssl_stat.o -c -o ssl/ssl_stat.o ssl/ssl_stat.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\usr/local/ssl\" -
DENGINESDIR="\usr/local/lib/engines-1.1\" -DNDEBUG -MMD -MF ssl/ssl_txt.d.tmp -
MT ssl/ssl_txt.o -c -o ssl/ssl_txt.o ssl/ssl_txt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
```

```
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/ssl_utst.d.tmp
-MT ssl/ssl_utst.o -c -o ssl/ssl_utst.o ssl/ssl_utst.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/statem/
extensions.d.tmp -MT ssl/statem/extensions.o -c -o ssl/statem/extensions.o ssl/
statem/extensions.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/statem/
extensions_clnt.d.tmp -MT ssl/statem/extensions_clnt.o -c -o ssl/statem/
extensions_clnt.o ssl/statem/extensions_clnt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/statem/
extensions_cust.d.tmp -MT ssl/statem/extensions_cust.o -c -o ssl/statem/
extensions_cust.o ssl/statem/extensions_cust.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/statem/
extensions_srvr.d.tmp -MT ssl/statem/extensions_srvr.o -c -o ssl/statem/
extensions_srvr.o ssl/statem/extensions_srvr.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/statem/
statem.d.tmp -MT ssl/statem/statem.o -c -o ssl/statem/statem.o ssl/statem/statem.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/statem/
statem_clnt.d.tmp -MT ssl/statem/statem_clnt.o -c -o ssl/statem/statem_clnt.o ssl/
statem/statem_clnt.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/statem/
statem_dtls.d.tmp -MT ssl/statem/statem_dtls.o -c -o ssl/statem/statem_dtls.o ssl/
statem/statem_dtls.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/statem/
statem_lib.d.tmp -MT ssl/statem/statem_lib.o -c -o ssl/statem/statem_lib.o ssl/
statem/statem_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF ssl/statem/
statem_srvr.d.tmp -MT ssl/statem/statem_srvr.o -c -o ssl/statem/statem_srvr.o ssl/
statem/statem_srvr.c
```

```
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF ssl/tl_enc.d.tmp -
MT ssl/tl_enc.o -c -o ssl/tl_enc.o ssl/tl_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF ssl/tl_lib.d.tmp -
MT ssl/tl_lib.o -c -o ssl/tl_lib.o ssl/tl_lib.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF ssl/tl_trce.d.tmp -
MT ssl/tl_trce.o -c -o ssl/tl_trce.o ssl/tl_trce.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF ssl/
tls13_enc.d.tmp -MT ssl/tls13_enc.o -c -o ssl/tls13_enc.o ssl/tls13_enc.c
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="\"/usr/local/ssl\"" -
DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -DNDEBUG -MMD -MF ssl/tls_srp.d.tmp -
MT ssl/tls_srp.o -c -o ssl/tls_srp.o ssl/tls_srp.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="\"/usr/local/ssl\"" -DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -
DNDEBUG -MMD -MF test/testutil/basic_output.d.tmp -MT test/testutil/
basic_output.o -c -o test/testutil/basic_output.o test/testutil/basic_output.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="\"/usr/local/ssl\"" -DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -
DNDEBUG -MMD -MF test/testutil/cb.d.tmp -MT test/testutil/cb.o -c -o test/
testutil/cb.o test/testutil/cb.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="\"/usr/local/ssl\"" -DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -
DNDEBUG -MMD -MF test/testutil/driver.d.tmp -MT test/testutil/driver.o -c -o test/
testutil/driver.o test/testutil/driver.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="\"/usr/local/ssl\"" -DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -
DNDEBUG -MMD -MF test/testutil/format_output.d.tmp -MT test/testutil/
format_output.o -c -o test/testutil/format_output.o test/testutil/format_output.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="\"/usr/local/ssl\"" -DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -
DNDEBUG -MMD -MF test/testutil/main.d.tmp -MT test/testutil/main.o -c -o test/
testutil/main.o test/testutil/main.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECP_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="\"/usr/local/ssl\"" -DENGINESDIR="\"/usr/local/lib/engines-1.1\"" -
DNDEBUG -MMD -MF test/testutil/output_helpers.d.tmp -MT test/testutil/
output_helpers.o -c -o test/testutil/output_helpers.o test/testutil/
```

```
output_helpers.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECIPHER_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="/usr/local/ssl/" -DENGINESSDIR="/usr/local/lib/engines-1.1/" -
DNDEBUG -MMD -MF test/testutil/random.d.tmp -MT test/testutil/random.o -c -o test/
testutil/random.o test/testutil/random.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECIPHER_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="/usr/local/ssl/" -DENGINESSDIR="/usr/local/lib/engines-1.1/" -
DNDEBUG -MMD -MF test/testutil/stanza.d.tmp -MT test/testutil/stanza.o -c -o test/
testutil/stanza.o test/testutil/stanza.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECIPHER_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="/usr/local/ssl/" -DENGINESSDIR="/usr/local/lib/engines-1.1/" -
DNDEBUG -MMD -MF test/testutil/tap_bio.d.tmp -MT test/testutil/tap_bio.o -c -o
test/testutil/tap_bio.o test/testutil/tap_bio.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECIPHER_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="/usr/local/ssl/" -DENGINESSDIR="/usr/local/lib/engines-1.1/" -
DNDEBUG -MMD -MF test/testutil/test_cleanup.d.tmp -MT test/testutil/
test_cleanup.o -c -o test/testutil/test_cleanup.o test/testutil/test_cleanup.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECIPHER_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="/usr/local/ssl/" -DENGINESSDIR="/usr/local/lib/engines-1.1/" -
DNDEBUG -MMD -MF test/testutil/tests.d.tmp -MT test/testutil/tests.o -c -o test/
testutil/tests.o test/testutil/tests.c
gcc -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -DOPENSSL_USE_NODELETE -
DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -DSHA1_ASM -DSHA256_ASM -
DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -DECIPHER_NISTZ256_ASM -DPOLY1305_ASM -
DOPENSSLDIR="/usr/local/ssl/" -DENGINESSDIR="/usr/local/lib/engines-1.1/" -
DNDEBUG -MMD -MF test/testutil/testutil_init.d.tmp -MT test/testutil/
testutil_init.o -c -o test/testutil/testutil_init.o test/testutil/testutil_init.c
ar r apps/libapps.a apps/app_rand.o apps/apps.o apps/bf_prefix.o apps/opt.o apps/
s_cb.o apps/s_socket.o
ar: creating apps/libapps.a
ranlib apps/libapps.a || echo Never mind.
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECIPHER_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESSDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/aes/aesv8-
armx.o crypto/aes/aesv8-armx.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECIPHER_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESSDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/aes/vpaes-
armv8.o crypto/aes/vpaes-armv8.S
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECIPHER_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESSDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/arm64cpuid.o
crypto/arm64cpuid.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECIPHER_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESSDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/bn/armv8-
mont.o crypto/bn/armv8-mont.S
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
```

```
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/chacha/chacha-
armv8.o crypto/chacha/chacha-armv8.S
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -MMD -MF crypto/
cversion.d.tmp -MT crypto/cversion.o -c -o crypto/cversion.o crypto/cversion.c
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/ec/
ecp_nistz256-armv8.o crypto/ec/ecp_nistz256-armv8.S
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/modes/ghashv8-
armx.o crypto/modes/ghashv8-armx.S
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/poly1305/
poly1305-armv8.o crypto/poly1305/poly1305-armv8.S
gcc -I. -Iinclude -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/sha/keccak1600-
armv8.o crypto/sha/keccak1600-armv8.S
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/sha/sha1-
armv8.o crypto/sha/sha1-armv8.S
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/sha/sha256-
armv8.o crypto/sha/sha256-armv8.S
gcc -I. -Iinclude -Icrypto -fPIC -pthread -Wa,--noexecstack -Wall -O3 -
DOPENSSL_USE_NODELETE -DOPENSSL_PIC -DOPENSSL_CPUID_OBJ -DOPENSSL_BN_ASM_MONT -
DSHA1_ASM -DSHA256_ASM -DSHA512_ASM -DKECCAK1600_ASM -DVPAES_ASM -
DECP_NISTZ256_ASM -DPOLY1305_ASM -DOPENSSLDIR="/usr/local/ssl/" -
DENGINESDIR="/usr/local/lib/engines-1.1/" -DNDEBUG -c -o crypto/sha/sha512-
armv8.o crypto/sha/sha512-armv8.S
ar r libssl.a ssl/bio_ssl.o ssl/d1_lib.o ssl/d1_msg.o ssl/d1_srtp.o ssl/methods.o
ssl/packet.o ssl/pqueue.o ssl/record/dtls1_bitmap.o ssl/record/rec_layer_d1.o ssl/
record/rec_layer_s3.o ssl/record/ssl3_buffer.o ssl/record/ssl3_record.o ssl/record/
ssl3_record_tls13.o ssl/s3_cbc.o ssl/s3_enc.o ssl/s3_lib.o ssl/s3_msg.o ssl/
ssl_asn1.o ssl/ssl_cert.o ssl/ssl_ciph.o ssl/ssl_conf.o ssl/ssl_err.o ssl/
ssl_init.o ssl/ssl_lib.o ssl/ssl_mcnf.o ssl/ssl_rsa.o ssl/ssl_sess.o ssl/
ssl_stat.o ssl/ssl_txt.o ssl/ssl_utst.o ssl/statem/extensions.o ssl/statem/
extensions_clnt.o ssl/statem/extensions_cust.o ssl/statem/extensions_srvr.o ssl/
statem/statem.o ssl/statem/statem_clnt.o ssl/statem/statem_dtls.o ssl/statem/
statem_lib.o ssl/statem/statem_srvr.o ssl/t1_enc.o ssl/t1_lib.o ssl/t1_trce.o ssl/
tls13_enc.o ssl/tls_srp.o
ar: creating libssl.a
ar r libcrypto.a crypto/aes/aes_cbc.o crypto/aes/aes_cfb.o crypto/aes/aes_core.o
```

crypto/aes/aes\_ecb.o crypto/aes/aes\_ige.o crypto/aes/aes\_misc.o crypto/aes/  
aes\_ofb.o crypto/aes/aes\_wrap.o crypto/aes/aesv8-armx.o crypto/aes/vpaes-armv8.o  
crypto/aria/aria.o crypto/arm64cpuid.o crypto/armcap.o crypto/asn1/a\_bitstr.o  
crypto/asn1/a\_d2i\_fp.o crypto/asn1/a\_digest.o crypto/asn1/a\_dup.o crypto/asn1/  
a\_gentm.o crypto/asn1/a\_i2d\_fp.o crypto/asn1/a\_int.o crypto/asn1/a\_mbstr.o crypto/  
asn1/a\_object.o crypto/asn1/a\_octet.o crypto/asn1/a\_print.o crypto/asn1/a\_sign.o  
crypto/asn1/a\_strex.o crypto/asn1/a\_strnid.o crypto/asn1/a\_time.o crypto/asn1/  
a\_type.o crypto/asn1/a\_utctm.o crypto/asn1/a\_utf8.o crypto/asn1/a\_verify.o crypto/  
asn1/ameth\_lib.o crypto/asn1/asn1\_err.o crypto/asn1/asn1\_gen.o crypto/asn1/  
asn1\_item\_list.o crypto/asn1/asn1\_lib.o crypto/asn1/asn1\_par.o crypto/asn1/  
asn\_mime.o crypto/asn1/asn\_moid.o crypto/asn1/asn\_mstbl.o crypto/asn1/asn\_pack.o  
crypto/asn1/bio\_asn1.o crypto/asn1/bio\_ndef.o crypto/asn1/d2i\_pr.o crypto/asn1/  
d2i\_pu.o crypto/asn1/evp\_asn1.o crypto/asn1/f\_int.o crypto/asn1/f\_string.o crypto/  
asn1/i2d\_pr.o crypto/asn1/i2d\_pu.o crypto/asn1/n\_pkey.o crypto/asn1/nsseq.o crypto/  
asn1/p5\_pbe.o crypto/asn1/p5\_pbev2.o crypto/asn1/p5\_scrypt.o crypto/asn1/p8\_pkey.o  
crypto/asn1/t\_bitst.o crypto/asn1/t\_pkey.o crypto/asn1/t\_spki.o crypto/asn1/  
tasn\_dec.o crypto/asn1/tasn\_enc.o crypto/asn1/tasn\_fre.o crypto/asn1/tasn\_new.o  
crypto/asn1/tasn\_prn.o crypto/asn1/tasn\_scn.o crypto/asn1/tasn\_typ.o crypto/asn1/  
tasn\_utl.o crypto/asn1/x\_algor.o crypto/asn1/x\_bignum.o crypto/asn1/x\_info.o  
crypto/asn1/x\_int64.o crypto/asn1/x\_long.o crypto/asn1/x\_pkey.o crypto/asn1/  
x\_sig.o crypto/asn1/x\_spki.o crypto/asn1/x\_val.o crypto/async/arch/async\_null.o  
crypto/async/arch/async\_posix.o crypto/async/arch/async\_win.o crypto/async/async.o  
crypto/async/async\_err.o crypto/async/async\_wait.o crypto/bf/bf\_cfb64.o crypto/bf/  
bf\_ecb.o crypto/bf/bf\_enc.o crypto/bf/bf\_ofb64.o crypto/bf/bf\_skey.o crypto/bio/  
b\_addr.o crypto/bio/b\_dump.o crypto/bio/b\_print.o crypto/bio/b\_sock.o crypto/bio/  
b\_sock2.o crypto/bio/bf\_buff.o crypto/bio/bf\_lbuf.o crypto/bio/bf\_nbio.o crypto/  
bio/bf\_null.o crypto/bio/bio\_cb.o crypto/bio/bio\_err.o crypto/bio/bio\_lib.o crypto/  
bio/bio\_meth.o crypto/bio/bss\_acpt.o crypto/bio/bss\_bio.o crypto/bio/bss\_conn.o  
crypto/bio/bss\_dgram.o crypto/bio/bss\_fd.o crypto/bio/bss\_file.o crypto/bio/  
bss\_log.o crypto/bio/bss\_mem.o crypto/bio/bss\_null.o crypto/bio/bss\_sock.o crypto/  
blake2/blake2b.o crypto/blake2/blake2s.o crypto/blake2/m\_blake2b.o crypto/blake2/  
m\_blake2s.o crypto/bn/armv8-mont.o crypto/bn/bn\_add.o crypto/bn/bn\_asm.o crypto/bn/  
bn\_blind.o crypto/bn/bn\_const.o crypto/bn/bn\_ctx.o crypto/bn/bn\_depr.o crypto/bn/  
bn\_dh.o crypto/bn/bn\_div.o crypto/bn/bn\_err.o crypto/bn/bn\_exp.o crypto/bn/  
bn\_exp2.o crypto/bn/bn\_gcd.o crypto/bn/bn\_gf2m.o crypto/bn/bn\_intern.o crypto/bn/  
bn\_kron.o crypto/bn/bn\_lib.o crypto/bn/bn\_mod.o crypto/bn/bn\_mont.o crypto/bn/  
bn\_mpi.o crypto/bn/bn\_mul.o crypto/bn/bn\_nist.o crypto/bn/bn\_prime.o crypto/bn/  
bn\_print.o crypto/bn/bn\_rand.o crypto/bn/bn\_recp.o crypto/bn/bn\_shift.o crypto/bn/  
bn\_sqr.o crypto/bn/bn\_sqrt.o crypto/bn/bn\_srp.o crypto/bn/bn\_word.o crypto/bn/  
bn\_x931p.o crypto/buffer/buf\_err.o crypto/buffer/buffer.o crypto/camellia/  
camellia.o crypto/camellia/cml1\_cbc.o crypto/camellia/cml1\_cfb.o crypto/camellia/  
cml1\_ctr.o crypto/camellia/cml1\_ecb.o crypto/camellia/cml1\_misc.o crypto/camellia/  
cml1\_ofb.o crypto/cast/c\_cfb64.o crypto/cast/c\_ecb.o crypto/cast/c\_enc.o crypto/  
cast/c\_ofb64.o crypto/cast/c\_skey.o crypto/chacha/chacha-armv8.o crypto/cmac/  
cm\_ameth.o crypto/cmac/cm\_pmeth.o crypto/cmac/cmac.o crypto/cms/cms\_asn1.o crypto/  
cms/cms\_att.o crypto/cms/cms\_cd.o crypto/cms/cms\_dd.o crypto/cms/cms\_enc.o crypto/  
cms/cms\_env.o crypto/cms/cms\_err.o crypto/cms/cms\_ess.o crypto/cms/cms\_io.o crypto/  
cms/cms\_kari.o crypto/cms/cms\_lib.o crypto/cms/cms\_pwri.o crypto/cms/cms\_sd.o  
crypto/cms/cms\_smime.o crypto/comp/c\_zlib.o crypto/comp/comp\_err.o crypto/comp/  
comp\_lib.o crypto/conf/conf\_api.o crypto/conf/conf\_def.o crypto/conf/conf\_err.o  
crypto/conf/conf\_lib.o crypto/conf/conf\_mall.o crypto/conf/conf\_mod.o crypto/conf/  
conf\_sap.o crypto/conf/conf\_ssl.o crypto/cpt\_err.o crypto/cryptlib.o crypto/ct/  
ct\_b64.o crypto/ct/ct\_err.o crypto/ct/ct\_log.o crypto/ct/ct\_oct.o crypto/ct/  
ct\_policy.o crypto/ct/ct\_prn.o crypto/ct/ct\_sct.o crypto/ct/ct\_sct\_ctx.o crypto/ct/  
ct\_vfy.o crypto/ct/ct\_x509v3.o crypto/ctype.o crypto/cversion.o crypto/des/  
cbc\_cksm.o crypto/des/cbc\_enc.o crypto/des/cfb64ede.o crypto/des/cfb64enc.o crypto/  
des/cfb\_enc.o crypto/des/des\_enc.o crypto/des/ecb3\_enc.o crypto/des/ecb\_enc.o  
crypto/des/fcrypt.o crypto/des/fcrypt\_b.o crypto/des/ofb64ede.o crypto/des/  
ofb64enc.o crypto/des/ofb\_enc.o crypto/des/pcbc\_enc.o crypto/des/qud\_cksm.o crypto/  
des/rand\_key.o crypto/des/set\_key.o crypto/des/str2key.o crypto/des/xcbc\_enc.o  
crypto/dh/dh\_ameth.o crypto/dh/dh\_asn1.o crypto/dh/dh\_check.o crypto/dh/dh\_depr.o  
crypto/dh/dh\_err.o crypto/dh/dh\_gen.o crypto/dh/dh\_kdf.o crypto/dh/dh\_key.o crypto/  
dh/dh\_lib.o crypto/dh/dh\_meth.o crypto/dh/dh\_pmeth.o crypto/dh/dh\_prn.o crypto/dh/  
dh\_rfc5114.o crypto/dh/dh\_rfc7919.o crypto/dsa/dsa\_ameth.o crypto/dsa/dsa\_asn1.o  
crypto/dsa/dsa\_depr.o crypto/dsa/dsa\_err.o crypto/dsa/dsa\_gen.o crypto/dsa/  
dsa\_key.o crypto/dsa/dsa\_lib.o crypto/dsa/dsa\_meth.o crypto/dsa/dsa\_ossl.o crypto/

dsa/dsa\_pmeth.o crypto/dsa/dsa\_prn.o crypto/dsa/dsa\_sign.o crypto/dsa/dsa\_vrf.o  
crypto/dso/dso\_dl.o crypto/dso/dso\_dlfcn.o crypto/dso/dso\_err.o crypto/dso/  
dso\_lib.o crypto/dso/dso\_openssl.o crypto/dso/dso\_vms.o crypto/dso/dso\_win32.o  
crypto/ebcdic.o crypto/ec/curve25519.o crypto/ec/curve448/arch\_32/f\_impl.o crypto/  
ec/curve448/curve448.o crypto/ec/curve448/curve448\_tables.o crypto/ec/curve448/  
eddsa.o crypto/ec/curve448/f\_generic.o crypto/ec/curve448/scalar.o crypto/ec/  
ec2\_oct.o crypto/ec/ec2\_smpl.o crypto/ec/ec\_ameth.o crypto/ec/ec\_asn1.o crypto/ec/  
ec\_check.o crypto/ec/ec\_curve.o crypto/ec/ec\_cvt.o crypto/ec/ec\_err.o crypto/ec/  
ec\_key.o crypto/ec/ec\_kmeth.o crypto/ec/ec\_lib.o crypto/ec/ec\_mult.o crypto/ec/  
ec\_oct.o crypto/ec/ec\_pmeth.o crypto/ec/ec\_print.o crypto/ec/ecdh\_kdf.o crypto/ec/  
ecdh\_ossl.o crypto/ec/ecdsa\_ossl.o crypto/ec/ecdsa\_sign.o crypto/ec/ecdsa\_vrf.o  
crypto/ec/eck\_prn.o crypto/ec/ecp\_mont.o crypto/ec/ecp\_nist.o crypto/ec/  
ecp\_nistp224.o crypto/ec/ecp\_nistp256.o crypto/ec/ecp\_nistp521.o crypto/ec/  
ecp\_nistputil.o crypto/ec/ecp\_nistz256-armv8.o crypto/ec/ecp\_nistz256.o crypto/ec/  
ecp\_oct.o crypto/ec/ecp\_smpl.o crypto/ec/ecx\_meth.o crypto/engine/eng\_all.o crypto/  
engine/eng\_cnf.o crypto/engine/eng\_ctrl.o crypto/engine/eng\_dyn.o crypto/engine/  
eng\_err.o crypto/engine/eng\_fat.o crypto/engine/eng\_init.o crypto/engine/eng\_lib.o  
crypto/engine/eng\_list.o crypto/engine/eng\_openssl.o crypto/engine/eng\_pkey.o  
crypto/engine/eng\_rdrand.o crypto/engine/eng\_table.o crypto/engine/tb\_asnmth.o  
crypto/engine/tb\_cipher.o crypto/engine/tb\_dh.o crypto/engine/tb\_digest.o crypto/  
engine/tb\_dsa.o crypto/engine/tb\_eckey.o crypto/engine/tb\_pkmeth.o crypto/engine/  
tb\_rand.o crypto/engine/tb\_rsa.o crypto/err/err.o crypto/err/err\_all.o crypto/err/  
err\_prn.o crypto/evp/bio\_b64.o crypto/evp/bio\_enc.o crypto/evp/bio\_md.o crypto/evp/  
bio\_ok.o crypto/evp/c\_allc.o crypto/evp/c\_alld.o crypto/evp/cmeth\_lib.o crypto/evp/  
digest.o crypto/evp/e\_aes.o crypto/evp/e\_aes\_cbc\_hmac\_sha1.o crypto/evp/  
e\_aes\_cbc\_hmac\_sha256.o crypto/evp/e\_aria.o crypto/evp/e\_bf.o crypto/evp/  
e\_camellia.o crypto/evp/e\_cast.o crypto/evp/e\_chacha20\_poly1305.o crypto/evp/  
e\_des.o crypto/evp/e\_des3.o crypto/evp/e\_idea.o crypto/evp/e\_null.o crypto/evp/  
e\_old.o crypto/evp/e\_rc2.o crypto/evp/e\_rc4.o crypto/evp/e\_rc4\_hmac\_md5.o crypto/  
evp/e\_rc5.o crypto/evp/e\_seed.o crypto/evp/e\_sm4.o crypto/evp/e\_xcbc\_d.o crypto/  
evp/encode.o crypto/evp/evp\_cnf.o crypto/evp/evp\_enc.o crypto/evp/evp\_err.o crypto/  
evp/evp\_key.o crypto/evp/evp\_lib.o crypto/evp/evp\_pbe.o crypto/evp/evp\_pkey.o  
crypto/evp/m\_md2.o crypto/evp/m\_md4.o crypto/evp/m\_md5.o crypto/evp/m\_md5\_sha1.o  
crypto/evp/m\_mdc2.o crypto/evp/m\_null.o crypto/evp/m\_ripemd.o crypto/evp/m\_sha1.o  
crypto/evp/m\_sha3.o crypto/evp/m\_sigver.o crypto/evp/m\_wp.o crypto/evp/names.o  
crypto/evp/p5\_crpt.o crypto/evp/p5\_crpt2.o crypto/evp/p\_dec.o crypto/evp/p\_enc.o  
crypto/evp/p\_lib.o crypto/evp/p\_open.o crypto/evp/p\_seal.o crypto/evp/p\_sign.o  
crypto/evp/p\_verify.o crypto/evp/pbe\_scrypt.o crypto/evp/pmeth\_fn.o crypto/evp/  
pmeth\_gn.o crypto/evp/pmeth\_lib.o crypto/ex\_data.o crypto/getenv.o crypto/hmac/  
hm\_ameth.o crypto/hmac/hm\_pmeth.o crypto/hmac/hmac.o crypto/idea/i\_cbc.o crypto/  
idea/i\_cfb64.o crypto/idea/i\_ecb.o crypto/idea/i\_ofb64.o crypto/idea/i\_skey.o  
crypto/init.o crypto/kdf/hkdf.o crypto/kdf/kdf\_err.o crypto/kdf/scrypt.o crypto/  
kdf/tls1\_prf.o crypto/lhash/lh\_stats.o crypto/lhash/lhash.o crypto/md4/md4\_dgst.o  
crypto/md4/md4\_one.o crypto/md5/md5\_dgst.o crypto/md5/md5\_one.o crypto/mdc2/  
mdc2\_one.o crypto/mdc2/mdc2dgst.o crypto/mem.o crypto/mem\_dbg.o crypto/mem\_sec.o  
crypto/modes/cbc128.o crypto/modes/ccm128.o crypto/modes/cfb128.o crypto/modes/  
ctr128.o crypto/modes/cts128.o crypto/modes/gcm128.o crypto/modes/ghashv8-armx.o  
crypto/modes/ocb128.o crypto/modes/ofb128.o crypto/modes/wrap128.o crypto/modes/  
xts128.o crypto/o\_dir.o crypto/o\_fips.o crypto/o\_fopen.o crypto/o\_init.o crypto/  
o\_str.o crypto/o\_time.o crypto/objects/o\_names.o crypto/objects/obj\_dat.o crypto/  
objects/obj\_err.o crypto/objects/obj\_lib.o crypto/objects/obj\_xref.o crypto/ocsp/  
ocsp\_asn.o crypto/ocsp/ocsp\_cl.o crypto/ocsp/ocsp\_err.o crypto/ocsp/ocsp\_ext.o  
crypto/ocsp/ocsp\_ht.o crypto/ocsp/ocsp\_lib.o crypto/ocsp/ocsp\_prn.o crypto/ocsp/  
ocsp\_srv.o crypto/ocsp/ocsp\_vfy.o crypto/ocsp/v3\_ocsp.o crypto/pem/pem\_all.o  
crypto/pem/pem\_err.o crypto/pem/pem\_info.o crypto/pem/pem\_lib.o crypto/pem/  
pem\_oth.o crypto/pem/pem\_pk8.o crypto/pem/pem\_pkey.o crypto/pem/pem\_sign.o crypto/  
pem/pem\_x509.o crypto/pem/pem\_xaux.o crypto/pem/pvkfmt.o crypto/pkcs12/p12\_add.o  
crypto/pkcs12/p12\_asn.o crypto/pkcs12/p12\_attr.o crypto/pkcs12/p12\_crpt.o crypto/  
pkcs12/p12\_crt.o crypto/pkcs12/p12\_decr.o crypto/pkcs12/p12\_init.o crypto/pkcs12/  
p12\_key.o crypto/pkcs12/p12\_kiss.o crypto/pkcs12/p12\_mutl.o crypto/pkcs12/  
p12\_npas.o crypto/pkcs12/p12\_p8d.o crypto/pkcs12/p12\_p8e.o crypto/pkcs12/  
p12\_sbag.o crypto/pkcs12/p12\_utl.o crypto/pkcs12/pk12err.o crypto/pkcs7/bio\_pk7.o  
crypto/pkcs7/pk7\_asn1.o crypto/pkcs7/pk7\_attr.o crypto/pkcs7/pk7\_doit.o crypto/  
pkcs7/pk7\_lib.o crypto/pkcs7/pk7\_mime.o crypto/pkcs7/pk7\_smime.o crypto/pkcs7/  
pkcs7err.o crypto/poly1305/poly1305-armv8.o crypto/poly1305/poly1305.o crypto/  
poly1305/poly1305\_ameth.o crypto/poly1305/poly1305\_pmeth.o crypto/rand/drbg\_ctr.o



```
crypto/rand/drbg_lib.o crypto/rand/rand_egd.o crypto/rand/rand_err.o crypto/rand/
rand_lib.o crypto/rand/rand_unix.o crypto/rand/rand_vms.o crypto/rand/rand_win.o
crypto/rand/randfile.o crypto/rc2/rc2_cbc.o crypto/rc2/rc2_ecb.o crypto/rc2/
rc2_skey.o crypto/rc2/rc2cfb64.o crypto/rc2/rc2ofb64.o crypto/rc4/rc4_enc.o crypto/
rc4/rc4_skey.o crypto/ripemd/rmd_dgst.o crypto/ripemd/rmd_one.o crypto/rsa/
rsa_ameth.o crypto/rsa/rsa_asn1.o crypto/rsa/rsa_chk.o crypto/rsa/rsa_crpt.o
crypto/rsa/rsa_depr.o crypto/rsa/rsa_err.o crypto/rsa/rsa_gen.o crypto/rsa/
rsa_lib.o crypto/rsa/rsa_meth.o crypto/rsa/rsa_mp.o crypto/rsa/rsa_none.o crypto/
rsa/rsa_oaep.o crypto/rsa/rsa_ossl.o crypto/rsa/rsa_pk1.o crypto/rsa/rsa_pmeth.o
crypto/rsa/rsa_prn.o crypto/rsa/rsa_pss.o crypto/rsa/rsa_saos.o crypto/rsa/
rsa_sign.o crypto/rsa/rsa_ssl.o crypto/rsa/rsa_x931.o crypto/rsa/rsa_x931g.o
crypto/seed/seed.o crypto/seed/seed_cbc.o crypto/seed/seed_cfb.o crypto/seed/
seed_ecb.o crypto/seed/seed_ofb.o crypto/sha/keccak1600-armv8.o crypto/sha/sha1-
armv8.o crypto/sha/sha1_one.o crypto/sha/shaldgst.o crypto/sha/sha256-armv8.o
crypto/sha/sha256.o crypto/sha/sha512-armv8.o crypto/sha/sha512.o crypto/siphash/
siphash.o crypto/siphash/siphash_ameth.o crypto/siphash/siphash_pmeth.o crypto/sm2/
sm2_crypt.o crypto/sm2/sm2_err.o crypto/sm2/sm2_pmeth.o crypto/sm2/sm2_sign.o
crypto/sm3/m_sm3.o crypto/sm3/sm3.o crypto/sm4/sm4.o crypto/srp/srp_lib.o crypto/
srp/srp_vfy.o crypto/stack/stack.o crypto/store/loader_file.o crypto/store/
store_err.o crypto/store/store_init.o crypto/store/store_lib.o crypto/store/
store_register.o crypto/store/store_strings.o crypto/threads_none.o crypto/
threads_pthread.o crypto/threads_win.o crypto/ts/ts_asn1.o crypto/ts/ts_conf.o
crypto/ts/ts_err.o crypto/ts/ts_lib.o crypto/ts/ts_req_print.o crypto/ts/
ts_req_utils.o crypto/ts/ts_rsp_print.o crypto/ts/ts_rsp_sign.o crypto/ts/
ts_rsp_utils.o crypto/ts/ts_rsp_verify.o crypto/ts/ts_verify_ctx.o crypto/txt_db/
txt_db.o crypto/ui/ui_err.o crypto/ui/ui_lib.o crypto/ui/ui_null.o crypto/ui/
ui_openssl.o crypto/ui/ui_util.o crypto/uid.o crypto/whrlpool/wp_block.o crypto/
whrlpool/wp_dgst.o crypto/x509/by_dir.o crypto/x509/by_file.o crypto/x509/t_crl.o
crypto/x509/t_req.o crypto/x509/t_x509.o crypto/x509/x509_att.o crypto/x509/
x509_cmp.o crypto/x509/x509_d2.o crypto/x509/x509_def.o crypto/x509/x509_err.o
crypto/x509/x509_ext.o crypto/x509/x509_lu.o crypto/x509/x509_meth.o crypto/x509/
x509_obj.o crypto/x509/x509_r2x.o crypto/x509/x509_req.o crypto/x509/x509_set.o
crypto/x509/x509_trs.o crypto/x509/x509_txt.o crypto/x509/x509_v3.o crypto/x509/
x509_vfy.o crypto/x509/x509_vpm.o crypto/x509/x509cset.o crypto/x509/x509name.o
crypto/x509/x509rset.o crypto/x509/x509spki.o crypto/x509/x509type.o crypto/x509/
x_all.o crypto/x509/x_attrib.o crypto/x509/x_crl.o crypto/x509/x_exten.o crypto/
x509/x_name.o crypto/x509/x_pubkey.o crypto/x509/x_req.o crypto/x509/x_x509.o
crypto/x509/x_x509a.o crypto/x509v3/pcy_cache.o crypto/x509v3/pcy_data.o crypto/
x509v3/pcy_lib.o crypto/x509v3/pcy_map.o crypto/x509v3/pcy_node.o crypto/x509v3/
pcy_tree.o crypto/x509v3/v3_addr.o crypto/x509v3/v3_admis.o crypto/x509v3/
v3_akey.o crypto/x509v3/v3_akeya.o crypto/x509v3/v3_alt.o crypto/x509v3/v3_asid.o
crypto/x509v3/v3_bcons.o crypto/x509v3/v3_bitst.o crypto/x509v3/v3_conf.o crypto/
x509v3/v3_cpols.o crypto/x509v3/v3_crl.o crypto/x509v3/v3_enum.o crypto/x509v3/
v3_extku.o crypto/x509v3/v3_genn.o crypto/x509v3/v3_ia5.o crypto/x509v3/v3_info.o
crypto/x509v3/v3_int.o crypto/x509v3/v3_lib.o crypto/x509v3/v3_ncons.o crypto/
x509v3/v3_pci.o crypto/x509v3/v3_pcia.o crypto/x509v3/v3_pcons.o crypto/x509v3/
v3_pku.o crypto/x509v3/v3_pmaps.o crypto/x509v3/v3_prn.o crypto/x509v3/v3_purp.o
crypto/x509v3/v3_skey.o crypto/x509v3/v3_sxnet.o crypto/x509v3/v3_tlsf.o crypto/
x509v3/v3_utl.o crypto/x509v3/v3err.o engines/e_afalg.o engines/e_capi.o engines/
e_padlock.o
ar: creating libcrypto.a
ranlib libssl.a || echo Never mind.
ar r test/libtestutil.a test/testutil/basic_output.o test/testutil/cb.o test/
testutil/driver.o test/testutil/format_output.o test/testutil/main.o test/testutil/
output_helpers.o test/testutil/random.o test/testutil/stanza.o test/testutil/
tap_bio.o test/testutil/test_cleanup.o test/testutil/tests.o test/testutil/
testutil_init.o
ar: creating test/libtestutil.a
ranlib test/libtestutil.a || echo Never mind.
ranlib libcrypto.a || echo Never mind.
make[1]: Leaving directory '/home/gero/studio-link/3rdparty/build/openssl-1.1.1m'
+ cp -a include/openssl ../3rdparty/include/
+ cp -a libcrypto.a libssl.a ../3rdparty/lib/
+ popd
~/studio-link/3rdparty/build ~/studio-link/3rdparty
+ '[' '!' -d soundio ']'
```

```
+ sl_get_soundio
+ wget https://github.com/studio-link-3rdparty/libsoundio/archive/master.tar.gz -O
soundio.tar.gz
--2022-01-22 21:12:58-- https://github.com/studio-link-3rdparty/libsoundio/
archive/master.tar.gz
Resolving github.com (github.com)... 140.82.121.3
Connecting to github.com (github.com)|140.82.121.3|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://codeload.github.com/studio-link-3rdparty/libsoundio/tar.gz/
master [following]
--2022-01-22 21:12:59-- https://codeload.github.com/studio-link-3rdparty/
libsoundio/tar.gz/master
Resolving codeload.github.com (codeload.github.com)... 140.82.121.10
Connecting to codeload.github.com (codeload.github.com)|140.82.121.10|:443...
connected.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [application/x-gzip]
Saving to: 'soundio.tar.gz'

soundio.tar.gz          [ <=>                ] 117,57K  --.-KB/s   in 0,04s

2022-01-22 21:12:59 (3,05 MB/s) - 'soundio.tar.gz' saved [120392]

+ tar -xzf soundio.tar.gz
+ wget https://github.com/studio-link-3rdparty/libsoundio/compare/
master...wasapi_patches.diff
--2022-01-22 21:12:59-- https://github.com/studio-link-3rdparty/libsoundio/
compare/master...wasapi_patches.diff
Resolving github.com (github.com)... 140.82.121.3
Connecting to github.com (github.com)|140.82.121.3|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 13206 (13K) [text/plain]
Saving to: 'master...wasapi_patches.diff'

master...wasapi_pat 100%[=====>] 12,90K  --.-KB/s   in 0,002s

2022-01-22 21:12:59 (6,46 MB/s) - 'master...wasapi_patches.diff' saved
[13206/13206]

+ wget https://github.com/studio-link-3rdparty/libsoundio/compare/
master...pulseaudio_patches.diff
--2022-01-22 21:12:59-- https://github.com/studio-link-3rdparty/libsoundio/
compare/master...pulseaudio_patches.diff
Resolving github.com (github.com)... 140.82.121.4
Connecting to github.com (github.com)|140.82.121.4|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 2165 (2,1K) [text/plain]
Saving to: 'master...pulseaudio_patches.diff'

master...pulseaudio 100%[=====>] 2,11K  --.-KB/s   in 0s

2022-01-22 21:13:00 (9,08 MB/s) - 'master...pulseaudio_patches.diff' saved
[2165/2165]

+ wget https://github.com/studio-link-3rdparty/libsoundio/compare/
master...coreaudio_patches.diff
--2022-01-22 21:13:00-- https://github.com/studio-link-3rdparty/libsoundio/
compare/master...coreaudio_patches.diff
Resolving github.com (github.com)... 140.82.121.4
Connecting to github.com (github.com)|140.82.121.4|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 10290 (10K) [text/plain]
Saving to: 'master...coreaudio_patches.diff'

master...coreaudio_ 100%[=====>] 10,05K  --.-KB/s   in 0,002s
```

2022-01-22 21:13:00 (6,28 MB/s) - 'master...coreaudio\_patches.diff' saved [10290/10290]

```
+ wget https://github.com/studio-link-3rdparty/libsoundio/compare/
master...jack_patches.diff
--2022-01-22 21:13:00-- https://github.com/studio-link-3rdparty/libsoundio/
compare/master...jack_patches.diff
Resolving github.com (github.com)... 140.82.121.4
Connecting to github.com (github.com)[140.82.121.4]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1913 (1,9K) [text/plain]
Saving to: 'master...jack_patches.diff'
```

master...jack\_patch 100%[=====] 1,87K ---KB/s in 0s

2022-01-22 21:13:00 (4,52 MB/s) - 'master...jack\_patches.diff' saved [1913/1913]

```
+ pushd libsoundio-master
~/studio-link/3rdparty/build/libsoundio-master ~/studio-link/3rdparty/build ~/
studio-link/3rdparty
+ '[' linux == macos ']'
+ patch --ignore-whitespace -p1
patching file src/wasapi.c
+ patch --ignore-whitespace -p1
patching file src/pulseaudio.c
+ patch --ignore-whitespace -p1
patching file src/jack.c
+ popd
~/studio-link/3rdparty/build ~/studio-link/3rdparty
+ ln -s libsoundio-master soundio
+ cp -a libsoundio-master/soundio 3rdparty/include/
+ cp -a ../dist/windows/soundio/toolchain.cmake soundio/
+ cp -a ../dist/lib/arm.cmake soundio/
+ cp -a ../dist/lib/aarch64.cmake soundio/
+ rm soundio.tar.gz
+ pushd soundio
~/studio-link/3rdparty/build/soundio ~/studio-link/3rdparty/build ~/studio-link/
3rdparty
+ mkdir build
+ pushd build
~/studio-link/3rdparty/build/soundio/build ~/studio-link/3rdparty/build/soundio ~/
studio-link/3rdparty/build ~/studio-link/3rdparty
+ '[' linux == linux ']'
+ cmake -D BUILD_DYNAMIC_LIBS=OFF -D CMAKE_BUILD_TYPE=Release -D ENABLE_JACK=OFF ..
-- The C compiler identification is GNU 11.2.0
-- Detecting C compiler ABI info
-- Detecting C compiler ABI info - done
-- Check for working C compiler: /usr/bin/cc - skipped
-- Detecting C compile features
-- Detecting C compile features - done
Configuring libsoundio version 2.0.0
-- Looking for pthread.h
-- Looking for pthread.h - found
-- Performing Test CMAKE_HAVE_LIBC_PTHREAD
-- Performing Test CMAKE_HAVE_LIBC_PTHREAD - Success
-- Found Threads: TRUE
CMake Warning (dev) at /usr/share/cmake-3.18/Modules/
FindPackageHandleStandardArgs.cmake:273 (message):
  The package name passed to `find_package_handle_standard_args` (PULSEAUDIO)
  does not match the name of the calling package (PulseAudio). This can lead
  to problems in calling code that expects `find_package` result variables
  (e.g., `_FOUND`) to follow a certain pattern.
Call Stack (most recent call first):
  cmake/FindPulseAudio.cmake:14 (find_package_handle_standard_args)
  CMakeLists.txt:65 (find_package)
This warning is for project developers. Use -Wno-dev to suppress it.
```

```
-- Found PULSEAUDIO: /usr/lib/aarch64-linux-gnu/libpulse.so
-- Found ALSA: /usr/lib/aarch64-linux-gnu/libasound.so (found version "1.2.4")
CMake Warning (dev) at /usr/share/cmake-3.18/Modules/
FindPackageHandleStandardArgs.cmake:273 (message):
  The package name passed to `find_package_handle_standard_args` (COREAUDIO)
  does not match the name of the calling package (CoreAudio). This can lead
  to problems in calling code that expects `find_package` result variables
  (e.g., `_FOUND`) to follow a certain pattern.
Call Stack (most recent call first):
  cmake/FindCoreAudio.cmake:14 (find_package_handle_standard_args)
  CMakeLists.txt:99 (find_package)
This warning is for project developers. Use -Wno-dev to suppress it.

-- Could NOT find COREAUDIO (missing: COREAUDIO_LIBRARY COREAUDIO_INCLUDE_DIR)
-- Could NOT find WASAPI (missing: AUDIOCLIENT_H)
```

#### Installation Summary

```
-----
* Install Directory      : /usr/local
* Build Type             : Release
* Build static libs     : ON
* Build examples        : ON
* Build tests           : ON
```

#### System Dependencies

```
-----
* threads                : OK
* JACK (optional)       : disabled
* PulseAudio (optional) : OK
* ALSA (optional)       : OK
* CoreAudio (optional)  : not found
* WASAPI (optional)     : not found
```

```
-- Configuring done
-- Generating done
-- Build files have been written to: /home/gero/studio-link/3rdparty/build/soundio/
build
+ '[' linux == linuxjack ']'
+ '[' linux == macos ']'
+ '[' linux == windows32 ']'
+ '[' linux == windows64 ']'
+ '[' linux == linux_arm32 ']'
+ '[' linux == linux_arm64 ']'
+ make
Scanning dependencies of target libsoundio_static
[ 2%] Building C object CMakeFiles/libsoundio_static.dir/src/soundio.c.o
[ 4%] Building C object CMakeFiles/libsoundio_static.dir/src/util.c.o
/home/gero/studio-link/3rdparty/build/soundio/src/util.c: In function
'soundio_alloc_sprintf':
/home/gero/studio-link/3rdparty/build/soundio/src/util.c:36:9: warning: unused
variable 'len2' [-Wunused-variable]
   36 |     int len2 = vsnprintf(mem, required_size, format, ap2);
      |         ^~~~
[ 6%] Building C object CMakeFiles/libsoundio_static.dir/src/os.c.o
/home/gero/studio-link/3rdparty/build/soundio/src/os.c: In function
'soundio_os_deinit_mirrored_memory':
/home/gero/studio-link/3rdparty/build/soundio/src/os.c:743:9: warning: unused
variable 'err' [-Wunused-variable]
   743 |     int err = munmap(mem->address, 2 * mem->capacity);
      |         ^~~
[ 9%] Building C object CMakeFiles/libsoundio_static.dir/src/dummy.c.o
[ 11%] Building C object CMakeFiles/libsoundio_static.dir/src/channel_layout.c.o
[ 13%] Building C object CMakeFiles/libsoundio_static.dir/src/ring_buffer.c.o
[ 16%] Building C object CMakeFiles/libsoundio_static.dir/src/pulseaudio.c.o
[ 18%] Building C object CMakeFiles/libsoundio_static.dir/src/alsa.c.o
```

```
[ 20%] Linking C static library libsoundio.a
[ 20%] Built target libsoundio_static
Scanning dependencies of target backend_disconnect_recover
[ 23%] Building C object CMakeFiles/backend_disconnect_recover.dir/test/
backend_disconnect_recover.c.o
[ 25%] Linking C executable backend_disconnect_recover
[ 25%] Built target backend_disconnect_recover
Scanning dependencies of target latency
[ 27%] Building C object CMakeFiles/latency.dir/test/latency.c.o
[ 30%] Building C object CMakeFiles/latency.dir/src/soundio.c.o
[ 32%] Building C object CMakeFiles/latency.dir/src/util.c.o
/home/gero/studio-link/3rdparty/build/soundio/src/util.c: In function
'soundio_alloc_sprintf':
/home/gero/studio-link/3rdparty/build/soundio/src/util.c:36:9: warning: unused
variable 'len2' [-Wunused-variable]
   36 |     int len2 = vsnprintf(mem, required_size, format, ap2);
      |         ^~~~
[ 34%] Building C object CMakeFiles/latency.dir/src/os.c.o
/home/gero/studio-link/3rdparty/build/soundio/src/os.c: In function
'soundio_os_deinit_mirrored_memory':
/home/gero/studio-link/3rdparty/build/soundio/src/os.c:743:9: warning: unused
variable 'err' [-Wunused-variable]
   743 |     int err = munmap(mem->address, 2 * mem->capacity);
      |         ^~~
[ 37%] Building C object CMakeFiles/latency.dir/src/dummy.c.o
[ 39%] Building C object CMakeFiles/latency.dir/src/channel_layout.c.o
[ 41%] Building C object CMakeFiles/latency.dir/src/ring_buffer.c.o
[ 44%] Building C object CMakeFiles/latency.dir/src/pulseaudio.c.o
[ 46%] Building C object CMakeFiles/latency.dir/src/alsa.c.o
[ 48%] Linking C executable latency
[ 48%] Built target latency
Scanning dependencies of target sio_record
[ 51%] Building C object CMakeFiles/sio_record.dir/example/sio_record.c.o
[ 53%] Linking C executable sio_record
[ 53%] Built target sio_record
Scanning dependencies of target sio_list_devices
[ 55%] Building C object CMakeFiles/sio_list_devices.dir/example/
sio_list_devices.c.o
[ 58%] Linking C executable sio_list_devices
[ 58%] Built target sio_list_devices
Scanning dependencies of target unit_tests
[ 60%] Building C object CMakeFiles/unit_tests.dir/test/unit_tests.c.o
[ 62%] Building C object CMakeFiles/unit_tests.dir/src/soundio.c.o
[ 65%] Building C object CMakeFiles/unit_tests.dir/src/util.c.o
/home/gero/studio-link/3rdparty/build/soundio/src/util.c: In function
'soundio_alloc_sprintf':
/home/gero/studio-link/3rdparty/build/soundio/src/util.c:36:9: warning: unused
variable 'len2' [-Wunused-variable]
   36 |     int len2 = vsnprintf(mem, required_size, format, ap2);
      |         ^~~~
[ 67%] Building C object CMakeFiles/unit_tests.dir/src/os.c.o
/home/gero/studio-link/3rdparty/build/soundio/src/os.c: In function
'soundio_os_deinit_mirrored_memory':
/home/gero/studio-link/3rdparty/build/soundio/src/os.c:743:9: warning: unused
variable 'err' [-Wunused-variable]
   743 |     int err = munmap(mem->address, 2 * mem->capacity);
      |         ^~~
[ 69%] Building C object CMakeFiles/unit_tests.dir/src/dummy.c.o
[ 72%] Building C object CMakeFiles/unit_tests.dir/src/channel_layout.c.o
[ 74%] Building C object CMakeFiles/unit_tests.dir/src/ring_buffer.c.o
[ 76%] Building C object CMakeFiles/unit_tests.dir/src/pulseaudio.c.o
[ 79%] Building C object CMakeFiles/unit_tests.dir/src/alsa.c.o
[ 81%] Linking C executable unit_tests
[ 81%] Built target unit_tests
Scanning dependencies of target underflow
[ 83%] Building C object CMakeFiles/underflow.dir/test/underflow.c.o
```

```
[ 86%] Linking C executable underflow
[ 86%] Built target underflow
Scanning dependencies of target overflow
[ 88%] Building C object CMakeFiles/overflow.dir/test/overflow.c.o
[ 90%] Linking C executable overflow
[ 90%] Built target overflow
Scanning dependencies of target sio_sine
[ 93%] Building C object CMakeFiles/sio_sine.dir/example/sio_sine.c.o
[ 95%] Linking C executable sio_sine
[ 95%] Built target sio_sine
Scanning dependencies of target sio_microphone
[ 97%] Building C object CMakeFiles/sio_microphone.dir/example/sio_microphone.c.o
[100%] Linking C executable sio_microphone
[100%] Built target sio_microphone
+ popd
~/studio-link/3rdparty/build/soundio ~/studio-link/3rdparty/build ~/studio-link/
3rdparty
+ cp -a build/libsoundio.a ../3rdparty/lib/
+ popd
~/studio-link/3rdparty/build ~/studio-link/3rdparty
+ '[' '!' -d flac-1.3.3 ']'
+ sl_get_flac
+ wget https://ftp.osuosl.org/pub/xiph/releases/flac/flac-1.3.3.tar.xz
--2022-01-22 21:13:36-- https://ftp.osuosl.org/pub/xiph/releases/flac/
flac-1.3.3.tar.xz
Resolving ftp.osuosl.org (ftp.osuosl.org)... 2605:bc80:3010::134,
2600:3404:200:237::2, 2600:3402:200:227::2, ...
Connecting to ftp.osuosl.org (ftp.osuosl.org)|2605:bc80:3010::134|:443...
connected.
HTTP request sent, awaiting response... 200 OK
Length: 1044472 (1020K) [application/x-xz]
Saving to: 'flac-1.3.3.tar.xz'

flac-1.3.3.tar.xz  100%[=====>]  1020K  366KB/s  in 2,8s

2022-01-22 21:13:39 (366 KB/s) - 'flac-1.3.3.tar.xz' saved [1044472/1044472]

+ tar -xf flac-1.3.3.tar.xz
+ ln -s flac-1.3.3 flac
+ pushd flac
~/studio-link/3rdparty/build/flac ~/studio-link/3rdparty/build ~/studio-link/
3rdparty
+ '[' linux == macos_arm64 ']'
+ '[' linux == mingw ']'
+ '[' linux == linux_arm32 ']'
+ '[' linux == linux_arm64 ']'
+ ./configure --disable-ogg --enable-static
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... /usr/bin/mkdir -p
checking for gawk... no
checking for mawk... mawk
checking whether make sets $(MAKE)... yes
checking whether make supports nested variables... yes
checking how to create a pax tar archive... gnutar
checking whether make supports nested variables... (cached) yes
checking whether configure should try to set CFLAGS/CXXFLAGS/CPPFLAGS/LDFLAGS...
yes
checking whether to enable debugging... no
checking whether make supports the include directive... yes (GNU style)
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
```

```
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking whether gcc understands -c and -o together... yes
checking dependency style of gcc... gcc3
checking for gcc option to accept ISO C99... none needed
checking for gcc option to accept ISO Standard C... (cached) none needed
checking how to run the C preprocessor... gcc -E
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking minix/config.h usability... no
checking minix/config.h presence... no
checking for minix/config.h... no
checking whether it is safe to define __EXTENSIONS__... yes
checking for ar... ar
checking the archiver (ar) interface... ar
checking build system type... aarch64-unknown-linux-gnu
checking host system type... aarch64-unknown-linux-gnu
checking how to print strings... printf
checking for a sed that does not truncate output... /usr/bin/sed
checking for fgrep... /usr/bin/grep -F
checking for ld used by gcc... /usr/bin/ld
checking if the linker (/usr/bin/ld) is GNU ld... yes
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -B
checking the name lister (/usr/bin/nm -B) interface... BSD nm
checking whether ln -s works... yes
checking the maximum length of command line arguments... 1572864
checking how to convert aarch64-unknown-linux-gnu file names to aarch64-unknown-
linux-gnu format... func_convert_file_noop
checking how to convert aarch64-unknown-linux-gnu file names to toolchain
format... func_convert_file_noop
checking for /usr/bin/ld option to reload object files... -r
checking for objdump... objdump
checking how to recognize dependent libraries... pass_all
checking for dlltool... no
checking how to associate runtime and link libraries... printf %s\n
checking for archiver @FILE support... @
checking for strip... strip
checking for ranlib... ranlib
checking command to parse /usr/bin/nm -B output from gcc object... ok
checking for sysroot... no
checking for a working dd... /usr/bin/dd
checking how to truncate binary pipes... /usr/bin/dd bs=4096 count=1
checking for mt... mt
checking if mt is a manifest tool... no
checking for dlfcn.h... yes
checking for objdir... .libs
checking if gcc supports -fno-rtti -fno-exceptions... no
checking for gcc option to produce PIC... -fPIC -DPIC
checking if gcc PIC flag -fPIC -DPIC works... yes
checking if gcc static flag -static works... yes
checking if gcc supports -c -o file.o... yes
checking if gcc supports -c -o file.o... (cached) yes
checking whether the gcc linker (/usr/bin/ld) supports shared libraries... yes
checking whether -lc should be explicitly linked in... no
checking dynamic linker characteristics... GNU/Linux ld.so
```

```
checking how to hardcode library paths into programs... immediate
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... yes
checking dependency style of gcc... gcc3
checking for g++... g++
checking whether we are using the GNU C++ compiler... yes
checking whether g++ accepts -g... yes
checking dependency style of g++... gcc3
checking how to run the C++ preprocessor... g++ -E
checking for ld used by g++... /usr/bin/ld
checking if the linker (/usr/bin/ld) is GNU ld... yes
checking whether the g++ linker (/usr/bin/ld) supports shared libraries... yes
checking for g++ option to produce PIC... -fPIC -DPIC
checking if g++ PIC flag -fPIC -DPIC works... yes
checking if g++ static flag -static works... yes
checking if g++ supports -c -o file.o... yes
checking if g++ supports -c -o file.o... (cached) yes
checking whether the g++ linker (/usr/bin/ld) supports shared libraries... yes
checking dynamic linker characteristics... (cached) GNU/Linux ld.so
checking how to hardcode library paths into programs... immediate
checking whether we are using the CLANG C compiler... no
checking whether make sets $(MAKE)... (cached) yes
checking for special C compiler options needed for large files... no
checking for _FILE_OFFSET_BITS value needed for large files... no
checking for _LARGEFILE_SOURCE value needed for large files... no
checking size of off_t... 8
checking size of void*... 8
checking for library containing lround... -lm
checking for variable-length arrays... yes
checking for ANSI C header files... (cached) yes
checking for inline... inline
checking for variable-length arrays... (cached) yes
checking for typeof syntax and keyword spelling... typeof
checking for stdint.h... (cached) yes
checking for inttypes.h... (cached) yes
checking byteswap.h usability... yes
checking byteswap.h presence... yes
checking for byteswap.h... yes
checking sys/param.h usability... yes
checking sys/param.h presence... yes
checking for sys/param.h... yes
checking sys/ioctl.h usability... yes
checking sys/ioctl.h presence... yes
checking for sys/ioctl.h... yes
checking termios.h usability... yes
checking termios.h presence... yes
checking for termios.h... yes
checking x86intrin.h usability... no
checking x86intrin.h presence... no
checking for x86intrin.h... no
checking cpuid.h usability... no
checking cpuid.h presence... no
checking for cpuid.h... no
checking for bswap32 intrinsic... yes
checking for bswap16 intrinsic... yes
checking whether byte ordering is bigendian... no
checking for socklen_t... yes
checking for getopt_long... yes
checking size of void*... (cached) 8
checking for doxygen... no
checking for xmms-config... no
checking for XMMS - version >= 0.9.5.1... no
*** The xmms-config script installed by XMMS could not be found.
*** If XMMS was installed in PREFIX, make sure PREFIX/bin is in
```



```
*** your path, or set the XMMS_CONFIG environment variable to the
*** full path to xmms-config.
configure: WARNING: *** XMMS >= 0.9.5.1 not installed - XMMS support will not be
built
checking for ld used by gcc... /usr/bin/ld
checking if the linker (/usr/bin/ld) is GNU ld... yes
checking for shared library run path origin... done
checking for iconv... yes
checking for working iconv... yes
checking for iconv declaration...
extern size_t iconv (iconv_t cd, char * *inbuf, size_t *inbytesleft, char
* *outbuf, size_t *outbytesleft);
checking for nl_langinfo and CODESET... yes
checking for docbook-to-man... no
checking for docbook2man... no
checking for clock_gettime in -lrt... yes
checking for nasm... no
checking for version of gcc... 11
checking if gcc accepts -Wdeclaration-after-statement... yes
checking whether to add -D_FORTIFY_SOURCE=2 to CPPFLAGS... no
checking if g++ accepts -Wffc++... yes
checking that generated files are newer than configure... done
configure: creating ./config.status
config.status: creating Makefile
config.status: creating src/Makefile
config.status: creating src/libFLAC/Makefile
config.status: creating src/libFLAC/flac.pc
config.status: creating src/libFLAC/ia32/Makefile
config.status: creating src/libFLAC/include/Makefile
config.status: creating src/libFLAC/include/private/Makefile
config.status: creating src/libFLAC/include/protected/Makefile
config.status: creating src/libFLAC++/Makefile
config.status: creating src/libFLAC++/flac++.pc
config.status: creating src/flac/Makefile
config.status: creating src/metaflac/Makefile
config.status: creating src/plugin_common/Makefile
config.status: creating src/plugin_xmms/Makefile
config.status: creating src/share/Makefile
config.status: creating src/test_grabbag/Makefile
config.status: creating src/test_grabbag/cuesheet/Makefile
config.status: creating src/test_grabbag/picture/Makefile
config.status: creating src/test_libs_common/Makefile
config.status: creating src/test_libFLAC/Makefile
config.status: creating src/test_libFLAC++/Makefile
config.status: creating src/test_seeking/Makefile
config.status: creating src/test_streams/Makefile
config.status: creating src/utils/Makefile
config.status: creating src/utils/flacdifflib/Makefile
config.status: creating src/utils/flactimer/Makefile
config.status: creating examples/Makefile
config.status: creating examples/c/Makefile
config.status: creating examples/c/decode/Makefile
config.status: creating examples/c/decode/file/Makefile
config.status: creating examples/c/encode/Makefile
config.status: creating examples/c/encode/file/Makefile
config.status: creating examples/cpp/Makefile
config.status: creating examples/cpp/decode/Makefile
config.status: creating examples/cpp/decode/file/Makefile
config.status: creating examples/cpp/encode/Makefile
config.status: creating examples/cpp/encode/file/Makefile
config.status: creating include/Makefile
config.status: creating include/FLAC/Makefile
config.status: creating include/FLAC++/Makefile
config.status: creating include/share/Makefile
config.status: creating include/share/grabbag/Makefile
config.status: creating include/test_libs_common/Makefile
```

```
config.status: creating doc/Doxyfile
config.status: creating doc/Makefile
config.status: creating doc/html/Makefile
config.status: creating doc/html/images/Makefile
config.status: creating m4/Makefile
config.status: creating man/Makefile
config.status: creating test/common.sh
config.status: creating test/Makefile
config.status: creating test/cuesheets/Makefile
config.status: creating test/flac-to-flac-metadata-test-files/Makefile
config.status: creating test/metaflac-test-files/Makefile
config.status: creating test/pictures/Makefile
config.status: creating build/Makefile
config.status: creating objs/Makefile
config.status: creating objs/debug/Makefile
config.status: creating objs/debug/bin/Makefile
config.status: creating objs/debug/lib/Makefile
config.status: creating objs/release/Makefile
config.status: creating objs/release/bin/Makefile
config.status: creating objs/release/lib/Makefile
config.status: creating microbench/Makefile
config.status: creating config.h
config.status: executing depfiles commands
config.status: executing libtool commands
```

```
----- Configuration Complete -----
```

Configuration summary :

```
FLAC version : ..... 1.3.3

Host CPU : ..... aarch64
Host Vendor : ..... unknown
Host OS : ..... linux-gnu

Compiler is GCC : ..... yes
GCC version : ..... 11
Compiler is Clang : ..... no
SSE optimizations : ..... yes
Asm optimizations : ..... no
Ogg/FLAC support : ..... no
```

```
+ make -j4
make all-recursive
make[1]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3'
Making all in doc
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/doc'
Making all in .
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/doc'
make[3]: Nothing to be done for 'all-am'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/doc'
Making all in html
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/doc/html'
Making all in images
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/doc/html/images'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/doc/html/images'
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/doc/html'
make[4]: Nothing to be done for 'all-am'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/doc/html'
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/doc'
```

```
html'
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/doc'
Making all in include
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include'
Making all in FLAC
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/FLAC'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/FLAC'
Making all in FLAC++
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/FLAC++'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/FLAC++'
Making all in share
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/share'
Making all in grabbag
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/share/grabbag'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/share/grabbag'
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/share'
make[4]: Nothing to be done for 'all-am'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/share'
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/share'
Making all in test_libs_common
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/test_libs_common'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include/test_libs_common'
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include'
make[3]: Nothing to be done for 'all-am'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include'
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
include'
Making all in m4
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/m4'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/m4'
Making all in man
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/man'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/man'
Making all in src
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src'
Making all in libFLAC
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
libFLAC'
Making all in include
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
libFLAC/include'
Making all in private
make[5]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
libFLAC/include/private'
make[5]: Nothing to be done for 'all'.
```

```
make[5]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/libFLAC/include/private'
Making all in protected
make[5]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/libFLAC/include/protected'
make[5]: Nothing to be done for 'all'.
make[5]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/libFLAC/include/protected'
make[5]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/libFLAC/include'
make[5]: Nothing to be done for 'all-am'.
make[5]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/libFLAC/include'
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/libFLAC/include'
Making all in .
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/libFLAC'
  CC      bitmath.lo
  CC      bitreader.lo
  CC      bitwriter.lo
  CC      cpu.lo
  CC      crc.lo
  CC      fixed.lo
  CC      fixed_intrin_sse2.lo
  CC      fixed_intrin_ssse3.lo
  CC      float.lo
  CC      format.lo
  CC      lpc.lo
  CC      lpc_intrin_sse.lo
  CC      lpc_intrin_sse2.lo
  CC      lpc_intrin_sse41.lo
  CC      lpc_intrin_avx2.lo
  CC      lpc_intrin_vsx.lo
  CC      md5.lo
  CC      memory.lo
  CC      metadata_iterators.lo
  CC      metadata_object.lo
  CC      stream_decoder.lo
  CC      stream_encoder.lo
  CC      stream_encoder_intrin_sse2.lo
  CC      stream_encoder_intrin_ssse3.lo
  CC      stream_encoder_intrin_avx2.lo
  CC      stream_encoder_framing.lo
  CC      window.lo
  CCLD    libFLAC.la
  CCLD    libFLAC-static.la
ar: `u' modifier ignored since `D' is the default (see `U')
ar: `u' modifier ignored since `D' is the default (see `U')
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/libFLAC'
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/libFLAC'
Making all in share
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/share'
  CC      getopt/getopt.lo
  CC      getopt/getopt1.lo
  CC      grabbag/alloc.lo
  CC      grabbag/cuesheet.lo
  CC      grabbag/file.lo
  CC      grabbag/picture.lo
  CC      grabbag/replaygain.lo
  CC      grabbag/seektable.lo
  CC      grabbag/snprintf.lo
  CC      utf8/charset.lo
```

```
CC      utf8/iconvert.lo
CC      utf8/utf8.lo
CC      replaygain_analysis/replaygain_analysis.lo
CC      replaygain_synthesis/libreplaygain_synthesis_la-replaygain_synthesis.lo
CCLD    getopt/libgetopt.la
CCLD    utf8/libutf8.la
ar: `u' modifier ignored since `D' is the default (see `U')
ar: `u' modifier ignored since `D' is the default (see `U')
CCLD    grabbag/libgrabbag.la
ar: `u' modifier ignored since `D' is the default (see `U')
CCLD    replaygain_synthesis/libreplaygain_synthesis.la
ar: `u' modifier ignored since `D' is the default (see `U')
CCLD    replaygain_analysis/libreplaygain_analysis.la
ar: `u' modifier ignored since `D' is the default (see `U')
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
share'
Making all in flac
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
flac'
CC      analyze.o
CC      encode.o
CC      decode.o
CC      foreign_metadata.o
CC      main.o
CC      local_string_utils.o
CC      utils.o
CC      vorbiscomment.o
CCLD    flac
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
flac'
Making all in metaflac
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
metaflac'
CC      main.o
CC      operations.o
CC      operations_shorthand_cuesheet.o
CC      operations_shorthand_picture.o
CC      operations_shorthand_seektable.o
CC      operations_shorthand_streaminfo.o
CC      operations_shorthand_vorbiscomment.o
CC      options.o
CC      usage.o
CC      utils.o
CCLD    metaflac
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
metaflac'
Making all in test_grabbag
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_grabbag'
Making all in cuesheet
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_grabbag/cuesheet'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_grabbag/cuesheet'
Making all in picture
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_grabbag/picture'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_grabbag/picture'
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_grabbag'
make[4]: Nothing to be done for 'all-am'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_grabbag'
```

```
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_grabbag'
Making all in test_libs_common
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_libs_common'
  CC      file_utils_flac.lo
  CC      metadata_utils.lo
  CCLD    libtest_libs_common.la
ar: `u' modifier ignored since `D' is the default (see `U')
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_libs_common'
Making all in test_libFLAC
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_libFLAC'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_libFLAC'
Making all in test_seeking
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_seeking'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_seeking'
Making all in test_streams
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_streams'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_streams'
Making all in utils
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
utils'
Making all in flacdifff
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
utils/flacdifff'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
utils/flacdifff'
Making all in flactimer
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
utils/flactimer'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
utils/flactimer'
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
utils'
make[4]: Nothing to be done for 'all-am'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
utils'
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
utils'
Making all in libFLAC++
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
libFLAC++'
  CXX     metadata.lo
  CXX     stream_decoder.lo
  CXX     stream_encoder.lo
  CXXLD   libFLAC++.la
ar: `u' modifier ignored since `D' is the default (see `U')
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
libFLAC++'
Making all in test_libFLAC++
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
test_libFLAC++'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src/
```

```
test libFLAC++
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src'
make[3]: Nothing to be done for 'all-am'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src'
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/src'
Making all in test
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test'
Making all in cuesheets
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test/
cuesheets'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test/
cuesheets'
Making all in flac-to-flac-metadata-test-files
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test/
flac-to-flac-metadata-test-files'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test/
flac-to-flac-metadata-test-files'
Making all in metaflac-test-files
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test/
metaflac-test-files'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test/
metaflac-test-files'
Making all in pictures
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test/
pictures'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test/
pictures'
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test'
make[3]: Nothing to be done for 'all-am'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test'
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/test'
Making all in build
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
build'
make[2]: Nothing to be done for 'all'.
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/build'
Making all in objs
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs'
Making all in debug
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
debug'
Making all in bin
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
debug/bin'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
debug/bin'
Making all in lib
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
debug/lib'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
debug/lib'
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
debug'
make[4]: Nothing to be done for 'all-am'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
debug'
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
debug'
Making all in release
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
```

```
release'
Making all in bin
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
release/bin'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
release/bin'
Making all in lib
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
release/lib'
make[4]: Nothing to be done for 'all'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
release/lib'
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
release'
make[4]: Nothing to be done for 'all-am'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
release'
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs/
release'
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs'
make[3]: Nothing to be done for 'all-am'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs'
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/objs'
Making all in microbench
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
microbench'
  CC      benchmark_residual.o
  CC      util.o
  CCLD    benchmark_residual
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
microbench'
Making all in examples
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples'
Making all in c
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c'
Making all in decode
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c/decode'
Making all in file
make[5]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c/decode/file'
  CC      main.o
  CCLD    example_c_decode_file
make[5]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c/decode/file'
make[5]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c/decode'
make[5]: Nothing to be done for 'all-am'.
make[5]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c/decode'
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c/decode'
Making all in encode
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c/encode'
Making all in file
make[5]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c/encode/file'
  CC      main.o
  CCLD    example_c_encode_file
make[5]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c/encode/file'
make[5]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
```



```
examples/c/encode'
make[5]: Nothing to be done for 'all-am'.
make[5]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c/encode'
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c/encode'
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c'
make[4]: Nothing to be done for 'all-am'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c'
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/c'
Making all in cpp
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp'
Making all in decode
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/decode'
Making all in file
make[5]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/decode/file'
  CXX      main.o
  CXXLD    example_cpp_decode_file
make[5]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/decode/file'
make[5]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/decode'
make[5]: Nothing to be done for 'all-am'.
make[5]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/decode'
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/decode'
Making all in encode
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/encode'
Making all in file
make[5]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/encode/file'
  CXX      main.o
  CXXLD    example_cpp_encode_file
make[5]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/encode/file'
make[5]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/encode'
make[5]: Nothing to be done for 'all-am'.
make[5]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/encode'
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp/encode'
make[4]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp'
make[4]: Nothing to be done for 'all-am'.
make[4]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp'
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples/cpp'
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples'
make[3]: Nothing to be done for 'all-am'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples'
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3/
examples'
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3'
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3'
```

```
make[1]: Leaving directory '/home/gero/studio-link/3rdparty/build/flac-1.3.3'
+ cp -a include/FLAC ../3rdparty/include/
+ '[' linux == mingw ']'
+ cp -a src/libFLAC/.libs/libFLAC.a ../3rdparty/lib/
+ popd
~/studio-link/3rdparty/build ~/studio-link/3rdparty
+ '[' '!' -d opus-1.3.1 ']'
+ wget https://archive.mozilla.org/pub/opus/opus-1.3.1.tar.gz
--2022-01-22 21:15:08-- https://archive.mozilla.org/pub/opus/opus-1.3.1.tar.gz
Resolving archive.mozilla.org (archive.mozilla.org)... 13.249.10.32, 13.249.10.20,
13.249.10.71, ...
Connecting to archive.mozilla.org (archive.mozilla.org)|13.249.10.32|:443...
connected.
HTTP request sent, awaiting response... 200 OK
Length: 1040054 (1016K) [application/x-tar]
Saving to: 'opus-1.3.1.tar.gz'

opus-1.3.1.tar.gz  100%[=====>]  1016K  5,83MB/s  in 0,2s

2022-01-22 21:15:09 (5,83 MB/s) - 'opus-1.3.1.tar.gz' saved [1040054/1040054]

+ tar -xzf opus-1.3.1.tar.gz
+ pushd opus-1.3.1
~/studio-link/3rdparty/build/opus-1.3.1 ~/studio-link/3rdparty/build ~/studio-link/
3rdparty
+ '[' linux == macos_arm64 ']'
+ '[' linux == mingw ']'
+ '[' linux == linux_arm32 ']'
+ '[' linux == linux_arm64 ']'
+ ./configure --with-pic
checking whether make supports nested variables... yes
checking for a BSD-compatible install... /usr/bin/install -c
checking whether build environment is sane... yes
checking for a thread-safe mkdir -p... /usr/bin/mkdir -p
checking for gawk... no
checking for mawk... mawk
checking whether make sets $(MAKE)... yes
checking whether to enable maintainer-specific portions of Makefiles... yes
checking build system type... aarch64-unknown-linux-gnu
checking host system type... aarch64-unknown-linux-gnu
checking how to print strings... printf
checking for style of include used by make... GNU
checking for gcc... gcc
checking whether the C compiler works... yes
checking for C compiler default output file name... a.out
checking for suffix of executables...
checking whether we are cross compiling... no
checking for suffix of object files... o
checking whether we are using the GNU C compiler... yes
checking whether gcc accepts -g... yes
checking for gcc option to accept ISO C89... none needed
checking whether gcc understands -c and -o together... yes
checking dependency style of gcc... gcc3
checking for a sed that does not truncate output... /usr/bin/sed
checking for grep that handles long lines and -e... /usr/bin/grep
checking for egrep... /usr/bin/grep -E
checking for fgrep... /usr/bin/grep -F
checking for ld used by gcc... /usr/bin/ld
checking if the linker (/usr/bin/ld) is GNU ld... yes
checking for BSD- or MS-compatible name lister (nm)... /usr/bin/nm -B
checking the name lister (/usr/bin/nm -B) interface... BSD nm
checking whether ln -s works... yes
checking the maximum length of command line arguments... 1572864
checking how to convert aarch64-unknown-linux-gnu file names to aarch64-unknown-
linux-gnu format... func_convert_file_noop
checking how to convert aarch64-unknown-linux-gnu file names to toolchain
```

```
format... func_convert_file_noop
checking for /usr/bin/ld option to reload object files... -r
checking for objdump... objdump
checking how to recognize dependent libraries... pass_all
checking for dlltool... no
checking how to associate runtime and link libraries... printf %s\n
checking for ar... ar
checking for archiver @FILE support... @
checking for strip... strip
checking for ranlib... ranlib
checking command to parse /usr/bin/nm -B output from gcc object... ok
checking for sysroot... no
checking for a working dd... /usr/bin/dd
checking how to truncate binary pipes... /usr/bin/dd bs=4096 count=1
checking for mt... mt
checking if mt is a manifest tool... no
checking how to run the C preprocessor... gcc -E
checking for ANSI C header files... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking for dlfcn.h... yes
checking for objdir... .libs
checking if gcc supports -fno-rtti -fno-exceptions... no
checking for gcc option to produce PIC... -fPIC -DPIC
checking if gcc PIC flag -fPIC -DPIC works... yes
checking if gcc static flag -static works... yes
checking if gcc supports -c -o file.o... yes
checking if gcc supports -c -o file.o... (cached) yes
checking whether the gcc linker (/usr/bin/ld) supports shared libraries... yes
checking whether -lc should be explicitly linked in... no
checking dynamic linker characteristics... GNU/Linux ld.so
checking how to hardcode library paths into programs... immediate
checking whether stripping libraries is possible... yes
checking if libtool supports shared libraries... yes
checking whether to build shared libraries... yes
checking whether to build static libraries... yes
checking for gcc option to accept ISO C99... none needed
checking for an ANSI C-conforming const... yes
checking for inline... inline
checking dependency style of gcc... gcc3
checking for C/C++ restrict keyword... __restrict
checking for C99 variable-size arrays... yes
checking for cos in -lm... yes
checking if compiler supports ARM Neon intrinsics... yes
checking for NE10... no
checking if compiler supports Aarch64 Neon intrinsics... yes
checking for doxygen... no
checking for dot... no
checking if gcc supports -fvisibility=hidden... yes
checking whether to add -D_FORTIFY_SOURCE=2 to CFLAGS... no
checking if gcc supports -Wall -Wextra -Wcast-align -Wnested-externs -Wshadow -
Wstrict-prototypes... yes
checking for lrintf... yes
checking for lrint... yes
checking for __malloc_hook... no
checking that generated files are newer than configure... done
configure: creating ./config.status
config.status: creating Makefile
config.status: creating opus.pc
```

```
config.status: creating opus-uninstalled.pc
config.status: creating celt/arm/armopts.s
config.status: creating doc/Makefile
config.status: creating doc/Doxyfile
config.status: creating config.h
config.status: executing depfiles commands
config.status: executing libtool commands
configure:
```

```
-----
opus 1.3.1: Automatic configuration OK.
```

Compiler support:

```
C99 var arrays: ..... yes
C99 lintf: ..... yes
Use alloca: ..... no (using var arrays)
```

General configuration:

```
Floating point support: ..... yes
Fast float approximations: ..... no
Fixed point debugging: ..... no
Inline Assembly Optimizations: . No inline ASM for your platform, please
send patches
External Assembly Optimizations:
Intrinsics Optimizations: ..... ARM (NEON) (NEON Aarch64)
Run-time CPU detection: ..... no
Custom modes: ..... no
Assertion checking: ..... no
Hardening: ..... yes
Fuzzing: ..... no
Check ASM: ..... no

API documentation: ..... yes
Extra programs: ..... yes
-----
```

```
Type "make; make install" to compile and install
Type "make check" to run the test suite
```

```
+ make
```

```
make all-recursive
```

```
make[1]: Entering directory '/home/gero/studio-link/3rdparty/build/opus-1.3.1'
```

```
make[2]: Entering directory '/home/gero/studio-link/3rdparty/build/opus-1.3.1'
```

```
CC      celt/bands.lo
CC      celt/celt.lo
CC      celt/celt_encoder.lo
CC      celt/celt_decoder.lo
CC      celt/cwrs.lo
CC      celt/entcode.lo
CC      celt/entdec.lo
CC      celt/entenc.lo
CC      celt/kiss_fft.lo
CC      celt/laplace.lo
CC      celt/mathops.lo
CC      celt/mdct.lo
CC      celt/modes.lo
CC      celt/pitch.lo
CC      celt/celt_lpc.lo
CC      celt/quant_bands.lo
CC      celt/rate.lo
CC      celt/vq.lo
CC      celt/arm/armcpu.lo
CC      celt/arm/arm_celt_map.lo
CC      celt/arm/celt_neon_intr.lo
CC      celt/arm/pitch_neon_intr.lo
```

```
CC      silk/CNG.lo
CC      silk/code_signs.lo
CC      silk/init_decoder.lo
CC      silk/decode_core.lo
CC      silk/decode_frame.lo
CC      silk/decode_parameters.lo
CC      silk/decode_indices.lo
CC      silk/decode_pulses.lo
CC      silk/decoder_set_fs.lo
CC      silk/dec_API.lo
CC      silk/enc_API.lo
CC      silk/encode_indices.lo
CC      silk/encode_pulses.lo
CC      silk/gain_quant.lo
CC      silk/interpolate.lo
CC      silk/LP_variable_cutoff.lo
CC      silk/NLSF_decode.lo
CC      silk/NSQ.lo
CC      silk/NSQ_del_dec.lo
CC      silk/PLC.lo
CC      silk/shell_coder.lo
CC      silk/tables_gain.lo
CC      silk/tables_LTP.lo
CC      silk/tables_NLSF_CB_NB_MB.lo
CC      silk/tables_NLSF_CB_WB.lo
CC      silk/tables_other.lo
CC      silk/tables_pitch_lag.lo
CC      silk/tables_pulses_per_block.lo
CC      silk/VAD.lo
CC      silk/control_audio_bandwidth.lo
CC      silk/quant_LTP_gains.lo
CC      silk/VQ_WMat_EC.lo
CC      silk/HP_variable_cutoff.lo
CC      silk/NLSF_encode.lo
CC      silk/NLSF_VQ.lo
CC      silk/NLSF_unpack.lo
CC      silk/NLSF_del_dec_quant.lo
CC      silk/process_NLSFs.lo
CC      silk/stereo_LR_to_MS.lo
CC      silk/stereo_MS_to_LR.lo
CC      silk/check_control_input.lo
CC      silk/control_SNR.lo
CC      silk/init_encoder.lo
CC      silk/control_codec.lo
CC      silk/A2NLSF.lo
CC      silk/ana_filt_bank_1.lo
CC      silk/biquad_alt.lo
CC      silk/bwexpander_32.lo
CC      silk/bwexpander.lo
CC      silk/debug.lo
CC      silk/decode_pitch.lo
CC      silk/inner_prod_aligned.lo
CC      silk/lin2log.lo
CC      silk/log2lin.lo
CC      silk/LPC_analysis_filter.lo
CC      silk/LPC_inv_pred_gain.lo
CC      silk/table_LSF_cos.lo
CC      silk/NLSF2A.lo
CC      silk/NLSF_stabilize.lo
CC      silk/NLSF_VQ_weights_lar0ia.lo
CC      silk/pitch_est_tables.lo
CC      silk/resampler.lo
CC      silk/resampler_down2_3.lo
CC      silk/resampler_down2.lo
CC      silk/resampler_private_AR2.lo
CC      silk/resampler_private_down_FIR.lo
```

```

CC      silk/resampler_private_IIR_FIR.lo
CC      silk/resampler_private_up2_HQ.lo
CC      silk/resampler_rom.lo
CC      silk/sigm_Q15.lo
CC      silk/sort.lo
CC      silk/sum_sqr_shift.lo
CC      silk/stereo_decode_pred.lo
CC      silk/stereo_encode_pred.lo
CC      silk/stereo_find_predictor.lo
CC      silk/stereo_quant_pred.lo
CC      silk/LPC_fit.lo
CC      silk/float/apply_sine_window_FLP.lo
CC      silk/float/corrMatrix_FLP.lo
CC      silk/float/encode_frame_FLP.lo
CC      silk/float/find_LPC_FLP.lo
CC      silk/float/find_LTP_FLP.lo
CC      silk/float/find_pitch_lags_FLP.lo
CC      silk/float/find_pred_coefs_FLP.lo
CC      silk/float/LPC_analysis_filter_FLP.lo
CC      silk/float/LTP_analysis_filter_FLP.lo
CC      silk/float/LTP_scale_ctrl_FLP.lo
CC      silk/float/noise_shape_analysis_FLP.lo
CC      silk/float/process_gains_FLP.lo
CC      silk/float/regularize_correlations_FLP.lo
CC      silk/float/residual_energy_FLP.lo
CC      silk/float/warped_autocorrelation_FLP.lo
CC      silk/float/wrappers_FLP.lo
In file included from ./silk/main.h:46,
                 from silk/float/structs_FLP.h:32,
                 from silk/float/main_FLP.h:33,
                 from silk/float/wrappers_FLP.c:32:
silk/float/wrappers_FLP.c: In function 'silk_NSQ_wrapper_FLP':
./silk/arm/NSQ_del_dec_arm.h:53:18: warning: 'silk_NSQ_del_dec_c' reading 64 bytes
from a region of size 32 [-Wstringop-overread]
   53 |         ((void)
      |         ^
      |         ^
-----
   54 |         PRESUME_NEON(silk_NSQ_del_dec)
      |         ^
-----
   55 |         psEncC, NSQ, psIndices, x16, pulses, PredCoef_Q12,
LTPCoef_Q14, \
      |         ^
-----
   56 |         AR_Q13, HarmShapeGain_Q14, Tilt_Q14, LF_shp_Q14, Gains_Q16,
pitchL, \
      |         ^
-----
   57 |         Lambda_Q10, LTP_scale_Q14))
      |         ^
silk/float/wrappers_FLP.c:164:9: note: in expansion of macro 'silk_NSQ_del_dec'
   164 |         silk_NSQ_del_dec( &psEnc->sCmn, psNSQ, psIndices, x16, pulses,
PredCoef_Q12[ 0 ], LTPCoef_Q14,
      |         ^
./silk/arm/NSQ_del_dec_arm.h:53:18: note: referencing argument 6 of type 'const
opus_int16 *' {aka 'const short int *'}
   53 |         ((void)
      |         ^
      |         ^
-----
   54 |         PRESUME_NEON(silk_NSQ_del_dec)
      |         ^
-----

```

```

55 |           psEncC, NSQ, psIndices, x16, pulses, PredCoef_Q12,
LTPCoef_Q14, \
|
-----
56 |           AR_Q13, HarmShapeGain_Q14, Tilt_Q14, LF_shp_Q14, Gains_Q16,
pitchL, \
|
-----
57 |           Lambda_Q10, LTP_scale_Q14))
silk/float/wrappers_FLP.c:164:9: note: in expansion of macro 'silk_NSQ_del_dec'
164 |           silk_NSQ_del_dec( &psEnc->sCmn, psNSQ, psIndices, x16, pulses,
PredCoef_Q12[ 0 ], LTPCoef_Q14,
|           ^~~~~~
In file included from silk/float/structs_FLP.h:32,
                  from silk/float/main_FLP.h:33,
                  from silk/float/wrappers_FLP.c:32:
./silk/main.h:275:6: note: in a call to function 'silk_NSQ_del_dec_c'
275 | void silk_NSQ_del_dec_c(
|           ^~~~~~
./silk/main.h:270:18: warning: 'silk_NSQ_c' reading 64 bytes from a region of size
32 [-Wstringop-overread]
270 | ((void)(arch),silk_NSQ_c(psEncC, NSQ, psIndices, x16, pulses,
PredCoef_Q12, LTPCoef_Q14, AR_Q13, \
|           ^~~~~~
-----
271 |           HarmShapeGain_Q14, Tilt_Q14, LF_shp_Q14, Gains_Q16,
pitchL, Lambda_Q10, LTP_scale_Q14))
|
-----
silk/float/wrappers_FLP.c:167:9: note: in expansion of macro 'silk_NSQ'
167 |           silk_NSQ( &psEnc->sCmn, psNSQ, psIndices, x16, pulses,
PredCoef_Q12[ 0 ], LTPCoef_Q14,
|           ^~~~~~
./silk/main.h:270:18: note: referencing argument 6 of type 'const opus_int16
*' {aka 'const short int *'}
270 | ((void)(arch),silk_NSQ_c(psEncC, NSQ, psIndices, x16, pulses,
PredCoef_Q12, LTPCoef_Q14, AR_Q13, \
|           ^~~~~~
-----
271 |           HarmShapeGain_Q14, Tilt_Q14, LF_shp_Q14, Gains_Q16,
pitchL, Lambda_Q10, LTP_scale_Q14))
|
-----
silk/float/wrappers_FLP.c:167:9: note: in expansion of macro 'silk_NSQ'
167 |           silk_NSQ( &psEnc->sCmn, psNSQ, psIndices, x16, pulses,
PredCoef_Q12[ 0 ], LTPCoef_Q14,
|           ^~~~~~
./silk/main.h:249:6: note: in a call to function 'silk_NSQ_c'
249 | void silk_NSQ_c(
|           ^~~~~~
silk/float/wrappers_FLP.c: In function 'silk_quant_LTP_gains_FLP':
silk/float/wrappers_FLP.c:200:5: warning: 'xX_Q17' may be used uninitialized [-
Wmaybe-uninitialized]
200 |           silk_quant_LTP_gains( B_Q14, cbk_index, periodicity_index,
sum_log_gain_Q7, &pred_gain_dB_Q7, XX_Q17, xX_Q17, subfr_len, nb_subfr, arch );
|           ^~~~~~
-----
In file included from silk/float/structs_FLP.h:32,
                  from silk/float/main_FLP.h:33,
                  from silk/float/wrappers_FLP.c:32:
./silk/main.h:211:6: note: by argument 7 of type 'const opus_int32[20]' {aka
'const int[20]'} to 'silk_quant_LTP_gains' declared here
211 | void silk_quant_LTP_gains(
|           ^~~~~~
silk/float/wrappers_FLP.c:191:16: note: 'xX_Q17' declared here

```

```

191 |     opus_int32 xX_Q17[ MAX_NB_SUBFR * LTP_ORDER ];
    |           ^~~~~~
CC   silk/float/autocorrelation_FLP.lo
CC   silk/float/burg_modified_FLP.lo
CC   silk/float/bwexpander_FLP.lo
CC   silk/float/energy_FLP.lo
CC   silk/float/inner_product_FLP.lo
CC   silk/float/k2a_FLP.lo
CC   silk/float/LPC_inv_pred_gain_FLP.lo
CC   silk/float/pitch_analysis_core_FLP.lo
CC   silk/float/scale_copy_vector_FLP.lo
CC   silk/float/scale_vector_FLP.lo
CC   silk/float/schur_FLP.lo
CC   silk/float/sort_FLP.lo
CC   silk/arm/arm_silk_map.lo
CC   silk/arm/biquad_alt_neon_intr.lo
CC   silk/arm/LPC_inv_pred_gain_neon_intr.lo
CC   silk/arm/NSQ_del_dec_neon_intr.lo
silk/arm/NSQ_del_dec_neon_intr.c: In function 'silk_NSQ_del_dec_neon':
silk/arm/NSQ_del_dec_neon_intr.c:422:55: warning: iteration 80 invokes undefined
behavior [-Waggressive-loop-optimizations]
  422 |             NSQ->sLPC_Q14[ i ] = psDelDec->sLPC_Q14[ i ][ Winner_ind ];
    |                                     ~~~~~~^~~~~~
silk/arm/NSQ_del_dec_neon_intr.c:421:18: note: within this loop
  421 |             for( ; i < NSQ_LPC_BUF_LENGTH; i++ ) {
    |             ~~~~~
CC   silk/arm/NSQ_neon.lo
CC   src/opus.lo
CC   src/opus_decoder.lo
CC   src/opus_encoder.lo
CC   src/opus_multistream.lo
CC   src/opus_multistream_encoder.lo
CC   src/opus_multistream_decoder.lo
CC   src/repacketizer.lo
CC   src/opus_projection_encoder.lo
CC   src/opus_projection_decoder.lo
CC   src/mapping_matrix.lo
CC   src/analysis.lo
CC   src/mlp.lo
CC   src/mlp_data.lo
CCLD libopus.la
ar: `u' modifier ignored since `D' is the default (see `U')
CC   celt/tests/test_unit_cwrs32.o
CCLD celt/tests/test_unit_cwrs32
CC   celt/tests/test_unit_dft.o
CCLD celt/tests/test_unit_dft
CC   celt/tests/test_unit_entropy.o
CCLD celt/tests/test_unit_entropy
CC   celt/tests/test_unit_laplace.o
CCLD celt/tests/test_unit_laplace
CC   celt/tests/test_unit_mathops.o
CCLD celt/tests/test_unit_mathops
CC   celt/tests/test_unit_mdct.o
CCLD celt/tests/test_unit_mdct
CC   celt/tests/test_unit_rotation.o
CCLD celt/tests/test_unit_rotation
CC   celt/tests/test_unit_types.o
CCLD celt/tests/test_unit_types
CC   src/opus_compare.o
CCLD opus_compare
CC   src/opus_demo.o
CCLD opus_demo
CC   src/repacketizer_demo.o
CCLD repacketizer_demo
CC   silk/tests/test_unit_LPC_inv_pred_gain.o
CCLD silk/tests/test_unit_LPC_inv_pred_gain
CC   tests/test_opus_api.o

```



```
CCLD tests/test_opus_api
CC tests/test_opus_decode.o
CCLD tests/test_opus_decode
CC tests/test_opus_encode.o
CC tests/opus_encode_regressions.o
CCLD tests/test_opus_encode
CC tests/test_opus_padding.o
CCLD tests/test_opus_padding
CC tests/test_opus_projection.o
CCLD tests/test_opus_projection
make[3]: Entering directory '/home/gero/studio-link/3rdparty/build/opus-1.3.1/doc'
make[3]: Nothing to be done for 'all'.
make[3]: Leaving directory '/home/gero/studio-link/3rdparty/build/opus-1.3.1/doc'
make[2]: Leaving directory '/home/gero/studio-link/3rdparty/build/opus-1.3.1'
make[1]: Leaving directory '/home/gero/studio-link/3rdparty/build/opus-1.3.1'
+ popd
~/studio-link/3rdparty/build ~/studio-link/3rdparty
+ '[' linux == mingw ']'
+ cp opus-1.3.1/.libs/libopus.a 3rdparty/lib/
+ mkdir -p 3rdparty/include/opus
+ cp opus-1.3.1/include/opus_custom.h opus-1.3.1/include/opus_defines.h opus-1.3.1/
include/opus.h opus-1.3.1/include/opus_multistream.h opus-1.3.1/include/
opus_projection.h opus-1.3.1/include/opus_types.h 3rdparty/include/opus/
+ zip -r linux.zip 3rdparty
  adding: 3rdparty/ (stored 0%)
  adding: 3rdparty/include/ (stored 0%)
  adding: 3rdparty/include/openssl/ (stored 0%)
  adding: 3rdparty/include/openssl/storeerr.h (deflated 73%)
  adding: 3rdparty/include/openssl/lhash.h (deflated 76%)
  adding: 3rdparty/include/openssl/x509_vfy.h (deflated 80%)
  adding: 3rdparty/include/openssl/kdferr.h (deflated 68%)
  adding: 3rdparty/include/openssl/ocsperr.h (deflated 69%)
  adding: 3rdparty/include/openssl/ocsp.h (deflated 78%)
  adding: 3rdparty/include/openssl/kdf.h (deflated 80%)
  adding: 3rdparty/include/openssl/asn1t.h (deflated 80%)
  adding: 3rdparty/include/openssl/ssl2.h (deflated 40%)
  adding: 3rdparty/include/openssl/hmac.h (deflated 59%)
  adding: 3rdparty/include/openssl/engineerr.h (deflated 75%)
  adding: 3rdparty/include/openssl/md4.h (deflated 55%)
  adding: 3rdparty/include/openssl/asn1err.h (deflated 80%)
  adding: 3rdparty/include/openssl/opensslconf.h.in (deflated 65%)
  adding: 3rdparty/include/openssl/rand.h (deflated 58%)
  adding: 3rdparty/include/openssl/asn1_mac.h (deflated 33%)
  adding: 3rdparty/include/openssl/ecdsa.h (deflated 32%)
  adding: 3rdparty/include/openssl/sha.h (deflated 71%)
  adding: 3rdparty/include/openssl/bn.h (deflated 77%)
  adding: 3rdparty/include/openssl/randerr.h (deflated 74%)
  adding: 3rdparty/include/openssl/dsaerr.h (deflated 72%)
  adding: 3rdparty/include/openssl/_DECC_INCLUDE_EPILOGUE.H (deflated 40%)
  adding: 3rdparty/include/openssl/cast.h (deflated 64%)
  adding: 3rdparty/include/openssl/stack.h (deflated 73%)
  adding: 3rdparty/include/openssl/aes.h (deflated 75%)
  adding: 3rdparty/include/openssl/e_os2.h (deflated 69%)
  adding: 3rdparty/include/openssl/ui.h (deflated 68%)
  adding: 3rdparty/include/openssl/modes.h (deflated 87%)
  adding: 3rdparty/include/openssl/ssl.h (deflated 79%)
  adding: 3rdparty/include/openssl/safestack.h (deflated 76%)
  adding: 3rdparty/include/openssl/rand_drbg.h (deflated 71%)
  adding: 3rdparty/include/openssl/mdc2.h (deflated 49%)
  adding: 3rdparty/include/openssl/md5.h (deflated 55%)
  adding: 3rdparty/include/openssl/async.h (deflated 64%)
  adding: 3rdparty/include/openssl/pem.h (deflated 83%)
  adding: 3rdparty/include/openssl/comp.h (deflated 56%)
  adding: 3rdparty/include/openssl/bnerr.h (deflated 75%)
  adding: 3rdparty/include/openssl/dherr.h (deflated 74%)
  adding: 3rdparty/include/openssl/engine.h (deflated 71%)
```

adding: 3rdparty/include/openssl/conferr.h (deflated 72%)  
adding: 3rdparty/include/openssl/comperr.h (deflated 56%)  
adding: 3rdparty/include/openssl/pkcs7.h (deflated 75%)  
adding: 3rdparty/include/openssl/asn1.h (deflated 76%)  
adding: 3rdparty/include/openssl/rc4.h (deflated 44%)  
adding: 3rdparty/include/openssl/cryptoerr.h (deflated 67%)  
adding: 3rdparty/include/openssl/pkcs7err.h (deflated 75%)  
adding: 3rdparty/include/openssl/buffer.h (deflated 56%)  
adding: 3rdparty/include/openssl/blowfish.h (deflated 64%)  
adding: 3rdparty/include/openssl/tls1.h (deflated 86%)  
adding: 3rdparty/include/openssl/rsa.h (deflated 80%)  
adding: 3rdparty/include/openssl/whrlpool.h (deflated 55%)  
adding: 3rdparty/include/openssl/ecerr.h (deflated 81%)  
adding: 3rdparty/include/openssl/ssl3.h (deflated 75%)  
adding: 3rdparty/include/openssl/rsaerr.h (deflated 78%)  
adding: 3rdparty/include/openssl/oss\_l\_typ.h (deflated 71%)  
adding: 3rdparty/include/openssl/tserr.h (deflated 76%)  
adding: 3rdparty/include/openssl/seed.h (deflated 60%)  
adding: 3rdparty/include/openssl/symhacks.h (deflated 59%)  
adding: 3rdparty/include/openssl/store.h (deflated 74%)  
adding: 3rdparty/include/openssl/pemerr.h (deflated 76%)  
adding: 3rdparty/include/openssl/evp.h (deflated 84%)  
adding: 3rdparty/include/openssl/bioerr.h (deflated 77%)  
adding: 3rdparty/include/openssl/dsa.h (deflated 74%)  
adding: 3rdparty/include/openssl/txt\_db.h (deflated 58%)  
adding: 3rdparty/include/openssl/rc5.h (deflated 63%)  
adding: 3rdparty/include/openssl/pem2.h (deflated 34%)  
adding: 3rdparty/include/openssl/bio.h (deflated 76%)  
adding: 3rdparty/include/openssl/cterr.h (deflated 73%)  
adding: 3rdparty/include/openssl/srp.h (deflated 66%)  
adding: 3rdparty/include/openssl/dtls1.h (deflated 60%)  
adding: 3rdparty/include/openssl/ebcdic.h (deflated 51%)  
adding: 3rdparty/include/openssl/x509err.h (deflated 76%)  
adding: 3rdparty/include/openssl/evperr.h (deflated 79%)  
adding: 3rdparty/include/openssl/camellia.h (deflated 73%)  
adding: 3rdparty/include/openssl/ct.h (deflated 74%)  
adding: 3rdparty/include/openssl/\_DECC\_INCLUDE\_PROLOGUE.H (deflated 41%)  
adding: 3rdparty/include/openssl/x509v3.h (deflated 77%)  
adding: 3rdparty/include/openssl/buffererr.h (deflated 47%)  
adding: 3rdparty/include/openssl/pkcs12err.h (deflated 73%)  
adding: 3rdparty/include/openssl/opensslv.h (deflated 56%)  
adding: 3rdparty/include/openssl/dh.h (deflated 79%)  
adding: 3rdparty/include/openssl/err.h (deflated 76%)  
adding: 3rdparty/include/openssl/ecdh.h (deflated 32%)  
adding: 3rdparty/include/openssl/uierr.h (deflated 69%)  
adding: 3rdparty/include/openssl/cmac.h (deflated 51%)  
adding: 3rdparty/include/openssl/obj\_mac.h (deflated 85%)  
adding: 3rdparty/include/openssl/conf\_api.h (deflated 61%)  
adding: 3rdparty/include/openssl/asyncerr.h (deflated 59%)  
adding: 3rdparty/include/openssl/x509.h (deflated 81%)  
adding: 3rdparty/include/openssl/opensslconf.h (deflated 67%)  
adding: 3rdparty/include/openssl/objecterr.h (deflated 60%)  
adding: 3rdparty/include/openssl/ripemd.h (deflated 54%)  
adding: 3rdparty/include/openssl/cms.h (deflated 82%)  
adding: 3rdparty/include/openssl/ec.h (deflated 86%)  
adding: 3rdparty/include/openssl/x509v3err.h (deflated 78%)  
adding: 3rdparty/include/openssl/md2.h (deflated 50%)  
adding: 3rdparty/include/openssl/sslerr.h (deflated 82%)  
adding: 3rdparty/include/openssl/idea.h (deflated 68%)  
adding: 3rdparty/include/openssl/conf.h (deflated 71%)  
adding: 3rdparty/include/openssl/rc2.h (deflated 63%)  
adding: 3rdparty/include/openssl/srtp.h (deflated 52%)  
adding: 3rdparty/include/openssl/des.h (deflated 76%)  
adding: 3rdparty/include/openssl/objects.h (deflated 71%)  
adding: 3rdparty/include/openssl/crypto.h (deflated 73%)  
adding: 3rdparty/include/openssl/ts.h (deflated 77%)

```
adding: 3rdparty/include/openssl/cmserr.h (deflated 80%)
adding: 3rdparty/include/openssl/pkcs12.h (deflated 78%)
adding: 3rdparty/include/FLAC/ (stored 0%)
adding: 3rdparty/include/FLAC/stream_encoder.h (deflated 81%)
adding: 3rdparty/include/FLAC/stream_decoder.h (deflated 83%)
adding: 3rdparty/include/FLAC/callback.h (deflated 65%)
adding: 3rdparty/include/FLAC/assert.h (deflated 49%)
adding: 3rdparty/include/FLAC/all.h (deflated 65%)
adding: 3rdparty/include/FLAC/export.h (deflated 54%)
adding: 3rdparty/include/FLAC/Makefile.am (deflated 48%)
adding: 3rdparty/include/FLAC/ordinals.h (deflated 55%)
adding: 3rdparty/include/FLAC/Makefile.in (deflated 67%)
adding: 3rdparty/include/FLAC/format.h (deflated 77%)
adding: 3rdparty/include/FLAC/Makefile (deflated 66%)
adding: 3rdparty/include/FLAC/metadata.h (deflated 84%)
adding: 3rdparty/include/samplerate.h (deflated 62%)
adding: 3rdparty/include/opus/ (stored 0%)
adding: 3rdparty/include/opus/opus.h (deflated 78%)
adding: 3rdparty/include/opus/opus_types.h (deflated 69%)
adding: 3rdparty/include/opus/opus_custom.h (deflated 73%)
adding: 3rdparty/include/opus/opus_multistream.h (deflated 82%)
adding: 3rdparty/include/opus/opus_defines.h (deflated 76%)
adding: 3rdparty/include/opus/opus_projection.h (deflated 84%)
adding: 3rdparty/include/soundio/ (stored 0%)
adding: 3rdparty/include/soundio/endian.h (deflated 84%)
adding: 3rdparty/include/soundio/soundio.h (deflated 78%)
adding: 3rdparty/lib/ (stored 0%)
adding: 3rdparty/lib/libsoundio.a (deflated 72%)
adding: 3rdparty/lib/libopus.a (deflated 66%)
adding: 3rdparty/lib/libcrypto.a (deflated 69%)
adding: 3rdparty/lib/libFLAC.a (deflated 56%)
adding: 3rdparty/lib/libamplerate.a (deflated 10%)
adding: 3rdparty/lib/libssl.a (deflated 69%)
gero@gero-studiolink:~/studio-link/3rdparty$
```